

t6_bhsp_4 (TMd- PzYQdpP7KGiVqetKZyAz1syZ1sdRL2QC)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_bhsp_1 : \iota \Rightarrow o$ be given. Let $l1_bhsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_bhsp_4 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_bhsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_bhsp_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_bhsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_bhsp_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_bhsp_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\
& X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1. ((v1_funct_1 X1) \wedge \\
& ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\
& (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
& (\forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (((v1_bhsp_2 X1 X0) \wedge (v1_bhsp_2 X2 X0)) \Rightarrow (v1_bhsp_2 (\\
& k2_normsp_1 X0 X1 X2) X0))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 \\
& X0) \wedge (l2_algstr_0 X0)))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 \\
& X1 \ k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\
& (k2_zfmisc_1 \ k5_numbers (u1_struct_0 X0)))))) \Rightarrow (\forall X2.(\\
& (v1_funct_1 X2) \wedge ((v1_funct_2 X2 \ k5_numbers (u1_struct_0 X0)) \wedge \\
& (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \ k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (r2_funct_2 \ k5_numbers (u1_struct_0 X0) (k2_normsp_1 \\
& X0 (k1_bhspl_4 X0 X1) (k1_bhspl_4 X0 X2)) (k1_bhspl_4 X0 (k2_normsp_1 \\
& X0 X1 X2))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhspl_1 \\
& X0) \wedge (l1_bhspl_1 X0)))))))))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge \\
& ((v1_funct_2 X1 \ k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\
& (k1_zfmisc_1 (k2_zfmisc_1 \ k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\
& (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 \ k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \ k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (((v1_bhspl_2 X1 X0) \wedge (v1_bhspl_2 X2 X0)) \Rightarrow (k1_bhspl_2 X0 \\
& (k2_normsp_1 X0 X1 X2) = k3_rlvect_1 X0 (k1_bhspl_2 X0 X1) (k1_bhspl_2 \\
& X0 X2))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (((v1_funct_1 X2) \wedge \\
& ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& X0 X1)))))) \wedge ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 \\
& X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((r2_funct_2 X0 X1 X2 \\
& X3) \Leftrightarrow (X2 = X3))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\
& ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 \\
& X0) \wedge ((v2_bhspl_1 X0) \wedge (l1_bhspl_1 X0)))))))))) \wedge (((v1_funct_1 \\
& X1) \wedge ((v1_funct_2 X1 \ k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 \\
& X1 (k1_zfmisc_1 (k2_zfmisc_1 \ k5_numbers (u1_struct_0 X0)))))) \wedge \\
& ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 \ k5_numbers (u1_struct_0 X0)) \wedge \\
& (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \ k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (k6_bhspl_1 X0 X1 X2 = k2_normsp_1 X0 X1 X2)
\end{aligned} \tag{5}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \tag{6}$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (7)$$

Assume the following.

$$\forall X0.(l1_bhspl_1 X0) \Rightarrow (l1_rlvect_1 X0) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge (l2_algstr_0 \\ & X0)) \wedge (((v1_funct_1 X1) \wedge (v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \wedge ((v1_funct_1 X2) \wedge (v1_funct_2 X2 k5_numbers (u1_struct_0 \\ & X0)))))) \Rightarrow ((v1_funct_1 (k2_normsp_1 X0 X1 X2)) \wedge (v1_funct_2 \\ & (k2_normsp_1 X0 X1 X2) k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 \\ & (k2_normsp_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge (l2_algstr_0 X0)) \wedge \\ & ((v1_funct_1 X1) \wedge (v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \Rightarrow ((v1_funct_1 (k1_bhspl_4 X0 X1)) \wedge (v1_funct_2 (k1_bhspl_4 \\ & X0 X1) k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 (k1_bhspl_4 X0 \\ & X1) (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.(((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhspl_1 \\ & X0) \wedge (l1_bhspl_1 X0)))))))))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge \\ & ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\ & (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\ & (k2_bhspl_4 X0 X1 = k1_bhspl_2 X0 (k1_bhspl_4 X0 X1))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.(((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhspl_1 \\ & X0) \wedge (l1_bhspl_1 X0)))))))))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge \\ & ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\ & (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\ & ((v1_bhspl_4 X1 X0) \Leftrightarrow (v1_bhspl_2 (k1_bhspl_4 X0 X1) X0))) \end{aligned} \quad (12)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 \\ & X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.((v1_funct_1 X1) \wedge \\ & ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 \\ & (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow \\ & (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \Rightarrow (((v1_bhsp_4 X1 X0) \wedge (v1_bhsp_4 X2 X0)) \Rightarrow ((v1_bhsp_4 \\ & (k6_bhsp_1 X0 X1 X2) X0) \wedge (k2_bhsp_4 X0 (k6_bhsp_1 X0 X1 X2) = k3_rlvect_1 \\ & X0 (k2_bhsp_4 X0 X1) (k2_bhsp_4 X0 X2)))))) \end{aligned}$$