

## t6\_calcul\_1

(TMNB6R9pamRLBceq3fEUfiGdkn8bWYJfn92)

October 27, 2020

Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_finseq\_1 : \iota \Rightarrow o$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k7\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $np\_1 : \iota$  be given. Let  $v1\_xreal\_0 : \iota \Rightarrow o$  be given. Let  $k2\_xcmplx\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k2\_nat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $v1\_xcmplx\_0 : \iota \Rightarrow o$  be given. Let  $k6\_numbers : \iota$  be given. Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Let  $k1\_nat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $k5\_numbers : \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $np\_0 : \iota$  be given. Let  $k4\_xcmplx\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $k1\_card\_1 : \iota \Rightarrow \iota$  be given. Let  $v1\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $v3\_ordinal1 : \iota \Rightarrow o$  be given. Let  $v1\_finset\_1 : \iota \Rightarrow o$  be given. Let  $v1\_card\_1 : \iota \Rightarrow o$  be given. Let  $v3\_xxreal\_0 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} & \forall X0.(v1\_xreal\_0 X0) \Rightarrow (\forall X1.(v1\_xreal\_0 X1) \Rightarrow (\forall X2. \\ & (v1\_xreal\_0 X2) \Rightarrow ((r1\_xxreal\_0 X0 X1) \Leftrightarrow (r1\_xxreal\_0 (k2\_xcmplx\_0 \\ & X0 X2) (k2\_xcmplx\_0 X1 X2)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0.(v1\_xboole\_0 X0) \Rightarrow (X0 = k1\_xboole\_0) \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 X0))) \Rightarrow \\ & (\forall X1.((v1\_relat\_1 X1) \wedge ((v1\_funct\_1 X1) \wedge (v1\_finseq\_1 \\ & X1)))) \Rightarrow (k3\_finseq\_1 (k7\_finseq\_1 X0 X1) = k2\_nat\_1 (k3\_finseq\_1 \\ & X0) (k3\_finseq\_1 X1))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.(v1\_xreal\_0 X0) \Rightarrow (\forall X1.(v1\_xreal\_0 X1) \Rightarrow (((r1\_xxreal\_0 \\ X0 X1) \wedge (v2\_xxreal\_0 X0)) \Rightarrow (v2\_xxreal\_0 X1))) \quad (4)$$

Assume the following.

$$\forall X0.(v1\_xcmplx\_0 X0) \Rightarrow (k2\_xcmplx\_0 X0 \ k6\_numbers = X0) \quad (5)$$

Assume the following.

$$\forall X0.(v7\_ordinal1 X0) \Rightarrow (\forall X1.(v7\_ordinal1 X1) \Rightarrow ((\neg r1\_xxreal\_0 (k1\_nat\_1 X1 \ np\_1) X0) \Leftrightarrow (r1\_xxreal\_0 X0 X1))) \quad (6)$$

Assume the following.

$$\forall X0.(v7\_ordinal1 X0) \Rightarrow (\forall X1.(v7\_ordinal1 X1) \Rightarrow (\forall X2.(v7\_ordinal1 X2) \Rightarrow ((r1\_xxreal\_0 X0 X1) \Rightarrow (r1\_xxreal\_0 X0 (k2\_xcmplx\_0 X1 X2)))))) \quad (7)$$

Assume the following.

$$((v2\_xxreal\_0 \ np\_1) \wedge (m2\_subset\_1 \ np\_1 \ k1\_numbers \ k5\_numbers)) \wedge ((m1\_subset\_1 \ np\_1 \ k5\_numbers) \wedge (m1\_subset\_1 \ np\_1 \ k1\_numbers)) \quad (8)$$

Assume the following.

$$(m2\_subset\_1 \ np\_0 \ k1\_numbers \ k5\_numbers) \wedge ((m1\_subset\_1 \ np\_0 \ k5\_numbers) \wedge (m1\_subset\_1 \ np\_0 \ k1\_numbers)) \quad (9)$$

Assume the following.

$$v1\_xboole\_0 \ np\_0 \quad (10)$$

Assume the following.

$$k4\_xcmplx\_0 \ np\_0 = np\_0 \quad (11)$$

Assume the following.

$$k2\_xcmplx\_0 \ np\_0 \ np\_1 = np\_1 \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1\_xboole\_0 X0) \wedge ((\neg v1\_xboole\_0 X1) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)))) \Rightarrow (\forall X2.(m2\_subset\_1 X2 X0 X1) \Leftrightarrow (m1\_subset\_1 X2 X1)) \quad (13)$$

Assume the following.

$$k6\_numbers = k1\_xboole\_0 \quad (14)$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \quad (15)$$

Assume the following.

$$\forall X0.((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 X0))) \Rightarrow (k3\_finseq\_1 X0 = k1\_card\_1 X0) \quad (16)$$

Assume the following.

$$\forall X0. \forall X1. ((m1\_subset\_1 X0 k5\_numbers) \wedge (v7\_ordinal1 X1)) \Rightarrow (k2\_nat\_1 X0 X1 = k2\_xcmplx\_0 X0 X1) \quad (17)$$

Assume the following.

$$\forall X0. \forall X1. ((v7\_ordinal1 X0) \wedge (m1\_subset\_1 X1 k5\_numbers)) \Rightarrow (k1\_nat\_1 X0 X1 = k2\_xcmplx\_0 X0 X1) \quad (18)$$

Assume the following.

$$\exists X0. (v1\_xboole\_0 X0) \wedge ((v1\_xcmplx\_0 X0) \wedge ((v1\_xxreal\_0 X0) \wedge (v1\_xreal\_0 X0))) \quad (19)$$

Assume the following.

$$(\neg v1\_xboole\_0 k4\_ordinal1) \wedge (v3\_ordinal1 k4\_ordinal1) \quad (20)$$

Assume the following.

$$\forall X0. (v1\_finset\_1 X0) \Rightarrow ((v1\_finset\_1 (k1\_card\_1 X0)) \wedge (v1\_card\_1 (k1\_card\_1 X0))) \quad (21)$$

Assume the following.

$$\forall X0. (\neg v1\_xboole\_0 X0) \Rightarrow ((\neg v1\_xboole\_0 (k1\_card\_1 X0)) \wedge (v1\_card\_1 (k1\_card\_1 X0))) \quad (22)$$

Assume the following.

$$\forall X0. ((\neg v3\_xxreal\_0 X0) \wedge (v1\_xreal\_0 X0)) \Rightarrow ((v1\_xcmplx\_0 (k4\_xcmplx\_0 X0)) \wedge (\neg v2\_xxreal\_0 (k4\_xcmplx\_0 X0))) \quad (23)$$

Assume the following.

$$m1\_subset\_1 k5\_numbers (k1\_zfmisc\_1 k1\_numbers) \quad (24)$$

Assume the following.

$$\forall X0. \forall X1. ((v7\_ordinal1 X0) \wedge (m1\_subset\_1 X1 k5\_numbers)) \Rightarrow (m2\_subset\_1 (k1\_nat\_1 X0 X1) k1\_numbers k5\_numbers) \quad (25)$$

Assume the following.

$$\forall X0. v1\_card\_1 (k1\_card\_1 X0) \quad (26)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_xcmplx\_0 X0)\wedge(v1\_xcmplx\_0 X1))\Rightarrow(k2\_xcmplx\_0 X0 X1 = k2\_xcmplx\_0 X1 X0) \quad (27)$$

Assume the following.

$$\forall X0.\forall X1.((m1\_subset\_1 X0 k5\_numbers)\wedge(v7\_ordinal1 X1))\Rightarrow(k2\_nat\_1 X0 X1 = k2\_nat\_1 X1 X0) \quad (28)$$

Assume the following.

$$\forall X0.((v1\_xxreal\_0 X0)\wedge((\neg v2\_xxreal\_0 X0)\wedge(\neg v3\_xxreal\_0 X0)))\Rightarrow((v1\_xboole\_0 X0)\wedge(v1\_xxreal\_0 X0)) \quad (29)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k4\_ordinal1)\Rightarrow(v7\_ordinal1 X0) \quad (30)$$

Assume the following.

$$\forall X0.((v3\_ordinal1 X0)\wedge(v1\_finset\_1 X0))\Rightarrow(v7\_ordinal1 X0) \quad (31)$$

Assume the following.

$$\forall X0.(v1\_xreal\_0 X0)\Rightarrow(v1\_xxreal\_0 X0) \quad (32)$$

Assume the following.

$$\forall X0.(v1\_xreal\_0 X0)\Rightarrow(v1\_xcmplx\_0 X0) \quad (33)$$

Assume the following.

$$\forall X0.(v7\_ordinal1 X0)\Rightarrow((v7\_ordinal1 X0)\wedge(\neg v3\_xxreal\_0 X0)) \quad (34)$$

Assume the following.

$$\forall X0.(v7\_ordinal1 X0)\Rightarrow(v1\_xreal\_0 X0) \quad (35)$$

Assume the following.

$$\forall X0.((v1\_relat\_1 X0)\wedge((v1\_funct\_1 X0)\wedge(v1\_finseq\_1 X0)))\Rightarrow((v1\_relat\_1 X0)\wedge((v1\_funct\_1 X0)\wedge(v1\_finset\_1 X0))) \quad (36)$$

Assume the following.

$$\forall X0.(v1\_xboole\_0 X0)\Rightarrow(\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0))\Rightarrow(v1\_xboole\_0 X1)) \quad (37)$$

Assume the following.

$$\forall X0.(v1\_card\_1 X0)\Rightarrow(v3\_ordinal1 X0) \quad (38)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 X0))) \Rightarrow \\ & \quad (\forall X1.((v1\_relat\_1 X1) \wedge ((v1\_funct\_1 X1) \wedge (v1\_finseq\_1 \\ & \quad X1))) \Rightarrow ((r1\_xxreal\_0 (k3\_finseq\_1 X0) (k3\_finseq\_1 (k7\_finseq\_1 \\ & \quad X0 X1))) \wedge ((r1\_xxreal\_0 (k3\_finseq\_1 X1) (k3\_finseq\_1 (k7\_finseq\_1 \\ & \quad X0 X1))) \wedge ((X0 \neq k1\_xboole\_0) \Rightarrow ((r1\_xxreal\_0 np\_1 (k3\_finseq\_1 \\ & \quad X0)) \wedge (\neg r1\_xxreal\_0 (k3\_finseq\_1 (k7\_finseq\_1 X1 X0)) (k3\_finseq\_1 \\ & \quad X1))))))))) \end{aligned}$$