

t6_fintopo6
(TMVmZCmPgHm2FmvgSn6EjeVKBDexFUge2xV)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_fin_topo : \iota \Rightarrow o$ be given. Let $r1_xboole_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_fin_topo : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_fin_topo : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 \\ & (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow ((X1 \in k9_fin_topo X0 X2) \Leftrightarrow (\neg r1_xboole_0 \\ & (k1_fin_topo X0 X1 X2)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((X0 \in X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X2))) \Rightarrow (m1_subset_1 X0 X2) \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. (\neg(\neg r1_xboole_0 X0 X1) \wedge (\forall X2. \neg(X2 \in X0) \wedge (X2 \in X1))) \wedge (\neg(\exists X2. (X2 \in X0) \wedge (X2 \in X1)) \wedge (r1_xboole_0 X0 X1)) \tag{3}$$

Assume the following.

$$\forall X0. \forall X1. (r1_xboole_0 X0 X1) \Rightarrow (r1_xboole_0 X1 X0) \tag{4}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow ((v1_fin_topo \\ & X0) \Leftrightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((X2 \in k1_fin_topo X0 X1) \Rightarrow (X1 \in \\ & k1_fin_topo X0 X2)))))) \end{aligned} \tag{5}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (((v1_fin_topo \\ & X0) \wedge (r1_xboole_0 (k9_fin_topo X0 X1) X2)) \Rightarrow (r1_xboole_0 X1 (k9_fin_topo \\ & X0 X2)))))) \end{aligned}$$