

t6_genealg1

(TMa2WBQxiwoo9xExWk5axyFZvigYwVjmKmR)

October 27, 2020

Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v2_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $m1_genealg1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_genealg1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_genealg1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_card_3 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(m1_subset_1 X0 k5_numbers) \Rightarrow (\forall X1.((\neg v1_xboole_0 \\ & X1) \wedge ((v1_relat_1 X1) \wedge ((v2_relat_1 X1) \wedge ((v1_funct_1 X1) \wedge (v1_finseq_1 \\ & X1)))))) \Rightarrow (\forall X2.(m1_genealg1 X2 X1) \Rightarrow (\forall X3.(m1_genealg1 \\ & X3 X1) \Rightarrow (m1_genealg1 (k1_genealg1 X1 X2 X3 X0) X1))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v1_xboole_0 X0) \wedge ((v1_relat_1 X0) \wedge ((v2_relat_1 \\ & X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0)))))) \Rightarrow (\forall X1.(m1_genealg1 \\ & X1 X0) \Rightarrow (m2_finseq_1 X1 (k3_card_3 X0))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v1_xboole_0 X0) \wedge ((v1_relat_1 X0) \wedge ((v2_relat_1 \\ & X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0)))))) \Rightarrow (\forall X1.(m2_finseq_1 \\ & X1 (k3_card_3 X0)) \Rightarrow (\forall X2.(m2_finseq_1 X2 (k3_card_3 X0)) \Rightarrow \\ & (\forall X3.(m1_subset_1 X3 k5_numbers) \Rightarrow (\forall X4.(m1_subset_1 \\ & X4 k5_numbers) \Rightarrow (k2_genealg1 X0 X1 X2 X3 X4 = k1_genealg1 X0 (k1_genealg1 \\ & X0 X1 X2 X3) (k1_genealg1 X0 X2 X1 X3) X4)))))) \end{aligned} \quad (3)$$

Theorem 1

$$\begin{aligned} & \forall X0.(m1_subset_1 X0 k5_numbers) \Rightarrow (\forall X1.(m1_subset_1 \\ & X1 k5_numbers) \Rightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\ & X2) \wedge ((v2_relat_1 X2) \wedge ((v1_funct_1 X2) \wedge (v1_finseq_1 X2)))))) \Rightarrow \\ & (\forall X3.(m1_genealg1 X3 X2) \Rightarrow (\forall X4.(m1_genealg1 X4 X2) \Rightarrow \\ & (m1_genealg1 (k2_genealg1 X2 X3 X4 X0 X1) X2)))) \end{aligned}$$