

t6_msafree2 (TMMLFf- GAYPjPZBxFM6TLuiqMGw6FudMLUMK)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $l1_msualg_1 : \iota \Rightarrow o$ be given. Let $v4_msualg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l3_msualg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_msafree : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u3_msualg_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m3_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r8_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k12_msualg_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $g3_msualg_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u4_msualg_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m2_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_msualg_1 : \iota \Rightarrow \iota$ be given. Let $k6_finseq_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u2_msualg_1 : \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_msualg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_msualg_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l5_struct_0 : \iota \Rightarrow o$ be given. Let $v3_msualg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge (l1_msualg_1 \\ & \quad X0))) \Rightarrow (\forall X1.(l3_msualg_1 X1 X0) \Rightarrow (\forall X2.(m3_pboole \\ & \quad X2 (u1_struct_0 X0) (u3_msualg_1 X0 X1)) \Rightarrow ((r8_pboole (u1_struct_0 \\ & \quad X0) X2 (u3_msualg_1 X0 X1)) \Rightarrow (k12_msualg_2 X0 X1 X2 = g3_msualg_1 \\ & \quad X0 (u3_msualg_1 X0 X1) (u4_msualg_1 X0 X1)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((v1_relat_1 X1) \wedge ((v4_relat_1 \\ & \quad X1 X0) \wedge ((v1_funct_1 X1) \wedge (v1_partfun1 X1 X0)))) \wedge ((v1_relat_1 \\ & \quad X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))))) \Rightarrow \\ & \quad (r2_pboole X0 X1 X1) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge((v1_relat_1 \\ & X1)\wedge((v4_relat_1 X1 X0)\wedge((v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\wedge \\ & ((v1_relat_1 X2)\wedge((v4_relat_1 X2 X0)\wedge((v1_funct_1 X2)\wedge(v1_partfun1 \\ & X2 X0))))))\Rightarrow((r8_pboole X0 X1 X2)\Leftrightarrow(X1 = X2)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(l1_msualg_1 \\ & X0))\wedge((v1_relat_1 X1)\wedge((v4_relat_1 X1 (u1_struct_0 X0))\wedge((\\ & v1_funct_1 X1)\wedge(v1_partfun1 X1 (u1_struct_0 X0))))))\wedge(m2_pboole \\ & X2 (u4_struct_0 X0) (k3_relat_1 (u1_msualg_1 X0) (k6_finseq_2 \\ & (u1_struct_0 X0) X1)) (k3_relat_1 (u2_msualg_1 X0) X1))))\Rightarrow(\forall X3. \\ & \forall X4.\forall X5.(g3_msualg_1 X0 X1 X2 = g3_msualg_1 X3 X4 X5)\Rightarrow \\ & ((X0 = X3)\wedge((X1 = X4)\wedge(X2 = X5)))) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge(l1_msualg_1 X0))\wedge \\ & (l3_msualg_1 X1 X0))\Rightarrow(m2_pboole (u4_msualg_1 X0 X1) (u4_struct_0 \\ & X0) (k3_relat_1 (u1_msualg_1 X0) (k6_finseq_2 (u1_struct_0 X0) \\ & (u3_msualg_1 X0 X1))) (k3_relat_1 (u2_msualg_1 X0) (u3_msualg_1 \\ & X0 X1))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((l1_struct_0 X0)\wedge(l2_msualg_1 X1 X0))\Rightarrow \\ & ((v1_relat_1 (u3_msualg_1 X0 X1))\wedge((v4_relat_1 (u3_msualg_1 \\ & X0 X1) (u1_struct_0 X0))\wedge((v1_funct_1 (u3_msualg_1 X0 X1))\wedge(v1_partfun1 \\ & (u3_msualg_1 X0 X1) (u1_struct_0 X0)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge((\neg v11_struct_0 X0)\wedge \\ & (l1_msualg_1 X0)))\wedge(l3_msualg_1 X1 X0))\Rightarrow(\forall X2.(m1_msualg_2 \\ & X2 X0 X1)\Rightarrow(l3_msualg_1 X2 X0)) \end{aligned} \quad (8)$$

Assume the following.

$$\forall X0.(l5_struct_0 X0)\Rightarrow(l1_struct_0 X0) \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l1_msualg_1 X0))\Rightarrow(\forall X1. \\ & (l3_msualg_1 X1 X0)\Rightarrow(l2_msualg_1 X1 X0)) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.(l1_msualg_1 X0) \Rightarrow (l5_struct_0 X0) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 \\ & X0) \wedge (l1_msualg_1 X0))) \wedge ((l3_msualg_1 X1 X0) \wedge (m3_pboole X2 (u1_struct_0 \\ & X0) (u3_msualg_1 X0 X1)))) \Rightarrow ((v3_msualg_1 (k12_msualg_2 X0 X1 X2) \\ & X0) \wedge (m1_msualg_2 (k12_msualg_2 X0 X1 X2) X0 X1)) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge (l1_msualg_1 \\ & X0))) \Rightarrow (\forall X1.(l3_msualg_1 X1 X0) \Rightarrow (\forall X2.(m3_pboole \\ & X2 (u1_struct_0 X0) (u3_msualg_1 X0 X1))) \Rightarrow ((m1_msafree X2 X0 X1) \Leftrightarrow \\ & (r8_pboole (u1_struct_0 X0) (u3_msualg_1 X0 (k12_msualg_2 X0 X1 \\ & X2)) (u3_msualg_1 X0 X1)))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge (\\ & v1_funct_1 X1) \wedge (v1_partfun1 X1 X0))) \Rightarrow (\forall X2.((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\ & ((m3_pboole X2 X0 X1) \Leftrightarrow (r2_pboole X0 X2 X1))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge (l1_msualg_1 X0)) \wedge \\ & (l3_msualg_1 X1 X0)) \Rightarrow ((v3_msualg_1 X1 X0) \Rightarrow (X1 = g3_msualg_1 X0 \\ & (u3_msualg_1 X0 X1) (u4_msualg_1 X0 X1))) \end{aligned} \quad (15)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge (l1_msualg_1 \\ & X0))) \Rightarrow (\forall X1.((v4_msualg_1 X1 X0) \wedge (l3_msualg_1 X1 X0)) \Rightarrow \\ & (m1_msafree (u3_msualg_1 X0 X1) X0 X1)) \end{aligned}$$