

t6_scmpds_2
(TMZj2QBgpYhzC9nEfrVs3uJ8subStCeAnVGc)

October 27, 2020

Let $m1_subset.1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_compos.1 : \iota \Rightarrow \iota$ be given. Let $k1_scmpds.2 : \iota$ be given. Let $r1_xxreal.0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_compos.0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_14 : \iota$ be given. Let $k1_scmpds.i : \iota$ be given. Let $v1_compos.0 : \iota \Rightarrow o$ be given. Let $v2_compos.0 : \iota \Rightarrow o$ be given. Let $v3_compos.0 : \iota \Rightarrow o$ be given. Let $v5_compos.0 : \iota \Rightarrow o$ be given. Let $v1_funct.1 : \iota \Rightarrow o$ be given. Let $v1_funct.2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc.1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc.1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat.1 : \iota \Rightarrow o$ be given. Let $v4_relat.1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_funct.2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_card.3 : \iota \Rightarrow \iota$ be given. Let $k3_relat.1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $g1_extpro.1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_scmpds.1 : \iota$ be given. Let $k3_ami.2 : \iota$ be given. Let $k4_ami.2 : \iota$ be given. Let $np_2 : \iota$ be given. Let $k1_ami.2 : \iota$ be given. Let $v1_extpro.1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_extpro.1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_funct.7 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct.0 : \iota \Rightarrow \iota$ be given. Let $u2_struct.0 : \iota \Rightarrow \iota$ be given. Let $u1_memstr.0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u2_memstr.0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_extpro.1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0.(m1_subset.1 \ X0 \ k1_scmpds.i) \Rightarrow (r1_xxreal.0 \ (k2_compos.0 \ k1_scmpds.i \ X0) \ np_14) \quad (1)$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\
& \forall X6.((m1_subset_1 X2 X1)\wedge(((v1_compos_0 X3)\wedge((v2_compos_0 \\
& X3)\wedge((v3_compos_0 X3)\wedge(v5_compos_0 X3))))\wedge(((v1_funct_1 X4)\wedge \\
& ((v1_funct_2 X4 X1 X0)\wedge(m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 \\
& X1 X0))))\wedge(((v1_relat_1 X5)\wedge((v4_relat_1 X5 X0)\wedge((v1_funct_1 \\
& X5)\wedge(v1_partfun1 X5 X0))))\wedge((v1_funct_1 X6)\wedge((v1_funct_2 X6 \\
& X3 (k1_funct_2 (k4_card_3 (k3_relat_1 X4 X5)) (k4_card_3 (k3_relat_1 \\
& X4 X5))))\wedge(m1_subset_1 X6 (k1_zfmisc_1 (k2_zfmisc_1 X3 (k1_funct_2 \\
& (k4_card_3 (k3_relat_1 X4 X5)) (k4_card_3 (k3_relat_1 X4 X5)))))))))\Rightarrow \\
& (\forall X7.\forall X8.\forall X9.\forall X10.\forall X11.\forall X12. \\
& \forall X13.(g1_extpro_1 X0 X1 X2 X3 X4 X5 X6 = g1_extpro_1 X7 X8 X9 \\
& X10 X11 X12 X13)\Rightarrow((X0 = X7)\wedge((X1 = X8)\wedge((X2 = X9)\wedge((X3 = X10)\wedge((X4 = \\
& X11)\wedge((X5 = X12)\wedge(X6 = X13))))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$v5_compos_0 k1_scmpds_i \tag{3}$$

Assume the following.

$$v3_compos_0 k1_scmpds_i \tag{4}$$

Assume the following.

$$v2_compos_0 k1_scmpds_i \tag{5}$$

Assume the following.

$$v1_compos_0 k1_scmpds_i \tag{6}$$

Assume the following.

$$\begin{aligned}
& (v1_funct_1 k6_scmpds_1)\wedge((v1_funct_2 k6_scmpds_1 k1_scmpds_i \\
& (k1_funct_2 (k4_card_3 (k3_relat_1 k3_ami_2 k4_ami_2)) (k4_card_3 \\
& (k3_relat_1 k3_ami_2 k4_ami_2))))\wedge(m1_subset_1 k6_scmpds_1 \\
& (k1_zfmisc_1 (k2_zfmisc_1 k1_scmpds_i (k1_funct_2 (k4_card_3 \\
& (k3_relat_1 k3_ami_2 k4_ami_2)) (k4_card_3 (k3_relat_1 k3_ami_2 \\
& k4_ami_2))))))
\end{aligned} \tag{7}$$

Assume the following.

$$(v1_relat_1 k4_ami_2)\wedge((v4_relat_1 k4_ami_2 np_2)\wedge((v1_funct_1 \\
k4_ami_2)\wedge(v1_partfun1 k4_ami_2 np_2))) \tag{8}$$

Assume the following.

$$(v1_funct_1 k3_ami_2)\wedge((v1_funct_2 k3_ami_2 k1_ami_2 np_2)\wedge \\
(m1_subset_1 k3_ami_2 (k1_zfmisc_1 (k2_zfmisc_1 k1_ami_2 np_2)))) \tag{9}$$

Assume the following.

$$(v1_extpro_1 k1_scmpds_2 np_2)\wedge(l1_extpro_1 k1_scmpds_2 np_2) \tag{10}$$

Assume the following.

$$\forall X0.\forall X1.m1_subset_1 (k1_funct_7 X0 X1) X1 \quad (11)$$

Assume the following.

$$k1_scmpds_2 = g1_extpro_1 np_2 k1_ami_2 (k1_funct_7 k5_numbers k1_ami_2) k1_scmpds_i k3_ami_2 k4_ami_2 k6_scmpds_1 \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(l1_extpro_1 X1 X0) \Rightarrow ((v1_extpro_1 X1 X0) \Rightarrow \\ & (X1 = g1_extpro_1 X0 (u1_struct_0 X1) (u2_struct_0 X1) (u1_compos_1 \\ & X1) (u1_memstr_0 X0 X1) (u2_memstr_0 X0 X1) (u1_extpro_1 X0 X1))) \end{aligned} \quad (13)$$

Theorem 1

$$\forall X0.(m1_subset_1 X0 (u1_compos_1 k1_scmpds_2)) \Rightarrow (r1_xxreal_0 (k2_compos_0 (u1_compos_1 k1_scmpds_2) X0) np_14)$$