

t6_tex_2

(TMdyoZhWgkJo6fPe9aAzhJkHhJLwNnY6Qnd)

October 27, 2020

Let $v7_struct_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_zfmisc_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. (\neg v1_zfmisc_1 X0) \Rightarrow (\forall X1. (m1_subset_1 X1 X0) \Rightarrow (v1_subset_1 (k6_domain_1 X0 X1) X0)) \quad (1)$$

Assume the following.

$$\forall X0. ((\neg v7_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_zfmisc_1 (u1_struct_0 X0)) \quad (2)$$

Theorem 1

$$\forall X0. ((\neg v7_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (v1_subset_1 (k6_domain_1 (u1_struct_0 X0) X1) (u1_struct_0 X0)))$$