

t6_unialg_2 (TMX-
oMVmPb3STGtBf8cTqkZdhEpv6M6uB5gP)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_unialg_1 : \iota \Rightarrow o$ be given. Let $v3_unialg_1 : \iota \Rightarrow o$ be given. Let $v4_unialg_1 : \iota \Rightarrow o$ be given. Let $l1_unialg_1 : \iota \Rightarrow o$ be given. Let $m5_margrel1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_unialg_2 : \iota \Rightarrow \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $m1_unialg_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_finseq_1 : \iota \Rightarrow \iota$ be given. Let $u1_unialg_1 : \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k19_margrel1 : \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k5_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v2_margrel1 : \iota \Rightarrow o$ be given. Let $v3_margrel1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $k4_finseq_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k18_margrel1 : \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m4_margrel1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_unialg_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_unialg_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_unialg_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_unialg_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} \forall X0. \forall X1. (v1_relat_1 X1) \Rightarrow (k9_xtuple_0 (k5_relat_1 \\ X1 X0) = k3_xboole_0 (k9_xtuple_0 X1) X0) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. ((v1_funct_1 X1) \wedge (\\ \neg v1_xboole_0 X1) \wedge ((v2_margrel1 X1) \wedge ((v3_margrel1 X1 X0) \wedge (m1_subset_1 \\ X1 (k1_zfmisc_1 (k2_zfmisc_1 (k3_finseq_2 X0) X0)))))) \Rightarrow (k9_xtuple_0 \\ X1 = k4_finseq_2 (k19_margrel1 X1) X0)) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0.(v7_ordinal1\ X0) \Rightarrow (\forall X1.(\neg v1_xboole_0\ X1) \Rightarrow (\\ \forall X2.((\neg v1_xboole_0\ X2) \wedge (m1_subset_1\ X2\ (k1_zfmisc_1\ X1))) \Rightarrow \\ (k3_xboole_0\ (k4_finseq_2\ X0\ X1)\ (k4_finseq_2\ X0\ X2) = k4_finseq_2 \\ X0\ X2))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0.(v7_ordinal1\ X0) \Rightarrow (\forall X1.(v7_ordinal1\ X1) \Rightarrow (\forall X2. \\ \forall X3.(\neg v1_xboole_0\ X3) \Rightarrow ((k4_finseq_2\ X0\ X3 = k4_finseq_2 \\ X1\ X2) \Rightarrow (X0 = X1)))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.\forall X3.((v1_funct_1\ X2) \wedge \\ (m1_subset_1\ X2\ (k1_zfmisc_1\ (k2_zfmisc_1\ X0\ X1)))) \Rightarrow (k2_partfun1 \\ X0\ X1\ X2\ X3 = k5_relat_1\ X2\ X3) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.((v1_relat_1\ X0) \wedge ((v1_funct_1\ X0) \wedge (v2_margrel1\ X0))) \Rightarrow \\ (k19_margrel1\ X0 = k18_margrel1\ X0) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0\ X0) \wedge (l1_struct_0\ X0)) \Rightarrow (\neg v1_xboole_0 \\ (u1_struct_0\ X0)) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_unialg_1\ X0) \Rightarrow (m2_finseq_1\ (u1_unialg_1\ X0)\ (k4_partfun1 \\ (k3_finseq_2\ (u1_struct_0\ X0)\ (u1_struct_0\ X0))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((\neg v1_xboole_0\ X0) \wedge (m4_margrel1\ X1\ X0)) \Rightarrow \\ (\forall X2.(m5_margrel1\ X2\ X0\ X1) \Rightarrow ((v1_funct_1\ X2) \wedge ((\neg v1_xboole_0 \\ X2) \wedge ((v2_margrel1\ X2) \wedge ((v3_margrel1\ X2\ X0) \wedge (m1_subset_1\ X2\ (\\ k1_zfmisc_1\ (k2_zfmisc_1\ (k3_finseq_2\ X0)\ X0)))))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0\ X0) \wedge ((v2_unialg_1\ X0) \wedge ((v3_unialg_1 \\ X0) \wedge ((v4_unialg_1\ X0) \wedge (l1_unialg_1\ X0)))))) \Rightarrow (\forall X1.(m1_unialg_2 \\ X1\ X0) \Rightarrow ((\neg v2_struct_0\ X1) \wedge ((v2_unialg_1\ X1) \wedge ((v3_unialg_1\ X1) \wedge \\ ((v4_unialg_1\ X1) \wedge (l1_unialg_1\ X1)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.(l1_unialg_1 X0) \Rightarrow (l1_struct_0 X0) \quad (11)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_unialg_1 X0) \wedge ((v3_unialg_1 X0) \wedge ((v4_unialg_1 X0) \wedge (l1_unialg_1 X0)))))) \Rightarrow (m4_margrel1 (k1_unialg_2 X0) (u1_struct_0 X0)) \quad (12)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge (v2_margrel1 X0)) \Rightarrow (v7_ordinal1 (k18_margrel1 X0)) \quad (13)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_unialg_1 X0) \wedge ((v3_unialg_1 X0) \wedge ((v4_unialg_1 X0) \wedge (l1_unialg_1 X0)))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_unialg_1 X1) \wedge ((v3_unialg_1 X1) \wedge ((v4_unialg_1 X1) \wedge (l1_unialg_1 X1)))))) \Rightarrow ((m1_unialg_2 X1 X0) \Leftrightarrow ((m1_subset_1 (u1_struct_0 X1) (k1_zfmisc_1 (u1_struct_0 X0))) \wedge (\forall X2. ((\neg v1_xboole_0 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow ((X2 = u1_struct_0 X1) \Rightarrow ((u1_unialg_1 X1 = k3_unialg_2 X0 X2) \wedge (v1_unialg_2 X2 X0))))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_unialg_1 X0) \wedge ((v3_unialg_1 X0) \wedge ((v4_unialg_1 X0) \wedge (l1_unialg_1 X0)))))) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (\forall X2.(m2_finseq_1 X2 (k4_partfun1 (k3_finseq_2 X1) X1)) \Rightarrow ((X2 = k3_unialg_2 X0 X1) \Leftrightarrow ((k4_finseq_1 X2 = k4_finseq_1 (u1_unialg_1 X0)) \wedge (\forall X3.\forall X4.(m5_margrel1 X4 (u1_struct_0 X0) (k1_unialg_2 X0)) \Rightarrow (((X3 \in k4_finseq_1 X2) \wedge (X4 = k1_funct_1 (u1_unialg_1 X0) X3)) \Rightarrow (k1_funct_1 X2 X3 = k2_unialg_2 X0 X1 X4))))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_unialg_1 X0) \wedge ((v3_unialg_1 X0) \wedge ((v4_unialg_1 X0) \wedge (l1_unialg_1 X0)))))) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (\forall X2.(m5_margrel1 X2 (u1_struct_0 X0) (k1_unialg_2 X0)) \Rightarrow ((r2_unialg_2 X0 X1 X2) \Rightarrow (k2_unialg_2 X0 X1 X2 = k2_partfun1 (k3_finseq_2 (u1_struct_0 X0) (u1_struct_0 X0) X2 (k4_finseq_2 (k19_margrel1 X2) X1)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_unialg_1 X0) \wedge ((v3_unialg_1 \\ X0) \wedge ((v4_unialg_1 X0) \wedge (l1_unialg_1 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\ X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow ((v1_unialg_2 X1 X0) \Leftrightarrow (\forall X2. \\ (m5_margrel1 X2 (u1_struct_0 X0) (k1_unialg_2 X0)) \Rightarrow (r2_unialg_2 \\ X0 X1 X2)))) \end{aligned} \quad (17)$$

Assume the following.

$$\forall X0. \forall X1. k3_xboole_0 X0 X1 = k3_xboole_0 X1 X0 \quad (18)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 \\ (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \quad (19)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_unialg_1 X0) \wedge ((v3_unialg_1 \\ X0) \wedge ((v4_unialg_1 X0) \wedge (l1_unialg_1 X0)))))) \Rightarrow (\forall X1.((\neg \\ v2_struct_0 X1) \wedge ((v2_unialg_1 X1) \wedge ((v3_unialg_1 X1) \wedge ((v4_unialg_1 \\ X1) \wedge (l1_unialg_1 X1)))))) \Rightarrow (\forall X2.(m5_margrel1 X2 (u1_struct_0 \\ X0) (k1_unialg_2 X0)) \Rightarrow (\forall X3.(m5_margrel1 X3 (u1_struct_0 \\ X1) (k1_unialg_2 X1)) \Rightarrow (\forall X4.(v7_ordinal1 X4) \Rightarrow (((m1_unialg_2 \\ X0 X1) \wedge (X4 \in k4_finseq_1 (u1_unialg_1 X0)) \wedge (X2 = k1_funct_1 (\\ u1_unialg_1 X0) X4) \wedge (X3 = k1_funct_1 (u1_unialg_1 X1) X4)))) \Rightarrow (\\ k19_margrel1 X2 = k19_margrel1 X3)))))) \end{aligned}$$