

t70_pboole (TMRozTR-
siSq6hX7wMBe8UxUX8MkFqfw1CG)

October 27, 2020

Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r6_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge \\ & (v1_funct_1 X1) \wedge (v1_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\ & (r6_pboole X0 (k4_pboole X0 X1 (k4_pboole X0 X1 X2)) (k3_pboole X0 \\ & X1 X2))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge \\ & (v1_funct_1 X1) \wedge (v1_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\ & (\forall X3. ((v1_relat_1 X3) \wedge ((v4_relat_1 X3 X0) \wedge ((v1_funct_1 \\ & X3) \wedge (v1_partfun1 X3 X0)))) \Rightarrow (r6_pboole X0 (k3_pboole X0 X1 (k4_pboole \\ & X0 X2 X3)) (k4_pboole X0 (k3_pboole X0 X1 X2) X3)))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((v1_relat_1 X1) \wedge ((v4_relat_1 \\ & X1 X0) \wedge ((v1_funct_1 X1) \wedge (v1_partfun1 X1 X0)))) \wedge ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))))) \Rightarrow \\ & ((r6_pboole X0 X1 X2) \Leftrightarrow (X1 = X2)) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((v1_relat_1 X1) \wedge ((v4_relat_1 \\ & X1 X0) \wedge ((v1_funct_1 X1) \wedge (v1_partfun1 X1 X0)))) \wedge ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))))) \Rightarrow \\ & (k3_pboole X0 X1 X1 = X1) \end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((v1_relat_1 X1)\wedge((v4_relat_1 \\ & X1 X0)\wedge((v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\wedge((v1_relat_1 \\ & X2)\wedge((v4_relat_1 X2 X0)\wedge((v1_funct_1 X2)\wedge(v1_partfun1 X2 X0))))\Rightarrow \\ & ((v1_relat_1 (k4_pboole X0 X1 X2))\wedge((v4_relat_1 (k4_pboole X0 \\ & X1 X2) X0)\wedge((v1_funct_1 (k4_pboole X0 X1 X2))\wedge(v1_partfun1 (k4_pboole \\ & X0 X1 X2) X0)))) \end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((v1_relat_1 X1)\wedge((v4_relat_1 \\ & X1 X0)\wedge((v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\wedge((v1_relat_1 \\ & X2)\wedge((v4_relat_1 X2 X0)\wedge((v1_funct_1 X2)\wedge(v1_partfun1 X2 X0))))\Rightarrow \\ & ((v1_relat_1 (k3_pboole X0 X1 X2))\wedge((v4_relat_1 (k3_pboole X0 \\ & X1 X2) X0)\wedge((v1_funct_1 (k3_pboole X0 X1 X2))\wedge(v1_partfun1 (k3_pboole \\ & X0 X1 X2) X0)))) \end{aligned} \tag{6}$$

Theorem 1

$$\begin{aligned} & \forall X0.\forall X1.((v1_relat_1 X1)\wedge((v4_relat_1 X1 X0)\wedge \\ & (v1_funct_1 X1)\wedge(v1_partfun1 X1 X0)))\Rightarrow(\forall X2.((v1_relat_1 \\ & X2)\wedge((v4_relat_1 X2 X0)\wedge((v1_funct_1 X2)\wedge(v1_partfun1 X2 X0))))\Rightarrow \\ & (r6_pboole X0 (k4_pboole X0 X1 (k3_pboole X0 X1 X2)) (k4_pboole X0 \\ & X1 X2))) \end{aligned}$$