

t71\_tops\_1  
(TMX8Yf8d6x8SHv1CLHjZvYx4BrZqhRBzzdu)

October 27, 2020

Let  $l1\_pre\_topc : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v4\_tops\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_tops\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_pre\_topc : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0.\forall X1.\forall X2.((r1\_tarski X0 X1) \wedge (r1\_tarski X1 X2)) \Rightarrow (r1\_tarski X0 X2) \quad (1)$$

Assume the following.

$$\forall X0.(l1\_pre\_topc X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((r1\_tarski X1 X2) \Rightarrow (r1\_tarski (k1\_tops\_1 X0 X1) (k1\_tops\_1 X0 X2))))) \quad (2)$$

Assume the following.

$$\forall X0.(l1\_pre\_topc X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((r1\_tarski X1 X2) \Rightarrow (r1\_tarski (k2\_pre\_topc X0 X1) (k2\_pre\_topc X0 X2))))) \quad (3)$$

Assume the following.

$$\forall X0.(l1\_pre\_topc X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (r1\_tarski X1 (k2\_pre\_topc X0 X1))) \quad (4)$$

Assume the following.

$$\forall X0.(l1\_pre\_topc X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (r1\_tarski (k1\_tops\_1 X0 X1) X1)) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((l1\_pre\_topc X0) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))) \Rightarrow (k2\_pre\_topc X0 (k2\_pre\_topc X0 X1) = k2\_pre\_topc X0 X1) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((l1\_pre\_topc\ X0)\wedge(m1\_subset\_1\ X1\ (k1\_zfmisc\_1\ (u1\_struct\_0\ X0))))\Rightarrow(k1\_tops\_1\ X0\ (k1\_tops\_1\ X0\ X1) = k1\_tops\_1\ X0\ X1) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((l1\_pre\_topc\ X0)\wedge(m1\_subset\_1\ X1\ (k1\_zfmisc\_1\ (u1\_struct\_0\ X0))))\Rightarrow(m1\_subset\_1\ (k2\_pre\_topc\ X0\ X1)\ (k1\_zfmisc\_1\ (u1\_struct\_0\ X0))) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.((l1\_pre\_topc\ X0)\wedge(m1\_subset\_1\ X1\ (k1\_zfmisc\_1\ (u1\_struct\_0\ X0))))\Rightarrow(m1\_subset\_1\ (k1\_tops\_1\ X0\ X1)\ (k1\_zfmisc\_1\ (u1\_struct\_0\ X0))) \quad (9)$$

Assume the following.

$$\forall X0.(l1\_pre\_topc\ X0)\Rightarrow(\forall X1.(m1\_subset\_1\ X1\ (k1\_zfmisc\_1\ (u1\_struct\_0\ X0)))\Rightarrow((v4\_tops\_1\ X1\ X0)\Leftrightarrow((r1\_tarski\ (k1\_tops\_1\ X0\ (k2\_pre\_topc\ X0\ X1))\ X1)\wedge(r1\_tarski\ X1\ (k2\_pre\_topc\ X0\ (k1\_tops\_1\ X0\ X1)))))) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.(X0 = X1)\Leftrightarrow((r1\_tarski\ X0\ X1)\wedge(r1\_tarski\ X1\ X0)) \quad (11)$$

**Theorem 1**

$$\forall X0.(l1\_pre\_topc\ X0)\Rightarrow(\forall X1.(m1\_subset\_1\ X1\ (k1\_zfmisc\_1\ (u1\_struct\_0\ X0)))\Rightarrow((v4\_tops\_1\ X1\ X0)\Rightarrow((v4\_tops\_1\ (k1\_tops\_1\ X0\ X1)\ X0)\wedge(v4\_tops\_1\ (k2\_pre\_topc\ X0\ X1)\ X0))))$$