

t72_pzfmisc1

(TMVks1XJeKeZwpnTPouBaJX3rWBkYUKBFeY)

October 27, 2020

Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r6_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_pzfmisc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_pzfmisc1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $v2_relat_1 : \iota \Rightarrow o$ be given. Let $v2_finset_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge \\ & (v1_funct_1 X1) \wedge (v1_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\ & ((\forall X3. (X3 \in X0) \Rightarrow (k1_funct_1 X1 X3 = k1_funct_1 X2 X3)) \Rightarrow (X1 = \\ & X2))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (k2_zfmisc_1 (k2_tarski X0 X1) \\ & X2 = k2_xboole_0 (k2_zfmisc_1 (k1_tarski X0) X2) (k2_zfmisc_1 (\\ & k1_tarski X1) X2)) \wedge (k2_zfmisc_1 X2 (k2_tarski X0 X1) = k2_xboole_0 \\ & (k2_zfmisc_1 X2 (k1_tarski X0)) (k2_zfmisc_1 X2 (k1_tarski X1))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((v1_relat_1 X1) \wedge ((v4_relat_1 \\ & X1 X0) \wedge ((v1_funct_1 X1) \wedge (v1_partfun1 X1 X0)))) \wedge ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\ & ((r6_pboole X0 X1 X2) \Leftrightarrow (X1 = X2)) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((v1_relat_1 X1)\wedge((v4_relat_1 \\ & X1 X0)\wedge((v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\wedge((v1_relat_1 \\ & X2)\wedge((v4_relat_1 X2 X0)\wedge((v1_funct_1 X2)\wedge(v1_partfun1 X2 X0))))\Rightarrow \\ & (k2_pboole X0 X1 X1 = X1) \end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((v1_relat_1 X1)\wedge((v4_relat_1 \\ & X1 X0)\wedge((v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\wedge((v1_relat_1 \\ & X2)\wedge((v4_relat_1 X2 X0)\wedge((v1_funct_1 X2)\wedge(v1_partfun1 X2 X0))))\Rightarrow \\ & ((v1_relat_1 (k2_pzfmisc1 X0 X1 X2))\wedge((v2_relat_1 (k2_pzfmisc1 \\ & X0 X1 X2))\wedge((v4_relat_1 (k2_pzfmisc1 X0 X1 X2) X0)\wedge((v1_funct_1 \\ & (k2_pzfmisc1 X0 X1 X2))\wedge((v1_partfun1 (k2_pzfmisc1 X0 X1 X2) X0)\wedge \\ & (v2_finset_1 (k2_pzfmisc1 X0 X1 X2)))))) \end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1_relat_1 X1)\wedge((v4_relat_1 X1 X0)\wedge(\\ & (v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\Rightarrow((v1_relat_1 (k1_pzfmisc1 \\ & X0 X1))\wedge((v2_relat_1 (k1_pzfmisc1 X0 X1))\wedge((v4_relat_1 (k1_pzfmisc1 \\ & X0 X1) X0)\wedge((v1_funct_1 (k1_pzfmisc1 X0 X1))\wedge((v1_partfun1 (k1_pzfmisc1 \\ & X0 X1) X0)\wedge(v2_finset_1 (k1_pzfmisc1 X0 X1)))))) \end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((v1_relat_1 X1)\wedge((v4_relat_1 \\ & X1 X0)\wedge((v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\wedge((v1_relat_1 \\ & X2)\wedge((v4_relat_1 X2 X0)\wedge((v1_funct_1 X2)\wedge(v1_partfun1 X2 X0))))\Rightarrow \\ & ((v1_relat_1 (k6_pboole X0 X1 X2))\wedge((v4_relat_1 (k6_pboole X0 \\ & X1 X2) X0)\wedge((v1_funct_1 (k6_pboole X0 X1 X2))\wedge(v1_partfun1 (k6_pboole \\ & X0 X1 X2) X0)))) \end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((v1_relat_1 X1)\wedge((v4_relat_1 \\ & X1 X0)\wedge((v1_funct_1 X1)\wedge(v1_partfun1 X1 X0))))\wedge((v1_relat_1 \\ & X2)\wedge((v4_relat_1 X2 X0)\wedge((v1_funct_1 X2)\wedge(v1_partfun1 X2 X0))))\Rightarrow \\ & ((v1_relat_1 (k2_pboole X0 X1 X2))\wedge((v4_relat_1 (k2_pboole X0 \\ & X1 X2) X0)\wedge((v1_funct_1 (k2_pboole X0 X1 X2))\wedge(v1_partfun1 (k2_pboole \\ & X0 X1 X2) X0)))) \end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge \\
& (v1_funct_1 X1) \wedge (v1_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\
& (\forall X3. ((v1_relat_1 X3) \wedge ((v4_relat_1 X3 X0) \wedge ((v1_funct_1 \\
& X3) \wedge (v1_partfun1 X3 X0)))) \Rightarrow ((X3 = k2_pboole X0 X1 X2) \Leftrightarrow (\forall X4. \\
& (X4 \in X0) \Rightarrow (k1_funct_1 X3 X4 = k2_xboole_0 (k1_funct_1 X1 X4) (k1_funct_1 \\
& X2 X4))))))
\end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge \\
& (v1_funct_1 X1) \wedge (v1_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\
& (\forall X3. ((v1_relat_1 X3) \wedge ((v4_relat_1 X3 X0) \wedge ((v1_funct_1 \\
& X3) \wedge (v1_partfun1 X3 X0)))) \Rightarrow ((X3 = k2_pzfmisc1 X0 X1 X2) \Leftrightarrow (\forall X4. \\
& (X4 \in X0) \Rightarrow (k1_funct_1 X3 X4 = k2_tarski (k1_funct_1 X1 X4) (k1_funct_1 \\
& X2 X4))))))
\end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge \\
& (v1_funct_1 X1) \wedge (v1_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\
& ((X2 = k1_pzfmisc1 X0 X1) \Leftrightarrow (\forall X3. (X3 \in X0) \Rightarrow (k1_funct_1 X2 X3 = \\
& k1_tarski (k1_funct_1 X1 X3))))))
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge \\
& (v1_funct_1 X1) \wedge (v1_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\
& (\forall X3. ((v1_relat_1 X3) \wedge ((v4_relat_1 X3 X0) \wedge ((v1_funct_1 \\
& X3) \wedge (v1_partfun1 X3 X0)))) \Rightarrow ((X3 = k6_pboole X0 X1 X2) \Leftrightarrow (\forall X4. \\
& (X4 \in X0) \Rightarrow (k1_funct_1 X3 X4 = k2_zfmisc1 (k1_funct_1 X1 X4) (k1_funct_1 \\
& X2 X4))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((v1_relat_1 X1) \wedge ((v4_relat_1 \\
& X1 X0) \wedge ((v1_funct_1 X1) \wedge (v1_partfun1 X1 X0)))) \wedge ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\
& (k2_pzfmisc1 X0 X1 X2 = k2_pzfmisc1 X0 X2 X1)
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((v1_relat_1 X1) \wedge (v4_relat_1 \\ & X1 X0) \wedge ((v1_funct_1 X1) \wedge (v1_partfun1 X1 X0))) \wedge ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))))) \Rightarrow \\ & (k2_pboole X0 X1 X2 = k2_pboole X0 X2 X1) \end{aligned} \tag{14}$$

Theorem 1

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v4_relat_1 X1 X0) \wedge (\\ & (v1_funct_1 X1) \wedge (v1_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\ & (\forall X3. ((v1_relat_1 X3) \wedge (v4_relat_1 X3 X0) \wedge ((v1_funct_1 \\ & X3) \wedge (v1_partfun1 X3 X0)))) \Rightarrow ((r6_pboole X0 (k6_pboole X0 (k2_pzfmisc1 \\ & X0 X1 X2) X3) (k2_pboole X0 (k6_pboole X0 (k1_pzfmisc1 X0 X1) X3) (\\ & k6_pboole X0 (k1_pzfmisc1 X0 X2) X3))) \wedge (r6_pboole X0 (k6_pboole \\ & X0 X3 (k2_pzfmisc1 X0 X1 X2)) (k2_pboole X0 (k6_pboole X0 X3 (k1_pzfmisc1 \\ & X0 X1)) (k6_pboole X0 X3 (k1_pzfmisc1 X0 X2)))))) \end{aligned}$$