

## t76\_clvect\_2

(TMJjK9acp8CsuFBJhc67TJKPjroLAjqxR8g)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v2\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v2\_csspace : \iota \Rightarrow o$  be given. Let  $l1\_csspace : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v3\_clvect\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_normsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_vfunct\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k16\_csspace : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $k2\_normsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $v3\_ordinal1 : \iota \Rightarrow o$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v1\_partfun1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_clvect\_1 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
 & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v2\_clvect\_1 X0) \wedge \\
 & ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v2\_csspace \\
 & X0) \wedge (l1\_csspace X0)))))))))) \Rightarrow (\forall X1. ((v1\_funct\_1 X1) \wedge \\
 & ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 \\
 & (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow \\
 & ((v3\_clvect\_2 X1 X0) \Rightarrow (v3\_clvect\_2 (k5\_vfunct\_1 k5\_numbers X0 \\
 & X1) X0)))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v2\_clvect\_1 X0) \wedge \\
& ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v2\_csspace \\
& X0) \wedge (l1\_csspace X0)))))))))) \Rightarrow (\forall X1.((v1\_funct\_1 X1) \wedge \\
& ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 \\
& (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow \\
& (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 \\
& X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0)))))) \Rightarrow (((v3\_clvect\_2 X1 X0) \wedge (v3\_clvect\_2 X2 X0)) \Rightarrow (v3\_clvect\_2 \\
& (k16\_csspace X0 X1 X2) X0)))
\end{aligned} \tag{2}$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\
& X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge \\
& ((v2\_clvect\_1 X0) \wedge ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 X0) \wedge ((v5\_clvect\_1 \\
& X0) \wedge ((v2\_csspace X0) \wedge (l1\_csspace X0)))))))))) \wedge (((v1\_funct\_1 \\
& X1) \wedge ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 \\
& X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \wedge \\
& ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 X0)) \wedge \\
& (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0)))))) \Rightarrow (k16\_csspace X0 X1 X2 = k2\_normsp\_1 X0 X1 X2)
\end{aligned} \tag{4}$$

Assume the following.

$$(\neg v1\_xboole\_0 k4\_ordinal1) \wedge (v3\_ordinal1 k4\_ordinal1) \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v1\_xboole\_0 X0) \wedge (((\neg v2\_struct\_0 \\
& X1) \wedge (l2\_algstr\_0 X1)) \wedge ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 X0 (u1\_struct\_0 \\
& X1)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 (u1\_struct\_0 \\
& X1)))))) \Rightarrow ((v1\_funct\_1 (k5\_vfunct\_1 X0 X1 X2)) \wedge (v1\_partfun1 \\
& (k5\_vfunct\_1 X0 X1 X2) X0))
\end{aligned} \tag{6}$$

Assume the following.

$$\forall X0. (l1\_csspace X0) \Rightarrow (l1\_clvect\_1 X0) \tag{7}$$

Assume the following.

$$\forall X0. (l1\_clvect\_1 X0) \Rightarrow (l2\_algstr\_0 X0) \tag{8}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1\_xboole\_0 X0)\wedge(((\neg v2\_struct\_0 \\ & X1)\wedge(l2\_algstr\_0 X1)\wedge((v1\_funct\_1 X2)\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 \\ & (k2\_zfmisc\_1 X0 (u1\_struct\_0 X1)))))))\Rightarrow((v1\_funct\_1 (k5\_vfunct\_1 \\ & X0 X1 X2))\wedge(m1\_subset\_1 (k5\_vfunct\_1 X0 X1 X2) (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X0 (u1\_struct\_0 X1)))))) \end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0)\wedge(l2\_algstr\_0 X0))\Rightarrow(\forall X1. \\ & ((v1\_funct\_1 X1)\wedge((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0))\wedge \\ & (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\ & X0))))))\Rightarrow(\forall X2.((v1\_funct\_1 X2)\wedge((v1\_funct\_2 X2 k5\_numbers \\ & (u1\_struct\_0 X0))\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & k5\_numbers (u1\_struct\_0 X0))))))\Rightarrow(k3\_normsp\_1 X0 X1 X2 = k2\_normsp\_1 \\ & X0 X1 (k5\_vfunct\_1 k5\_numbers X0 X2))) \end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 \\ & (k2\_zfmisc\_1 X0 X1)))\Rightarrow((v1\_partfun1 X2 X0)\Rightarrow(v1\_funct\_2 X2 X0 X1)) \end{aligned} \tag{11}$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0)\wedge((v13\_algstr\_0 X0)\wedge((v2\_rlvect\_1 \\ & X0)\wedge((v3\_rlvect\_1 X0)\wedge((v4\_rlvect\_1 X0)\wedge((v2\_clvect\_1 X0)\wedge \\ & ((v3\_clvect\_1 X0)\wedge((v4\_clvect\_1 X0)\wedge((v5\_clvect\_1 X0)\wedge((v2\_csspace \\ & X0)\wedge(l1\_csspace X0))))))))))\Rightarrow(\forall X1.((v1\_funct\_1 X1)\wedge \\ & ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0))\wedge(m1\_subset\_1 X1 \\ & (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0))))))\Rightarrow \\ & (\forall X2.((v1\_funct\_1 X2)\wedge((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 \\ & X0))\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\ & X0))))))\Rightarrow(((v3\_clvect\_2 X1 X0)\wedge(v3\_clvect\_2 X2 X0))\Rightarrow(v3\_clvect\_2 \\ & (k3\_normsp\_1 X0 X1 X2) X0))) \end{aligned}$$