

t79\_semi\_af1 (TMTjjK-  
wBY2ZhtHbioGxBnoamFV8sseVwwBL)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v1\_semi\_af1 : \iota \Rightarrow o$  be given. Let  $l1\_analoaf : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_semi\_af1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r3\_semi\_af1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v1\_semi\_af1 X0) \wedge (l1\_analoaf \\ & \quad X0))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ & (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow ((r3\_semi\_af1 X0 X1 X2 X2 X1) \Rightarrow \\ & \quad (X1 = X2)))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v1\_semi\_af1 X0) \wedge (l1\_analoaf \\ & \quad X0))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ & (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 \\ & \quad (u1\_struct\_0 X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 X0)) \Rightarrow \\ & ((X4 = k1\_semi\_af1 X0 X1 X2 X3) \Leftrightarrow (r3\_semi\_af1 X0 X3 X1 X2 X4)))))) \end{aligned} \tag{2}$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v1\_semi\_af1 X0) \wedge (l1\_analoaf \\ & \quad X0))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ & (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow ((k1\_semi\_af1 X0 X1 X1 X2 = X2) \Rightarrow \\ & \quad (X1 = X2)))) \end{aligned}$$