

# t7\_analort (TMGzdvytY- mAu5wW1XRgcD7MsupkunfSzfTo)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l1\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r1\_analmetr : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_analort : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_numbers : \iota$  be given. Let  $k1\_real\_1 : \iota \Rightarrow \iota$  be given. Let  $k3\_geomtrap : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_geomtrap : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_rlvect\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_rlvect\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k1\_numbers) \Rightarrow (k1\_real\_1 (k1\_real\_1 X0) = X0) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2\_struct\_0 \\ & X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge \\ & ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 \\ & X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 X0)))))))))) \wedge ((m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \wedge ((m1\_subset\_1 X2 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 \\ & X3 (u1\_struct\_0 X0)))))) \Rightarrow (m1\_subset\_1 (k3\_geomtrap X0 X1 X2 X3) \\ & k1\_numbers) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2\_struct\_0 \\ & X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge \\ & ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 \\ & X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 X0)))))))))) \wedge ((m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \wedge ((m1\_subset\_1 X2 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 \\ & X3 (u1\_struct\_0 X0)))))) \Rightarrow (m1\_subset\_1 (k2\_geomtrap X0 X1 X2 X3) \\ & k1\_numbers) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k1\_numbers) \Rightarrow (m1\_subset\_1 (k1\_real\_1 X0) k1\_numbers) \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2\_struct\_0 \\ & X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge \\ & ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 \\ & X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 X0)))))))))) \wedge ((m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0) \wedge ((m1\_subset\_1 X2 (u1\_struct\_0 X0) \wedge (m1\_subset\_1 \\ & X3 (u1\_struct\_0 X0)))))) \Rightarrow (m1\_subset\_1 (k1\_analort X0 X1 X2 X3) ( \\ & u1\_struct\_0 X0)) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.(((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\ & (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 \\ & X3 (u1\_struct\_0 X0)) \Rightarrow ((r1\_analmetr X0 X1 X2) \Rightarrow (\forall X4.(m1\_subset\_1 \\ & X4 k1\_numbers) \Rightarrow ((X4 = k3\_geomtrap X0 X1 X2 X3) \Leftrightarrow (\exists X5.(m1\_subset\_1 \\ & X5 k1\_numbers) \wedge (X3 = k3\_rlvect\_1 X0 (k1\_rlvect\_1 X0 X1 X5) (k1\_rlvect\_1 \\ & X0 X2 X4)))))))))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.(((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\ & (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 \\ & X3 (u1\_struct\_0 X0)) \Rightarrow ((r1\_analmetr X0 X1 X2) \Rightarrow (\forall X4.(m1\_subset\_1 \\ & X4 k1\_numbers) \Rightarrow ((X4 = k2\_geomtrap X0 X1 X2 X3) \Leftrightarrow (\exists X5.(m1\_subset\_1 \\ & X5 k1\_numbers) \wedge (X3 = k3\_rlvect\_1 X0 (k1\_rlvect\_1 X0 X1 X4) (k1\_rlvect\_1 \\ & X0 X2 X5)))))))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\
& (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 \\
& X3 (u1\_struct\_0 X0)) \Rightarrow (k1\_analort X0 X1 X2 X3 = k3\_rlvect\_1 X0 (k1\_rlvect\_1 \\
& X0 X1 (k2\_geomtrap X0 X1 X2 X3)) (k1\_rlvect\_1 X0 X2 (k1\_real\_1 (k3\_geomtrap \\
& X0 X1 X2 X3)))))))))
\end{aligned} \tag{8}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\
& ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow \\
& (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 \\
& X3 (u1\_struct\_0 X0)) \Rightarrow ((r1\_analmetr X0 X1 X2) \Rightarrow (k1\_analort X0 X1 \\
& X2 (k1\_analort X0 X1 X2 X3) = X3))))))
\end{aligned}$$