

t7_anproj_2 (TM- LLm1NCTEV k3LwvvUgUE5PAHP1nKLivBq7)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r2_anproj_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_anproj_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_anproj_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v9_struct_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 \\
& X3 (u1_struct_0 X0)) \Rightarrow (\neg(\neg v9_struct_0 X1 X0) \wedge ((\neg v9_struct_0 X2 \\
& X0) \wedge ((\neg r1_anproj_1 X0 X1 X2) \wedge (\neg(r2_anproj_1 X0 X1 X2 X3) \Leftrightarrow (\exists X4. \\
& (m1_subset_1 X4 k1_numbers) \wedge (\exists X5. (m1_subset_1 X5 k1_numbers) \wedge \\
& (X3 = k3_rlvect_1 X0 (k1_rlvect_1 X0 X1 X4) (k1_rlvect_1 X0 X2 X5))))))))))))) \\
& \tag{1}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 \\
& X3 (u1_struct_0 X0)) \Rightarrow ((r1_anproj_2 X0 X1 X2 X3) \Leftrightarrow ((\neg v9_struct_0 \\
& X1 X0) \wedge ((\neg v9_struct_0 X2 X0) \wedge (\neg v9_struct_0 X3 X0))))))))) \\
& \tag{2}
\end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 \\ & X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ & (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\ & X3 (u1_struct_0 X0)) \Rightarrow (\neg(r2_anproj_1 X0 X1 X2 X3) \wedge (\neg r1_anproj_1 \\ & X0 X1 X2) \wedge (r1_anproj_2 X0 X1 X2 X3) \wedge (\forall X4.(m1_subset_1 X4 \\ & k1_numbers) \Rightarrow (\forall X5.(m1_subset_1 X5 k1_numbers) \Rightarrow (X3 \neq k3_rlvect_1 \\ & X0 (k1_rlvect_1 X0 X1 X4) (k1_rlvect_1 X0 X2 X5)))))))))) \end{aligned}$$