

t7\_isocat\_1 (TMM-  
cUn5vEVvvpriB1HEaBPunRWC8xMBEmk)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v11\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v2\_cat\_1 : \iota \Rightarrow o$  be given. Let  $v3\_cat\_1 : \iota \Rightarrow o$  be given. Let  $v4\_cat\_1 : \iota \Rightarrow o$  be given. Let  $v5\_cat\_1 : \iota \Rightarrow o$  be given. Let  $v6\_cat\_1 : \iota \Rightarrow o$  be given. Let  $l1\_cat\_1 : \iota \Rightarrow o$  be given. Let  $m2\_cat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v12\_cat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u4\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k3\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_funct\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k9\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $l5\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_graph\_1 : \iota \Rightarrow o$  be given. Let  $k10\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $v2\_funct\_1 : \iota \Rightarrow o$  be given. Let  $k7\_cat\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. ((X0 \in X1) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 X2))) \Rightarrow (m1\_subset\_1 X0 X2) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 X1) \Rightarrow ((v1\_xboole\_0 X1) \vee (X0 \in X1)) \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1\_xboole\_0 X0) \wedge \\ & (((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 X0 X1) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 \\ & (k2\_zfmisc\_1 X0 X1)))))) \wedge (m1\_subset\_1 X3 X0))) \Rightarrow (k3\_funct\_2 X0 \\ & X1 X2 X3 = k1\_funct\_1 X2 X3) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. ((v1\_relat\_1 X1) \wedge (v4\_relat\_1 X1 X0)) \Rightarrow (k1\_relset\_1 X0 X1 = k9\_xtuple\_0 X1) \quad (4)$$

Assume the following.

$$\forall X0.((\neg v11\_struct\_0 X0) \wedge (l5\_struct\_0 X0)) \Rightarrow (\neg v1\_xboole\_0 (u4\_struct\_0 X0)) \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge \\ & ((v2\_cat\_1 X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge \\ & ((v6\_cat\_1 X0) \wedge (l1\_cat\_1 X0)))))) \wedge ((\neg v2\_struct\_0 X1) \wedge ((\neg \\ & v11\_struct\_0 X1) \wedge ((v2\_cat\_1 X1) \wedge ((v3\_cat\_1 X1) \wedge ((v4\_cat\_1 X1) \wedge \\ & ((v5\_cat\_1 X1) \wedge ((v6\_cat\_1 X1) \wedge (l1\_cat\_1 X1))))))))) \Rightarrow (\forall X2. \\ & (m2\_cat\_1 X2 X0 X1) \Rightarrow ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (u4\_struct\_0 \\ & X0) (u4\_struct\_0 X1)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & (u4\_struct\_0 X0) (u4\_struct\_0 X1))))))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0. (l1\_graph\_1 X0) \Rightarrow (l5\_struct\_0 X0) \quad (7)$$

Assume the following.

$$\forall X0. (l1\_cat\_1 X0) \Rightarrow (l1\_graph\_1 X0) \quad (8)$$

Assume the following.

$$\forall X0. \forall X1. ((v1\_relat\_1 X1) \wedge (v4\_relat\_1 X1 X0)) \Rightarrow (m1\_subset\_1 (k1\_relset\_1 X0 X1) (k1\_zfmisc\_1 X0)) \quad (9)$$

Assume the following.

$$\forall X0. ((v1\_relat\_1 X0) \wedge (v1\_funct\_1 X0)) \Rightarrow (\forall X1. (X1 = k10\_xtuple\_0 X0) \Leftrightarrow (\forall X2. (X2 \in X1) \Leftrightarrow (\exists X3. (X3 \in k9\_xtuple\_0 X0) \wedge (X2 = k1\_funct\_1 X0 X3)))) \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0. (((\neg v2\_struct\_0 X0) \wedge ((\neg v11\_struct\_0 X0) \wedge ((v2\_cat\_1 \\ & X0) \wedge ((v3\_cat\_1 X0) \wedge ((v4\_cat\_1 X0) \wedge ((v5\_cat\_1 X0) \wedge ((v6\_cat\_1 \\ & X0) \wedge (l1\_cat\_1 X0)))))) \wedge ((\neg v2\_struct\_0 X1) \wedge ((\neg \\ & v11\_struct\_0 X1) \wedge ((v2\_cat\_1 X1) \wedge ((v3\_cat\_1 X1) \wedge ((v4\_cat\_1 \\ & X1) \wedge ((v5\_cat\_1 X1) \wedge ((v6\_cat\_1 X1) \wedge (l1\_cat\_1 X1))))))))) \Rightarrow (\forall X2. \\ & (m2\_cat\_1 X2 X0 X1) \Rightarrow ((v12\_cat\_1 X2 X0 X1) \Leftrightarrow ((v2\_funct\_1 X2) \wedge ((k10\_xtuple\_0 \\ & X2 = u4\_struct\_0 X1) \wedge (k10\_xtuple\_0 (k7\_cat\_1 X0 X1 X2) = u1\_struct\_0 \\ & X1)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))) \Rightarrow ((v4\_relat\_1 X2 X0) \wedge (v5\_relat\_1 X2 X1)) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow(v1\_relat\_1 X2) \quad (13)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0)\wedge((\neg v11\_struct\_0 X0)\wedge((v2\_cat\_1 \\ & X0)\wedge((v3\_cat\_1 X0)\wedge((v4\_cat\_1 X0)\wedge((v5\_cat\_1 X0)\wedge((v6\_cat\_1 \\ & X0)\wedge(l1\_cat\_1 X0))))))))\Rightarrow(\forall X1.((\neg v2\_struct\_0 X1)\wedge(( \\ & \neg v11\_struct\_0 X1)\wedge((v2\_cat\_1 X1)\wedge((v3\_cat\_1 X1)\wedge((v4\_cat\_1 \\ & X1)\wedge((v5\_cat\_1 X1)\wedge((v6\_cat\_1 X1)\wedge(l1\_cat\_1 X1))))))))\Rightarrow(\forall X2. \\ & (m2\_cat\_1 X2 X1 X0)\Rightarrow((v12\_cat\_1 X2 X1 X0)\Rightarrow(\forall X3.(m1\_subset\_1 \\ & X3 (u4\_struct\_0 X0))\Rightarrow(\exists X4.(m1\_subset\_1 X4 (u4\_struct\_0 \\ & X1))\wedge(k3\_funct\_2 (u4\_struct\_0 X1) (u4\_struct\_0 X0) X2 X4 = X3)))))) \end{aligned}$$