

# t7\_jordan1k

## (TMEuBegJkpxaeVReKhDDk2Jz1HFxyzfcr3A)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v2\_pre\_topc : \iota \Rightarrow o$  be given. Let  $l1\_pre\_topc : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r3\_connsp\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_pre\_topc : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_pre\_topc : \iota \Rightarrow o$  be given. Let  $k1\_pre\_topc : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v3\_connsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v2\_connsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0.(l1\_pre\_topc X0) \Rightarrow (\forall X1.(m1\_pre\_topc X1 X0) \Rightarrow (l1\_pre\_topc X1)) \quad (1)$$

Assume the following.

$$\forall X0.\forall X1.((l1\_pre\_topc X0) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))) \Rightarrow ((v1\_pre\_topc (k1\_pre\_topc X0 X1)) \wedge (m1\_pre\_topc (k1\_pre\_topc X0 X1) X0)) \quad (2)$$

Assume the following.

$$\forall X0.(l1\_pre\_topc X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((r3\_connsp\_1 X0 X1 X2) \Leftrightarrow (\exists X3.(m1\_subset\_1 X3 (k1\_zfmisc\_1 (u1\_struct\_0 (k1\_pre\_topc X0 X1)))) \wedge ((X3 = X2) \wedge (v3\_connsp\_1 X3 (k1\_pre\_topc X0 X1))))))) \quad (3)$$

Assume the following.

$$\forall X0.(l1\_pre\_topc X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((v3\_connsp\_1 X1 X0) \Leftrightarrow ((v2\_connsp\_1 X1 X0) \wedge (\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (((v2\_connsp\_1 X2 X0) \wedge (r1\_tarski X1 X2)) \Rightarrow (X1 = X2)))))) \quad (4)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v2\_pre\_topc X0) \wedge (l1\_pre\_topc \\ & X0))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 \\ & X0))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (u1\_struct\_0 \\ & X0))) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (k1\_zfmisc\_1 (u1\_struct\_0 \\ & X0))) \Rightarrow (((r1\_tarSKI X1 X2) \wedge ((r3\_connsp\_1 X0 X3 X1) \wedge (r3\_connsp\_1 \\ & X0 X3 X2))) \Rightarrow (X1 = X2)))))) \end{aligned}$$