

t7_osalg_1

(TMS3gWj1EJmqQawoaeGSqE4kRRNSmQ8DER4)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v3_orders_2 : \iota \Rightarrow o$ be given. Let $v4_orders_2 : \iota \Rightarrow o$ be given. Let $v5_orders_2 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $m2_finseq_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $v1_orders_3 : \iota \Rightarrow o$ be given. Let $r2_osalg_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_numbers : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r3_orders_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_finseq_1 : \iota \Rightarrow \iota$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_finseq_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. ((v1_relat_1 X2) \wedge ((v5_relat_1 X2 X0) \wedge (v1_funct_1 X2))) \Rightarrow ((X1 \in k9_xtuple_0 X2) \Rightarrow (k1_funct_1 X2 X1 \in X0)) \quad (1)$$

Assume the following.

$$\forall X0. ((v1_relat_1 X0) \wedge (v1_funct_1 X0)) \Rightarrow (\forall X1. ((v1_relat_1 X1) \wedge (v1_funct_1 X1)) \Rightarrow (((k9_xtuple_0 X0 = k9_xtuple_0 X1) \wedge (\forall X2. (X2 \in k9_xtuple_0 X0) \Rightarrow (k1_funct_1 X0 X2 = k1_funct_1 X1 X2))) \Rightarrow (X0 = X1))) \quad (2)$$

Assume the following.

$$\forall X0. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (\forall X1. ((v1_relat_1 X1) \wedge ((v1_funct_1 X1) \wedge (v1_finseq_1 X1))) \Rightarrow ((k3_finseq_1 X0 = k3_finseq_1 X1) \Leftrightarrow (k1_relset_1 k5_numbers X0 = k1_relset_1 k5_numbers X1))) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (X0 \in X1) \Rightarrow (m1_subset_1 X0 X1) \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v1_orders_3 X0) \wedge (l1_orders_2 \\ X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((r1_orders_2 X0 X1 X2) \Leftrightarrow (X1 = \\ X2)))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge ((v3_orders_2 \\ X0) \wedge (l1_orders_2 X0))) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (\\ m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow ((r3_orders_2 X0 X1 X2) \Leftrightarrow (r1_orders_2 \\ X0 X1 X2)) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (\\ (k4_finseq_1 X0 = k9_xtuple_0 X0)) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.((v1_relat_1 X1) \wedge (v4_relat_1 X1 X0)) \Rightarrow (\\ k1_relset_1 X0 X1 = k9_xtuple_0 X1) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.(m1_finseq_2 X1 X0) \Rightarrow (\forall X2.(m2_finseq_2 \\ X2 X0 X1) \Rightarrow (m2_finseq_1 X2 X0)) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.(m1_finseq_1 X1 X0) \Rightarrow ((v1_relat_1 X1) \wedge (\\ (v1_funct_1 X1) \wedge (v1_finseq_1 X1))) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0.m1_finseq_2 (k3_finseq_2 X0) X0 \quad (12)$$

Assume the following.

$$\begin{aligned} \forall X0.(((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge ((v4_orders_2 \\ X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0)))))) \Rightarrow (\forall X1.(m2_finseq_2 \\ X1 (u1_struct_0 X0) (k3_finseq_2 (u1_struct_0 X0))) \Rightarrow (\forall X2. \\ (m2_finseq_2 X2 (u1_struct_0 X0) (k3_finseq_2 (u1_struct_0 X0))) \Rightarrow \\ ((r2_osalg_1 X0 X1 X2) \Leftrightarrow ((k3_finseq_1 X1 = k3_finseq_1 X2) \wedge (\forall X3. \\ (X3 \in k4_finseq_1 X1) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 \\ X0)) \Rightarrow (\forall X5.(m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (((X4 = k1_funct_1 \\ X1 X3) \wedge (X5 = k1_funct_1 X2 X3)) \Rightarrow (r3_orders_2 X0 X4 X5)))))))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ & ((v1_relat_1 X0) \wedge ((v4_relat_1 X0 \ k5_numbers) \wedge ((v1_funct_1 X0) \wedge \\ & \quad (v1_finseq_1 X0)))) \end{aligned} \quad (14)$$

Assume the following.

$$\forall X0. \forall X1. (m1_finseq_1 X1 X0) \Rightarrow (v5_relat_1 X1 X0) \quad (15)$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge ((v4_orders_2 \\ & X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0)))))) \Rightarrow (\forall X1. (m2_finseq_2 \\ & X1 (u1_struct_0 X0) (k3_finseq_2 (u1_struct_0 X0))) \Rightarrow (\forall X2. \\ & (m2_finseq_2 X2 (u1_struct_0 X0) (k3_finseq_2 (u1_struct_0 X0))) \Rightarrow \\ & (((v1_orders_3 X0) \wedge (r2_osalg_1 X0 X1 X2)) \Rightarrow (X1 = X2)))) \end{aligned}$$