

## t7\_rlaffin2

(TMTny1zPTMYmSF69nsHV6S2q35EBDVXiEgv)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v6\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v7\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l1\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r2\_xboole\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_xboole\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_convex1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_rlaffin2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0. \forall X1. (\neg(\neg r1\_xboole\_0 X0 X1) \wedge (\forall X2. \neg(X2 \in X0) \wedge (X2 \in X1))) \wedge (\neg(\exists X2. (X2 \in X0) \wedge (X2 \in X1)) \wedge (r1\_xboole\_0 X0 X1)) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (((\neg v2\_struct\_0 X0) \wedge (l1\_rlvect\_1 X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))) \Rightarrow (m1\_subset\_1 (k1\_rlaffin2 X0 X1) (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \quad (2)$$

Assume the following.

$$\forall X0. ((\neg v2\_struct\_0 X0) \wedge (l1\_rlvect\_1 X0)) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((X2 = k1\_rlaffin2 X0 X1) \Leftrightarrow (\forall X3. (X3 \in X2) \Leftrightarrow ((X3 \in k3\_convex1 X0 X1) \wedge (\forall X4. (m1\_subset\_1 X4 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow (\neg(r2\_xboole\_0 X4 X1) \wedge (X3 \in k3\_convex1 X0 X4)))))))))) \quad (3)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\ & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v5\_rlvect\_1 X0) \wedge \\ & ((v6\_rlvect\_1 X0) \wedge ((v7\_rlvect\_1 X0) \wedge ((v8\_rlvect\_1 X0) \wedge (l1\_rlvect\_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 \\ & X0))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (u1\_struct\_0 \\ & X0))) \Rightarrow ((r2\_xboole\_0 X1 X2) \Rightarrow (r1\_xboole\_0 (k3\_convex1 X0 X1) (k1\_rlafin2 \\ & X0 X2)))))) \end{aligned}$$