

t7_waybel34

(TMcPjfVBwjY3pM65hbxwbddhe7NgEjPHaze)

October 27, 2020

Let $v3_orders_2 : \iota \Rightarrow o$ be given. Let $v4_orders_2 : \iota \Rightarrow o$ be given. Let $v5_orders_2 : \iota \Rightarrow o$ be given. Let $v1_lattice3 : \iota \Rightarrow o$ be given. Let $v2_lattice3 : \iota \Rightarrow o$ be given. Let $v3_lattice3 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_waybel34 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_struct_0 : \iota \Rightarrow \iota$ be given. Let $k2_waybel34 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v3_waybel_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_waybel_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v17_waybel_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v18_waybel_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v23_waybel_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_partfun1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (v3_waybel_1 (k1_waybel_1 X0 X0 (k3_struct_0 X0) (k3_struct_0 X0)) X0 X0) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \wedge ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((r2_funct_2 X0 X1 X2 X3) \Leftrightarrow (X2 = X3)) \quad (2)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge (l1_orders_2 X0))) \Rightarrow ((v1_funct_1 (k3_struct_0 X0)) \wedge ((v1_funct_2 (k3_struct_0 X0) (u1_struct_0 X0) (u1_struct_0 X0)) \wedge ((v17_waybel_0 (k3_struct_0 X0) X0 X0) \wedge (v18_waybel_0 (k3_struct_0 X0) X0 X0)))) \quad (3)$$

Assume the following.

$$\forall X0. (l1_orders_2 X0) \Rightarrow ((v1_funct_1 (k3_struct_0 X0)) \wedge ((v1_funct_2 (k3_struct_0 X0) (u1_struct_0 X0) (u1_struct_0 X0)) \wedge (v23_waybel_0 (k3_struct_0 X0) X0 X0))) \quad (4)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow (l1_struct_0 X0) \quad (5)$$

Assume the following.

$$\forall X0.(v1_partfun1 (k6_partfun1 X0) X0) \wedge (m1_subset_1 (k6_partfun1 X0) (k1_zfmisc_1 (k2_zfmisc_1 X0 X0))) \quad (6)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (k3_struct_0 X0 = k6_partfun1 (u1_struct_0 X0)) \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v3_orders_2 X0) \wedge ((v4_orders_2 X0) \wedge ((v5_orders_2 X0) \wedge ((v1_lattice3 X0) \wedge ((v2_lattice3 X0) \wedge (l1_orders_2 X0)))))) \Rightarrow \\ & (\forall X1.((v3_orders_2 X1) \wedge ((v4_orders_2 X1) \wedge ((v5_orders_2 X1) \wedge ((v1_lattice3 X1) \wedge ((v2_lattice3 X1) \wedge (l1_orders_2 X1)))))) \Rightarrow \\ & (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X1) (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow (((v3_lattice3 X1) \wedge (v18_waybel_0 X2 X1 X0)) \Rightarrow (\forall X3.((v1_funct_1 X3) \wedge ((v1_funct_2 X3 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow ((X3 = k2_waybel34 X0 X1 X2) \Leftrightarrow (v3_waybel_1 (k1_waybel_1 X0 X1 X3 X2) X0 X1)))))) \quad (8) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall X0.((v3_orders_2 X0) \wedge ((v4_orders_2 X0) \wedge ((v5_orders_2 X0) \wedge ((v1_lattice3 X0) \wedge ((v2_lattice3 X0) \wedge (l1_orders_2 X0)))))) \Rightarrow \\ & (\forall X1.((v3_orders_2 X1) \wedge ((v4_orders_2 X1) \wedge ((v5_orders_2 X1) \wedge ((v1_lattice3 X1) \wedge ((v2_lattice3 X1) \wedge (l1_orders_2 X1)))))) \Rightarrow \\ & (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow (((v3_lattice3 X0) \wedge (v17_waybel_0 X2 X0 X1)) \Rightarrow (\forall X3.((v1_funct_1 X3) \wedge ((v1_funct_2 X3 (u1_struct_0 X1) (u1_struct_0 X0)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow ((X3 = k1_waybel34 X0 X1 X2) \Leftrightarrow (v3_waybel_1 (k1_waybel_1 X0 X1 X2 X3) X0 X1)))))) \quad (9) \end{aligned}$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow ((v1_lattice3 X0) \Rightarrow (\neg v2_struct_0 X0)) \quad (10)$$

Theorem 1

$$\begin{aligned} \forall X0. (&(v3_orders_2 X0) \wedge ((v4_orders_2 X0) \wedge ((v5_orders_2 \\ &X0) \wedge ((v1_lattice3 X0) \wedge ((v2_lattice3 X0) \wedge ((v3_lattice3 X0) \wedge \\ &(l1_orders_2 X0)))))) \Rightarrow ((r2_funct_2 (u1_struct_0 X0) (u1_struct_0 \\ X0) (k1_waybel34 X0 X0 (k3_struct_0 X0)) (k3_struct_0 X0)) \wedge (r2_funct_2 \\ &(u1_struct_0 X0) (u1_struct_0 X0) (k2_waybel34 X0 X0 (k3_struct_0 \\ &X0)) (k3_struct_0 X0))) \end{aligned}$$