

t7_yellow_8

(TMEx8NsyfyYFyqWSck5s1MVgMriRiHZPddP)

October 27, 2020

Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k5_setfam_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_setfam_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_setfam_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall X0.(l1_struct_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (k8_setfam_1 (u1_struct_0 \\ X0) (k7_setfam_1 (u1_struct_0 X0) X1) = k3_subset_1 (u1_struct_0 \\ X0) (k5_setfam_1 (u1_struct_0 X0) X1))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 \\ X0))) \Rightarrow (k7_setfam_1 X0 (k7_setfam_1 X0 X1) = X1) \quad (2)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (k3_subset_1 \\ X0 (k3_subset_1 X0 X1) = X1) \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 \\ X0))) \Rightarrow (m1_subset_1 (k7_setfam_1 X0 X1) (k1_zfmisc_1 (k1_zfmisc_1 \\ X0))) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 \\ X0))) \Rightarrow (m1_subset_1 (k5_setfam_1 X0 X1) (k1_zfmisc_1 X0)) \quad (5)$$

Theorem 1

$$\begin{aligned} \forall X0.(l1_struct_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 \\ (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (k5_setfam_1 (u1_struct_0 \\ X0) (k7_setfam_1 (u1_struct_0 X0) X1) = k3_subset_1 (u1_struct_0 \\ X0) (k8_setfam_1 (u1_struct_0 X0) X1))) \end{aligned}$$