

t81_funct_2 (TM-
Sno39TK9BQPgq2CVLPTjNugYagaMGxDnH)

October 27, 2020

Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((v1_funct_1 X2) \wedge (m1_subset_1 \\ & \quad X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))) \Rightarrow (\forall X3. ((v1_funct_1 \\ & \quad X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\ & \quad X0 X1)))))) \Rightarrow ((r1_partfun1 X2 X3) \Rightarrow (((X1 = k1_xboole_0) \wedge (X0 \neq k1_xboole_0)) \vee \\ & \quad (X3 \in k5_partfun1 X0 X1 X2)))) \end{aligned} \tag{1}$$

Theorem 1

$$\begin{aligned} & \forall X0. \forall X1. ((v1_funct_1 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & \quad (k2_zfmisc_1 X0 X0)))) \Rightarrow (\forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 \\ & \quad X2 X0 X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X0)))))) \Rightarrow \\ & \quad ((r1_partfun1 X1 X2) \Rightarrow (X2 \in k5_partfun1 X0 X0 X1)) \end{aligned}$$