

t81_member_1 (TMPphEBkNA- mAnt29zaEHHojLNPXatXEbYKw)

October 27, 2020

Let $v2_membered : \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k12_member_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_numbers : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_member_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. ((v2_membered X0) \wedge (v2_membered X1)) \Rightarrow (v2_membered (k12_member_1 X0 X1)) \quad (1)$$

Assume the following.

$$v2_membered k7_numbers \quad (2)$$

Assume the following.

$$\begin{aligned} \forall X0. (v2_membered X0) \Rightarrow (\forall X1. (v2_membered X1) \Rightarrow (k12_member_1 \\ X0 X1 = ReplSep2 (toset (\lambda X2 : \iota. m1_subset_1 X2 k7_numbers)) \\ (\lambda X2 : \iota. toset (\lambda X3 : \iota. m1_subset_1 X3 k7_numbers)) (\\ \lambda X2 : \iota. \lambda X3 : \iota. (X2 \in X0) \wedge (X3 \in X1)) (\lambda X2 : \iota. \lambda X3 : \\ \iota. k3_member_1 X2 X3))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. (v2_membered X0) \Rightarrow (\forall X1. (r1_tarski X0 X1) \Leftrightarrow (\forall X2. (v1_xxreal_0 X2) \Rightarrow ((X2 \in X0) \Rightarrow (X2 \in X1)))) \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. ((v2_membered X0) \wedge (v2_membered X1)) \Rightarrow (k12_member_1 X0 X1 = k12_member_1 X1 X0) \quad (5)$$

Assume the following.

$$\forall X0. (v2_membered X0) \Rightarrow (\forall X1. (m1_subset_1 X1 X0) \Rightarrow (v1_xxreal_0 X1)) \quad (6)$$

Theorem 1

$$\begin{aligned} \forall X0. (v2_membered X0) \Rightarrow (\forall X1. (v2_membered X1) \Rightarrow (\forall X2. \\ (v2_membered X2) \Rightarrow (\forall X3. (v2_membered X3) \Rightarrow (((r1_tarski \\ X0 X1) \wedge (r1_tarski X2 X3)) \Rightarrow (r1_tarski (k12_member_1 X0 X2) (k12_member_1 \\ X1 X3)))))) \end{aligned}$$