

# t83\_ncfcont1 (TM- MGG2pjGwWWH2Yqs2YyafgRGUfc1k59MQw)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v4\_normsp\_0 : \iota \Rightarrow o$  be given. Let  $v2\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v8\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $l2\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_ncfcont1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r7\_ncfcont1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k7\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_relset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $k5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k9\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $k3\_xboole\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k10\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $k7\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_ncfcont1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 X0) \wedge ((v4\_normsp\_0 X0) \wedge ((v2\_clvect\_1 X0) \wedge ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v8\_clvect\_1 X0) \wedge (l2\_clvect\_1 X0)))))))))))))) \Rightarrow \\
& (\forall X1. ((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v3\_normsp\_0 X1) \wedge ((v4\_normsp\_0 X1) \wedge ((v2\_clvect\_1 X1) \wedge ((v3\_clvect\_1 X1) \wedge ((v4\_clvect\_1 X1) \wedge ((v5\_clvect\_1 X1) \wedge ((v8\_clvect\_1 X1) \wedge (l2\_clvect\_1 X1)))))))))))))) \Rightarrow \\
& (\forall X2. ((v1\_funct\_1 X2) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X1)))))) \Rightarrow (((v1\_ncfcont1 (k1\_relset\_1 (u1\_struct\_0 X0) X2) X0) \wedge (r7\_ncfcont1 X0 X1 X2 (k1\_relset\_1 (u1\_struct\_0 X0) X2))) \Rightarrow (v1\_ncfcont1 (k2\_relset\_1 (u1\_struct\_0 X1) X2) X1))))
\end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. (v1\_relat\_1 X1) \Rightarrow (k5\_relat\_1 (k5\_relat\_1 X1 X0) X0 = k5\_relat\_1 X1 X0) \tag{2}$$

Assume the following.

$$\forall X0.\forall X1.(v1\_relat\_1 X1)\Rightarrow(k9\_xtuple\_0 (k5\_relat\_1 X1 X0) = k3\_xboole\_0 (k9\_xtuple\_0 X1) X0) \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.(r1\_tarski X0 X1)\Rightarrow(k3\_xboole\_0 X0 X1 = X0) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.(v1\_relat\_1 X1)\Rightarrow(k10\_xtuple\_0 (k5\_relat\_1 X1 X0) = k7\_relat\_1 X1 X0) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.r1\_tarski X0 X0 \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow(k7\_relset\_1 X0 X1 X2 X3 = k7\_relat\_1 X2 X3) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_relat\_1 X1)\wedge(v5\_relat\_1 X1 X0))\Rightarrow(k2\_relset\_1 X0 X1 = k10\_xtuple\_0 X1) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((v1\_funct\_1 X2)\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))))\Rightarrow(k2\_partfun1 X0 X1 X2 X3 = k5\_relat\_1 X2 X3) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_relat\_1 X1)\wedge(v4\_relat\_1 X1 X0))\Rightarrow(k1\_relset\_1 X0 X1 = k9\_xtuple\_0 X1) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((v1\_funct\_1 X2)\wedge(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))))\Rightarrow((v1\_funct\_1 (k2\_partfun1 X0 X1 X2 X3))\wedge(m1\_subset\_1 (k2\_partfun1 X0 X1 X2 X3) (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))) \quad (11)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 X0) \wedge \\
& ((v4\_normsp\_0 X0) \wedge ((v2\_clvect\_1 X0) \wedge ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 \\
& X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v8\_clvect\_1 X0) \wedge (l2\_clvect\_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 \\
& X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v3\_normsp\_0 X1) \wedge \\
& ((v4\_normsp\_0 X1) \wedge ((v2\_clvect\_1 X1) \wedge ((v3\_clvect\_1 X1) \wedge ((v4\_clvect\_1 \\
& X1) \wedge ((v5\_clvect\_1 X1) \wedge ((v8\_clvect\_1 X1) \wedge (l2\_clvect\_1 X1)))))))))) \Rightarrow \\
& (\forall X2.((v1\_funct\_1 X2) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& (u1\_struct\_0 X0) (u1\_struct\_0 X1)))))) \Rightarrow (\forall X3.(r7\_ncfcont1 \\
& X0 X1 X2 X3) \Leftrightarrow ((r1\_tarski X3 (k1\_relset\_1 (u1\_struct\_0 X0) X2)) \wedge \\
& (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 X0)) \Rightarrow ((X4 \in X3) \Rightarrow (r1\_ncfcont1 \\
& X0 X1 (k2\_partfun1 (u1\_struct\_0 X0) (u1\_struct\_0 X1) X2 X3) X4)))))) \\
& \tag{12}
\end{aligned}$$

Assume the following.

$$\forall X0. \forall X1. k3\_xboole\_0 X0 X1 = k3\_xboole\_0 X1 X0 \tag{13}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))) \Rightarrow ((v4\_relat\_1 X2 X0) \wedge (v5\_relat\_1 X2 X1)) \tag{14}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))) \Rightarrow (v1\_relat\_1 X2) \tag{15}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v3\_normsp\_0 X0) \wedge \\
& ((v4\_normsp\_0 X0) \wedge ((v2\_clvect\_1 X0) \wedge ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 \\
& X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v8\_clvect\_1 X0) \wedge (l2\_clvect\_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v2\_rlvect\_1 \\
& X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v3\_normsp\_0 X1) \wedge \\
& ((v4\_normsp\_0 X1) \wedge ((v2\_clvect\_1 X1) \wedge ((v3\_clvect\_1 X1) \wedge ((v4\_clvect\_1 \\
& X1) \wedge ((v5\_clvect\_1 X1) \wedge ((v8\_clvect\_1 X1) \wedge (l2\_clvect\_1 X1)))))))))) \Rightarrow \\
& (\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow \\
& (\forall X3.((v1\_funct\_1 X3) \wedge (m1\_subset\_1 X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& (u1\_struct\_0 X0) (u1\_struct\_0 X1)))))) \Rightarrow (((r1\_tarski X2 (k1\_relset\_1 \\
& (u1\_struct\_0 X0) X3)) \wedge ((v1\_ncfcont1 X2 X0) \wedge (r7\_ncfcont1 X0 X1 \\
& X3 X2))) \Rightarrow (v1\_ncfcont1 (k7\_relset\_1 (u1\_struct\_0 X0) (u1\_struct\_0 \\
& X1) X3 X2) X1))))))
\end{aligned}$$