

## t87\_card\_2

(TMM7XRRy1KEWvnU3NkWzLS5gt5cX77qY4fC)

October 27, 2020

Let  $v1\_card\_1 : \iota \Rightarrow o$  be given. Let  $r1\_ordinal1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_card\_1 : \iota \Rightarrow \iota$  be given. Let  $k3\_tarski : \iota \Rightarrow \iota$  be given. Let  $k2\_card\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $k9\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_funct\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_card\_3 : \iota \Rightarrow \iota$  be given. Let  $k4\_relat\_1 : \iota \Rightarrow \iota$  be given. Let  $k10\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall X0.(v1\_card\_1 X0) \Rightarrow (\forall X1.(v1\_card\_1 X1) \Rightarrow (\forall X2. \\ & ((v1\_relat\_1 X2) \wedge (v1\_funct\_1 X2)) \Rightarrow (((r1\_ordinal1 (k1\_card\_1 \\ & (k9\_xtuple\_0 X2)) X0) \wedge (\forall X3.(X3 \in k9\_xtuple\_0 X2) \Rightarrow (r1\_ordinal1 \\ & (k1\_card\_1 (k1\_funct\_1 X2 X3)) X1))) \Rightarrow (r1\_ordinal1 (k1\_card\_1 \\ & (k3\_card\_3 X2)) (k2\_card\_2 X0 X1)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0.\forall X1.(X0 \in X1) \Rightarrow (k1\_funct\_1 (k4\_relat\_1 X1) X0 = X0) \quad (2)$$

Assume the following.

$$\forall X0.k10\_xtuple\_0 (k4\_relat\_1 X0) = X0 \quad (3)$$

Assume the following.

$$\forall X0.k9\_xtuple\_0 (k4\_relat\_1 X0) = X0 \quad (4)$$

Assume the following.

$$\forall X0.(v1\_relat\_1 (k4\_relat\_1 X0)) \wedge (v1\_funct\_1 (k4\_relat\_1 X0)) \quad (5)$$

Assume the following.

$$\forall X0.v1\_relat\_1 (k4\_relat\_1 X0) \quad (6)$$

Assume the following.

$$\forall X0.((v1\_relat\_1 X0) \wedge (v1\_funct\_1 X0)) \Rightarrow (k3\_card\_3 X0 = k3\_tarski (k10\_xtuple\_0 X0)) \quad (7)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.(v1\_card\_1 X0) \Rightarrow (\forall X1.(v1\_card\_1 X1) \Rightarrow (\forall X2. \\ & ((r1\_ordinal1 (k1\_card\_1 X2) X0) \wedge (\forall X3.(X3 \in X2) \Rightarrow (r1\_ordinal1 \\ & (k1\_card\_1 X3) X1))) \Rightarrow (r1\_ordinal1 (k1\_card\_1 (k3\_tarSKI X2)) \\ & (k2\_card\_2 X0 X1)))) \end{aligned}$$