

t87_enumset1 (TMcr-
PyQW7dkUHNnqbk6M34dvgCkDUWTyCWu)

October 27, 2020

Let $k2_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_enumset1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_enumset1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall X0. \forall X1. \forall X2. \forall X3. k2_enumset1 X0 X1 \\ X2 X3 = k2_enumset1 X1 X3 X0 X2 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. \forall X2. k2_enumset1 X0 X0 X1 X2 = k1_enumset1 \\ X0 X1 X2 \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. \forall X2. \forall X3. k2_enumset1 X0 X1 \\ X2 X3 = k2_xboole_0 (k2_tarski X0 X1) (k2_tarski X2 X3) \end{aligned} \tag{3}$$

Theorem 1

$$\begin{aligned} \forall X0. \forall X1. \forall X2. k2_xboole_0 (k2_tarski X1 X0) \\ (k2_tarski X2 X0) = k1_enumset1 X0 X1 X2 \end{aligned}$$