

t89_fvsum_1

(TMUYqhcdfjtjE4kMJ3yTQACGBr1jToWussHW)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k13_fvsum_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_finseq_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_group_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k1_finsop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_binop_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $k6_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k11_fvsum_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_struct_0 : \iota \Rightarrow o$ be given. Let $l3_struct_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. (\neg v1_xboole_0 X0) \Rightarrow (\forall X1. (m1_subset_1 X1 X0) \Rightarrow \\
 & \quad (\forall X2. (m1_subset_1 X2 X0) \Rightarrow (\forall X3. ((v1_funct_1 X3) \wedge \\
 & \quad ((v1_funct_2 X3 (k2_zfmisc_1 X0 X0) X0) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\
 & \quad (k2_zfmisc_1 (k2_zfmisc_1 X0 X0) X0)))) \Rightarrow (k1_finsop_1 X0 (k2_finseq_4 \\
 & \quad X0 X1 X2) X3 = k5_binop_1 X0 X3 X1 X2))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v5_group_1 \\
 & \quad X0) \wedge (l3_algstr_0 X0))) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge \\
 & \quad m1_subset_1 X2 (u1_struct_0 X0))) \Rightarrow (k8_group_1 X0 X1 X2 = k6_algstr_0 \\
 & \quad X0 X1 X2)
 \end{aligned} \tag{2}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((v2_rlvect_1 X0)\wedge(l1_algstr_0 X0))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0))))\Rightarrow(k3_rlvect_1 X0 X1 X2 = k1_algstr_0 X0 X1 X2) \quad (3)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l3_algstr_0 X0))\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(\forall X3.(m1_subset_1 X3 (u1_struct_0 X0))\Rightarrow(\forall X4.(m1_subset_1 X4 (u1_struct_0 X0))\Rightarrow(k11_fvsum_1 X0 (k2_finseq_4 (u1_struct_0 X0) X1 X2) (k2_finseq_4 (u1_struct_0 X0) X3 X4) = k2_finseq_4 (u1_struct_0 X0) (k6_algstr_0 X0 X1 X3) (k6_algstr_0 X0 X2 X4)))))) \quad (4)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0.(l1_algstr_0 X0)\Rightarrow((v1_funct_1 (u1_algstr_0 X0))\wedge((v1_funct_2 (u1_algstr_0 X0) (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)) (u1_struct_0 X0))\wedge(m1_subset_1 (u1_algstr_0 X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)) (u1_struct_0 X0)))))) \quad (6)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0)\Rightarrow((l2_algstr_0 X0)\wedge(l5_algstr_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l5_algstr_0 X0)\Rightarrow((l4_algstr_0 X0)\wedge(l4_struct_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.(l4_algstr_0 X0)\Rightarrow((l3_struct_0 X0)\wedge(l3_algstr_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0)\Rightarrow((l2_struct_0 X0)\wedge(l1_algstr_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(l1_algstr_0 X0)\Rightarrow(l1_struct_0 X0) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((l3_algstr_0 X0)\wedge((m1_subset_1 \\ & X1 (u1_struct_0 X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0))))\Rightarrow(m1_subset_1 \\ & (k6_algstr_0 X0 X1 X2) (u1_struct_0 X0)) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge((m1_subset_1 \\ & X1 X0)\wedge(m1_subset_1 X2 X0)))\Rightarrow(m2_finseq_1 (k2_finseq_4 X0 X1 X2) \\ & X0) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(l6_algstr_0 X0))\Rightarrow(\forall X1. \\ & (m2_finseq_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m2_finseq_1 X2 \\ & (u1_struct_0 X0))\Rightarrow(k13_fvsom_1 X0 X1 X2 = k4_rlvect_1 X0 (k11_fvsom_1 \\ & X0 X1 X2)))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\ & X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge(l2_algstr_0 X0))))))\Rightarrow \\ & (\forall X1.(m2_finseq_1 X1 (u1_struct_0 X0))\Rightarrow(k4_rlvect_1 X0 \\ & X1 = k1_finsop_1 (u1_struct_0 X0) X1 (u1_algstr_0 X0))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0.(l1_algstr_0 X0)\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(k1_algstr_0 \\ & X0 X1 X2 = k5_binop_1 (u1_struct_0 X0) (u1_algstr_0 X0) X1 X2))) \end{aligned} \quad (16)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v3_group_1 \\ & X0)\wedge((v5_group_1 X0)\wedge((v2_rlvect_1 X0)\wedge((v3_rlvect_1 X0)\wedge(\\ & (v4_rlvect_1 X0)\wedge((v6_vectsp_1 X0)\wedge(l6_algstr_0 X0))))))))\Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0))\Rightarrow(\forall X3.(m1_subset_1 X3 (u1_struct_0 \\ & X0))\Rightarrow(\forall X4.(m1_subset_1 X4 (u1_struct_0 X0))\Rightarrow(k13_fvsom_1 \\ & X0 (k2_finseq_4 (u1_struct_0 X0) X1 X2) (k2_finseq_4 (u1_struct_0 \\ & X0) X3 X4) = k3_rlvect_1 X0 (k8_group_1 X0 X1 X3) (k8_group_1 X0 X2 \\ & X4)))))) \end{aligned}$$