

t8_grsolv_1 (TMdvCcUz- zdRY9jV8HYFEMMB7fEQmRrVDxw6)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v15_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_group_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_grsolv_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_group_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k5_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_grsolv_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\
 & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_group_1 \\
 & X1) \wedge ((v3_group_1 X1) \wedge (l3_algstr_0 X1)))) \Rightarrow (\forall X2.((v1_funct_1 \\
 & X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge ((v1_group_6 \\
 & X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\
 & X0) (u1_struct_0 X1)))))) \Rightarrow (k2_relset_1 (u1_struct_0 X1) X2 = \\
 & u1_struct_0 (k10_group_6 X0 X1 X2))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. (v1_relat_1 X1) \Rightarrow (k10_xtuple_0 (k5_relat_1 X1 X0) = k7_relat_1 X1 X0) \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (k7_relset_1 X0 X1 X2 X3 = k7_relat_1 X2 X3) \tag{3}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(k5_relset_1 X0 X1 X2 X3 = k5_relat_1 X2 X3) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v5_relat_1 X1 X0))\Rightarrow(k2_relset_1 X0 X1 = k10_xtuple_0 X1) \quad (5)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge(l3_algstr_0 X0)))\Rightarrow(\forall X1.(m1_group_2 X1 X0)\Rightarrow((\neg v2_struct_0 X1)\wedge((v2_group_1 X1)\wedge(l3_algstr_0 X1)))) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 X0)\wedge((v2_group_1 X0)\wedge((v3_group_1 X0)\wedge(l3_algstr_0 X0))))\wedge \\ & (((\neg v2_struct_0 X1)\wedge((v2_group_1 X1)\wedge((v3_group_1 X1)\wedge(l3_algstr_0 X1))))\wedge(((v1_funct_1 X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge((v1_group_6 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\wedge(m1_group_2 X3 X0))))\Rightarrow \\ & ((v1_funct_1 (k1_grsolv_1 X0 X1 X2 X3))\wedge((v1_funct_2 (k1_grsolv_1 X0 X1 X2 X3) (u1_struct_0 X3) (u1_struct_0 X1))\wedge((v1_group_6 (k1_grsolv_1 X0 X1 X2 X3) X3 X1)\wedge(m1_subset_1 (k1_grsolv_1 X0 X1 X2 X3) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X3) (u1_struct_0 X1)))))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v15_algstr_0 X0)\wedge((v2_group_1 X0)\wedge((v3_group_1 X0)\wedge(l3_algstr_0 X0)))))\Rightarrow(\forall X1.((\neg v2_struct_0 X1)\wedge((v15_algstr_0 X1)\wedge((v2_group_1 X1)\wedge((v3_group_1 X1)\wedge(l3_algstr_0 X1)))))\Rightarrow(\forall X2.((v1_funct_1 X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge((v1_group_6 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow(\forall X3.(m1_group_2 X3 X0)\Rightarrow(k2_grsolv_1 X0 X1 X2 X3 = k10_group_6 X3 X1 (k1_grsolv_1 X0 X1 X2 X3)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_group_1 \\ X1) \wedge ((v3_group_1 X1) \wedge (l3_algstr_0 X1)))) \Rightarrow (\forall X2.((v1_funct_1 \\ X2) \wedge ((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge ((v1_group_6 \\ X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ X0) (u1_struct_0 X1)))))) \Rightarrow (\forall X3.(m1_group_2 X3 X0) \Rightarrow (k1_grsolv_1 \\ X0 X1 X2 X3 = k5_relset_1 (u1_struct_0 X0) (u1_struct_0 X1) X2 (u1_struct_0 \\ X3)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow ((v4_relat_1 X2 X0) \wedge (v5_relat_1 X2 X1)) \quad (10)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \quad (11)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.(m1_group_2 X1 X0) \Rightarrow (v3_group_1 \\ X1)) \quad (12)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v15_algstr_0 X0) \wedge ((v2_group_1 \\ X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 \\ X1) \wedge ((v15_algstr_0 X1) \wedge ((v2_group_1 X1) \wedge ((v3_group_1 X1) \wedge \\ l3_algstr_0 X1)))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 \\ X2 (u1_struct_0 X0) (u1_struct_0 X1)) \wedge ((v1_group_6 X2 X0 X1) \wedge \\ m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 \\ X1)))))) \Rightarrow (\forall X3.((v15_algstr_0 X3) \wedge (m1_group_2 X3 X0) \Rightarrow \\ (u1_struct_0 (k2_grsolv_1 X0 X1 X2 X3) = k7_relset_1 (u1_struct_0 \\ X0) (u1_struct_0 X1) X2 (u1_struct_0 X3)))))) \end{aligned}$$