

t8_papdesaf (TMP- MvmRy9SHWJWkDEMJFbBxGeVo7FBGR4tZ)

October 27, 2020

Let $v7_struct_0 : \iota \Rightarrow o$ be given. Let $v2_analoaf : \iota \Rightarrow o$ be given. Let $l1_analoaf : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r2_analoaf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r3_diraf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_diraf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_diraf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\ & (u1_struct_0 X0)) \Rightarrow ((r1_diraf X0 X1 X2 X3) \Rightarrow (r1_diraf X0 X3 X2 X1)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\ & (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow \\ & (\forall X5.(m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (((r1_diraf X0 \\ & X1 X2 X3) \wedge ((r3_diraf X0 X1 X4 X5) \wedge (r2_diraf X0 X4 X2 X3 X5))) \Rightarrow ((r3_diraf \\ & X0 X1 X4 X2) \vee (r1_diraf X0 X1 X4 X5)))))))))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\ & (u1_struct_0 X0)) \Rightarrow ((r2_analoaf X0 X1 X2 X1 X3) \Leftrightarrow ((r1_diraf X0 X1 \\ & X2 X3) \vee (r1_diraf X0 X1 X3 X2)))))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X5.(m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (((r1_diraf X0 \\
& X2 X1 X4) \wedge ((r3_diraf X0 X1 X3 X5) \wedge (r2_diraf X0 X2 X3 X5 X4)) \Rightarrow ((r3_diraf \\
& X0 X1 X2 X3) \vee (r1_diraf X0 X3 X1 X5)))))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow \\
& (((r3_diraf X0 X1 X2 X3) \wedge (r2_diraf X0 X1 X2 X3 X4)) \Rightarrow ((X1 = X2) \vee (r3_diraf \\
& X0 X1 X2 X4)))))))))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X5.(m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (((r3_diraf X0 \\
& X1 X2 X3) \wedge ((r3_diraf X0 X1 X2 X4) \wedge (r3_diraf X0 X1 X2 X5)) \Rightarrow ((X1 = X2) \vee \\
& (r3_diraf X0 X3 X4 X5)))))))))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((r3_diraf X0 X1 X1 X2) \wedge ((r3_diraf \\
& X0 X1 X2 X2) \wedge (r3_diraf X0 X1 X2 X1))))))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow ((r3_diraf X0 X1 X2 X3) \Rightarrow ((r3_diraf X0 X1 X3 X2) \wedge \\
& ((r3_diraf X0 X2 X1 X3) \wedge ((r3_diraf X0 X2 X3 X1) \wedge ((r3_diraf X0 X3 X1 \\
& X2) \wedge (r3_diraf X0 X3 X2 X1)))))))))
\end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow (\neg(r3_diraf X0 X1 X2 X3) \wedge ((\neg r1_diraf X0 X1 X2 \\
& X3) \wedge ((\neg r1_diraf X0 X2 X1 X3) \wedge (\neg r1_diraf X0 X1 X3 X2))))))
\end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow ((r1_diraf X0 X1 X2 X3) \Rightarrow (r3_diraf X0 X1 X2 X3))))
\end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow \\
& ((r2_diraf X0 X1 X2 X3 X4) \Rightarrow ((r2_diraf X0 X1 X2 X4 X3) \wedge ((r2_diraf X0 \\
& X2 X1 X3 X4) \wedge ((r2_diraf X0 X2 X1 X4 X3) \wedge ((r2_diraf X0 X3 X4 X1 X2) \wedge \\
& (r2_diraf X0 X3 X4 X2 X1) \wedge ((r2_diraf X0 X4 X3 X1 X2) \wedge (r2_diraf X0 X4 \\
& X3 X2 X1))))))))))
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow (((r1_diraf X0 X1 X2 X3) \wedge (r1_diraf X0 X2 X1 X3)) \Rightarrow \\
& (X1 = X2))))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X5.(m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (((r2_analoaf \\
& X0 X1 X2 X1 X4) \wedge ((r2_analoaf X0 X1 X3 X1 X5) \wedge (r2_diraf X0 X2 X3 X4 X5)) \Rightarrow \\
& ((r3_diraf X0 X1 X2 X3) \vee (r2_analoaf X0 X2 X3 X4 X5))))))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow \\
& (((r1_diraf X0 X1 X2 X3) \wedge (r1_diraf X0 X1 X3 X4)) \Rightarrow (r1_diraf X0 X2 X3 \\
& X4))))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((r1_diraf X0 X1 X1 X2) \wedge (r1_diraf \\
& X0 X1 X2 X2))))
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow ((r3_diraf X0 X1 X2 X3) \Rightarrow ((r3_diraf X0 X1 X3 X2) \wedge \\
& (r3_diraf X0 X2 X1 X3))))))
\end{aligned} \tag{16}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v2_analoaf X0) \wedge (l1_analoaf \\
& X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\
& (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X5.(m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (((r2_analoaf \\
& X0 X1 X2 X1 X4) \wedge ((r3_diraf X0 X1 X3 X5) \wedge (r2_diraf X0 X2 X3 X4 X5)) \Rightarrow \\
& ((r3_diraf X0 X1 X2 X3) \vee ((r2_analoaf X0 X1 X3 X1 X5) \wedge (r2_analoaf \\
& X0 X2 X3 X4 X5))))))))))
\end{aligned}$$