

t8_ranknull

(TMaTueTqf8XakSi99DN9hHiTjpKa5j3mzPz)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v33_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v5_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v8_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v9_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v10_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v13_vectsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_mod_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_vectsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k4_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_struct_0 : \iota \Rightarrow \iota$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $v9_struct_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_struct_0 : \iota \Rightarrow o$ be given. Let $l3_struct_0 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
 & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (\\
 & (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))) \Rightarrow \\
 & (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. ((\\
 & \neg v2_struct_0 X2) \wedge ((v13_algstr_0 X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 \\
 & X2) \wedge ((v8_vectsp_1 X2 X0) \wedge ((v9_vectsp_1 X2 X0) \wedge ((v10_vectsp_1 \\
 & X2 X0) \wedge ((v11_vectsp_1 X2 X0) \wedge (l1_vectsp_1 X2 X0)))))))) \Rightarrow (\forall X3. \\
 & (m1_subset_1 X3 (u1_struct_0 X2)) \Rightarrow ((k4_vectsp_1 X0 X2 (k4_struct_0 \\
 & X0) X3 = k4_struct_0 X2) \wedge ((k4_vectsp_1 X0 X2 (k4_algstr_0 X0 (k5_struct_0 \\
 & X0)) X3 = k4_algstr_0 X2 X3) \wedge (k4_vectsp_1 X0 X2 X1 (k4_struct_0 X2) = \\
 & k4_struct_0 X2))))))
 \end{aligned}
 \tag{1}$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (\exists X1.(m1_subset_1 X1 (u1_struct_0 X0)) \wedge (v9_struct_0 X1 X0)) \quad (2)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (3)$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \quad (4)$$

Assume the following.

$$\forall X0.(l5_algstr_0 X0) \Rightarrow ((l4_algstr_0 X0) \wedge (l4_struct_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0.(l4_struct_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l3_struct_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0.(l4_algstr_0 X0) \Rightarrow ((l3_struct_0 X0) \wedge (l3_algstr_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (\forall X1.(l1_vectsp_1 X1 X0) \Rightarrow (l2_algstr_0 X1)) \quad (9)$$

Assume the following.

$$\forall X0.(l1_algstr_0 X0) \Rightarrow (l1_struct_0 X0) \quad (10)$$

Assume the following.

$$\forall X0.(l3_struct_0 X0) \Rightarrow (m1_subset_1 (k5_struct_0 X0) (u1_struct_0 X0)) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \wedge (((\neg v2_struct_0 X1) \wedge (l1_vectsp_1 X1 X0)) \wedge \\ & ((m1_subset_1 X2 (u1_struct_0 X0)) \wedge (m1_subset_1 X3 (u1_struct_0 X1)))))) \Rightarrow (m1_subset_1 (k4_vectsp_1 X0 X1 X2 X3) (u1_struct_0 X1)) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.((l2_algstr_0 X0)\wedge(m1_subset_1 X1 (u1_struct_0 X0)))\Rightarrow(m1_subset_1 (k4_algstr_0 X0 X1) (u1_struct_0 X0)) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge(((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))))\wedge(m1_subset_1 X3 X0)))\Rightarrow(m1_subset_1 (k3_funct_2 X0 X1 X2 X3) X1) \quad (14)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l3_algstr_0 X0))\Rightarrow(\forall X1.((\neg v2_struct_0 X1)\wedge(l1_vectsp_1 X1 X0))\Rightarrow(\forall X2.((\neg v2_struct_0 X2)\wedge(l1_vectsp_1 X2 X0))\Rightarrow(\forall X3.((v1_funct_1 X3)\wedge((v1_funct_2 X3 (u1_struct_0 X1) (u1_struct_0 X2))\wedge(m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X2))))))\Rightarrow((v1_mod_2 X3 X0 X1 X2)\Leftrightarrow(\forall X4.(m1_subset_1 X4 (u1_struct_0 X0))\Rightarrow(\forall X5.(m1_subset_1 X5 (u1_struct_0 X1))\Rightarrow(k3_funct_2 (u1_struct_0 X1) (u1_struct_0 X2) X3 (k4_vectsp_1 X0 X1 X4 X5) = k4_vectsp_1 X0 X2 X4 (k3_funct_2 (u1_struct_0 X1) (u1_struct_0 X2) X3 X5)))))))))) \quad (15)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_algstr_0 X0))\Rightarrow(\forall X1.((\neg v2_struct_0 X1)\wedge(l1_algstr_0 X1))\Rightarrow(\forall X2.((v1_funct_1 X2)\wedge((v1_funct_2 X2 (u1_struct_0 X0) (u1_struct_0 X1))\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow(((v13_vectsp_1 X2 X0 X1)\Leftrightarrow(\forall X3.(m1_subset_1 X3 (u1_struct_0 X0))\Rightarrow(\forall X4.(m1_subset_1 X4 (u1_struct_0 X0))\Rightarrow(k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X1) X2 (k1_algstr_0 X0 X3 X4) = k1_algstr_0 X1 (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X1) X2 X3) (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X1) X2 X4)))))))))) \quad (16)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0)\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(k5_algstr_0 X0 X1 X2 = k1_algstr_0 X0 X1 (k4_algstr_0 X0 X2)))) \quad (17)$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v33_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\
& ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge ((v5_group_1 X0) \wedge ((v4_vectsp_1 \\
& X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((\\
& v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 \\
& X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge (l1_vectsp_1 \\
& X1 X0)))))))))) \Rightarrow (\forall X2.((\neg v2_struct_0 X2) \wedge ((v13_algstr_0 \\
& X2) \wedge ((v2_rlvect_1 X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge \\
& ((v8_vectsp_1 X2 X0) \wedge ((v9_vectsp_1 X2 X0) \wedge ((v10_vectsp_1 X2 X0) \wedge \\
& ((v11_vectsp_1 X2 X0) \wedge (l1_vectsp_1 X2 X0)))))))))) \Rightarrow (\forall X3. \\
& ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 (u1_struct_0 X2) (u1_struct_0 \\
& X1)) \wedge ((v13_vectsp_1 X3 X2 X1) \wedge ((v1_mod_2 X3 X0 X2 X1) \wedge (m1_subset_1 \\
& X3 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X2) (u1_struct_0 X1)))))))))) \Rightarrow \\
& (\forall X4.(m1_subset_1 X4 (u1_struct_0 X2)) \Rightarrow (\forall X5.(m1_subset_1 \\
& X5 (u1_struct_0 X2)) \Rightarrow (k5_algstr_0 X1 (k3_funct_2 (u1_struct_0 \\
& X2) (u1_struct_0 X1) X3 X4) (k3_funct_2 (u1_struct_0 X2) (u1_struct_0 \\
& X1) X3 X5) = k3_funct_2 (u1_struct_0 X2) (u1_struct_0 X1) X3 (k5_algstr_0 \\
& X2 X4 X5))))))
\end{aligned}$$