

t8_termord

(TMcoydkhazdE7Emv65MJrcW1CKr75hZxXUj)

October 27, 2020

Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k15_pre_poly : \iota \Rightarrow \iota$ be given. Let $v1_relat_2 : \iota \Rightarrow o$ be given. Let $v4_relat_2 : \iota \Rightarrow o$ be given. Let $v8_relat_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v4_valued_0 : \iota \Rightarrow o$ be given. Let $v2_pre_poly : \iota \Rightarrow o$ be given. Let $r1_termord : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(v1_relat_1 X0) \Rightarrow ((v8_relat_2 X0) \Leftrightarrow (\forall X1.\forall X2. \\ & \forall X3.((k4_tarski X1 X2 \in X0) \wedge (k4_tarski X2 X3 \in X0)) \Rightarrow (k4_tarski \\ & \quad X1 X3 \in X0))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.(v3_ordinal1 X0) \Rightarrow (\forall X1.((v1_partfun1 X1 (k15_pre_poly \\ & X0)) \wedge ((v1_relat_2 X1) \wedge ((v4_relat_2 X1) \wedge ((v8_relat_2 X1) \wedge (m1_subset_1 \\ & X1 (k1_zfmisc_1 (k2_zfmisc_1 (k15_pre_poly X0) (k15_pre_poly \\ & X0)))))) \Rightarrow (\forall X2.((v1_relat_1 X2) \wedge ((v4_relat_1 X2 X0) \wedge \\ & ((v1_funct_1 X2) \wedge ((v1_partfun1 X2 X0) \wedge ((v4_valued_0 X2) \wedge (v2_pre_poly \\ & X2)))))) \Rightarrow (\forall X3.((v1_relat_1 X3) \wedge ((v4_relat_1 X3 X0) \wedge \\ & (v1_funct_1 X3) \wedge ((v1_partfun1 X3 X0) \wedge ((v4_valued_0 X3) \wedge (v2_pre_poly \\ & X3)))))) \Rightarrow ((r1_termord X0 X1 X2 X3) \Leftrightarrow (k4_tarski X2 X3 \in X1)))))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \end{aligned} \tag{3}$$

Theorem 1

$$\begin{aligned} & \forall X0.(v3_ordinal1\ X0) \Rightarrow (\forall X1.((v1_partfun1\ X1\ (k15_pre_poly \\ & X0)) \wedge ((v1_relat_2\ X1) \wedge ((v4_relat_2\ X1) \wedge ((v8_relat_2\ X1) \wedge (m1_subset_1 \\ & X1\ (k1_zfmisc_1\ (k2_zfmisc_1\ (k15_pre_poly\ X0)\ (k15_pre_poly \\ & X0)))))) \Rightarrow (\forall X2.((v1_relat_1\ X2) \wedge ((v4_relat_1\ X2\ X0) \wedge \\ & ((v1_funct_1\ X2) \wedge ((v1_partfun1\ X2\ X0) \wedge ((v4_valued_0\ X2) \wedge (v2_pre_poly \\ & X2)))))) \Rightarrow (\forall X3.((v1_relat_1\ X3) \wedge ((v4_relat_1\ X3\ X0) \wedge \\ & (v1_funct_1\ X3) \wedge ((v1_partfun1\ X3\ X0) \wedge ((v4_valued_0\ X3) \wedge (v2_pre_poly \\ & X3)))))) \Rightarrow (\forall X4.((v1_relat_1\ X4) \wedge ((v4_relat_1\ X4\ X0) \wedge \\ & (v1_funct_1\ X4) \wedge ((v1_partfun1\ X4\ X0) \wedge ((v4_valued_0\ X4) \wedge (v2_pre_poly \\ & X4)))))) \Rightarrow (((r1_termord\ X0\ X1\ X2\ X3) \wedge (r1_termord\ X0\ X1\ X3\ X4)) \Rightarrow (\\ & r1_termord\ X0\ X1\ X2\ X4)))))) \end{aligned}$$