

t8_vectsp_4
(TMQyhH8kNWXiJBWZ2yb8DkzqvXTHt5pC75f)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v8_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v9_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v10_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_vectsp_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_struct_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $k1_realset1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. \neg(X0 \in X1) \wedge ((m1_subset_1 X1 (k1_zfmisc_1 X2)) \wedge (v1_xboole_0 X2)) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((X0 \in X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X2))) \Rightarrow (m1_subset_1 X0 X2) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 (k1_zfmisc_1 X1)) \Leftrightarrow (r1_tarski X0 X1) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (4)$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge \\
& ((v3_group_1 X0) \wedge (v4_vectsp_1 X0) \wedge (v5_vectsp_1 X0) \wedge (v2_rlvect_1 \\
& X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))) \wedge \\
& ((\neg v2_struct_0 X1) \wedge (v13_algstr_0 X1) \wedge (v8_vectsp_1 X1 X0) \wedge \\
& ((v9_vectsp_1 X1 X0) \wedge (v10_vectsp_1 X1 X0) \wedge (v11_vectsp_1 X1 \\
& X0) \wedge (v2_rlvect_1 X1) \wedge (v3_rlvect_1 X1) \wedge (v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))) \Rightarrow (\forall X2. (m1_vectsp_4 X2 X0 \\
& X1) \Rightarrow ((\neg v2_struct_0 X2) \wedge (v13_algstr_0 X2) \wedge (v8_vectsp_1 X2 \\
& X0) \wedge (v9_vectsp_1 X2 X0) \wedge (v10_vectsp_1 X2 X0) \wedge (v11_vectsp_1 \\
& X2 X0) \wedge (v2_rlvect_1 X2) \wedge (v3_rlvect_1 X2) \wedge (v4_rlvect_1 X2) \wedge \\
& (l1_vectsp_1 X2 X0))))))
\end{aligned} \tag{5}$$

Assume the following.

$$\forall X0. (l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \tag{6}$$

Assume the following.

$$\forall X0. (l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \tag{7}$$

Assume the following.

$$\forall X0. (l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \tag{8}$$

Assume the following.

$$\forall X0. (l1_struct_0 X0) \Rightarrow (\forall X1. (l1_vectsp_1 X1 X0) \Rightarrow (l2_algstr_0 X1)) \tag{9}$$

Assume the following.

$$\forall X0. (l1_struct_0 X0) \Rightarrow (\forall X1. (r1_struct_0 X0 X1) \Leftrightarrow (X1 \in u1_struct_0 X0)) \tag{10}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
& X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
& ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v8_vectsp_1 \\
& X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 \\
& X1 X0) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge \\
& (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2.((\neg v2_struct_0 X2) \wedge \\
& ((v13_algstr_0 X2) \wedge ((v8_vectsp_1 X2 X0) \wedge ((v9_vectsp_1 X2 X0) \wedge \\
& ((v10_vectsp_1 X2 X0) \wedge ((v11_vectsp_1 X2 X0) \wedge ((v2_rlvect_1 X2) \wedge \\
& ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge (l1_vectsp_1 X2 X0)))))))))) \Rightarrow \\
& ((m1_vectsp_4 X2 X0 X1) \Leftrightarrow ((r1_tarski (u1_struct_0 X2) (u1_struct_0 \\
& X1)) \wedge ((k4_struct_0 X2 = k4_struct_0 X1) \wedge ((u1_algstr_0 X2 = k1_realset1 \\
& (u1_algstr_0 X1) (u1_struct_0 X2)) \wedge (u1_vectsp_1 X0 X2 = k5_relat_1 \\
& (u1_vectsp_1 X0 X1) (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 \\
& X2))))))))))
\end{aligned} \tag{11}$$

Theorem 1

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge \\
& ((v3_group_1 X1) \wedge ((v4_vectsp_1 X1) \wedge ((v5_vectsp_1 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge (l6_algstr_0 X1)))))))))) \Rightarrow \\
& (\forall X2. ((\neg v2_struct_0 X2) \wedge ((v13_algstr_0 X2) \wedge ((v8_vectsp_1 \\
& X2 X1) \wedge ((v9_vectsp_1 X2 X1) \wedge ((v10_vectsp_1 X2 X1) \wedge ((v11_vectsp_1 \\
& X2 X1) \wedge ((v2_rlvect_1 X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge \\
& (l1_vectsp_1 X2 X1)))))))))) \Rightarrow (\forall X3. (m1_vectsp_4 X3 X1 X2) \Rightarrow \\
& (\forall X4. (m1_vectsp_4 X4 X1 X2) \Rightarrow ((r1_struct_0 X3 X0) \wedge (m1_vectsp_4 \\
& X3 X1 X4)) \Rightarrow (r1_struct_0 X4 X0))))))
\end{aligned}$$