

t90\_clvect\_2 (TMF-  
SXjB7FfGKmT3gTACrToTkFJ8AMeXhsaz)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v2\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v2\_csspace : \iota \Rightarrow o$  be given. Let  $l1\_csspace : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $v1\_clvect\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_valued\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_clvect\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $m2\_valued\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Let  $k9\_nat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v3\_ordinal1 : \iota \Rightarrow o$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l1\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_partfun1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v2\_clvect\_1 X0) \wedge ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v2\_csspace X0) \wedge (l1\_csspace X0)))))))))) \Rightarrow (\forall X1. ((v1\_funct\_1 X1) \wedge ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow (\forall X2. ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow (((m2\_valued\_0 X1 (u1\_struct\_0 X0) X2) \wedge (v1\_clvect\_2 X2 X0)) \Rightarrow (k1\_clvect\_2 X0 X1 = k1\_clvect\_2 X0 X2))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v2\_clvect\_1 X0) \wedge \\
& ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v2\_csspace \\
& X0) \wedge (l1\_csspace X0)))))))))) \Rightarrow (\forall X1.((v1\_funct\_1 X1) \wedge \\
& ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 \\
& (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow \\
& (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 \\
& X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0)))))) \Rightarrow (((v1\_clvect\_2 X1 X0) \wedge (m2\_valued\_0 X2 (u1\_struct\_0 \\
& X0) X1)) \Rightarrow (v1\_clvect\_2 X2 X0)))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge ((\neg v1\_xboole\_0 X1) \wedge \\
& (m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)))) \Rightarrow (\forall X2. (m2\_subset\_1 \\
& X2 X0 X1) \Leftrightarrow (m1\_subset\_1 X2 X1))
\end{aligned} \tag{3}$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. ((\neg v1\_xboole\_0 X0) \wedge ((v1\_funct\_1 \\
& X1) \wedge ((v1\_funct\_2 X1 k5\_numbers X0) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 \\
& (k2\_zfmisc\_1 k5\_numbers X0)))))) \wedge (v7\_ordinal1 X2)) \Rightarrow (k1\_valued\_0 \\
& X0 X1 X2 = k9\_nat\_1 X1 X2)
\end{aligned} \tag{5}$$

Assume the following.

$$(\neg v1\_xboole\_0 k4\_ordinal1) \wedge (v3\_ordinal1 k4\_ordinal1) \tag{6}$$

Assume the following.

$$\forall X0. ((\neg v2\_struct\_0 X0) \wedge (l1\_struct\_0 X0)) \Rightarrow (\neg v1\_xboole\_0 \\
(u1\_struct\_0 X0)) \tag{7}$$

Assume the following.

$$\neg v1\_xboole\_0 k1\_numbers \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge ((v1\_funct\_1 X1) \wedge \\
& (v1\_funct\_2 X1 k5\_numbers X0) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& k5\_numbers X0)))))) \Rightarrow (\forall X2. (m2\_valued\_0 X2 X0 X1) \Rightarrow ((v1\_funct\_1 \\
& X2) \wedge ((v1\_funct\_2 X2 k5\_numbers X0) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 \\
& (k2\_zfmisc\_1 k5\_numbers X0))))))
\end{aligned} \tag{9}$$

Assume the following.

$$\forall X0.(l2\_algstr\_0 X0) \Rightarrow ((l2\_struct\_0 X0) \wedge (l1\_algstr\_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(l1\_csspace X0) \Rightarrow (l1\_clvect\_1 X0) \quad (11)$$

Assume the following.

$$\forall X0.(l1\_clvect\_1 X0) \Rightarrow (l2\_algstr\_0 X0) \quad (12)$$

Assume the following.

$$\forall X0.(l1\_algstr\_0 X0) \Rightarrow (l1\_struct\_0 X0) \quad (13)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.(((v1\_relat\_1 X0) \wedge ((v4\_relat\_1 X0 k5\_numbers) \wedge \\ ((v1\_funct\_1 X0) \wedge (v1\_partfun1 X0 k5\_numbers)))) \wedge (v7\_ordinal1 \\ X1)) \Rightarrow ((v1\_relat\_1 (k9\_nat\_1 X0 X1)) \wedge ((v4\_relat\_1 (k9\_nat\_1 X0 \\ X1) k5\_numbers) \wedge ((v1\_funct\_1 (k9\_nat\_1 X0 X1)) \wedge (v1\_partfun1 \\ (k9\_nat\_1 X0 X1) k5\_numbers)))))) \end{aligned} \quad (14)$$

Assume the following.

$$m1\_subset\_1 k5\_numbers (k1\_zfmisc\_1 k1\_numbers) \quad (15)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.((\neg v1\_xboole\_0 X0) \wedge (((v1\_funct\_1 \\ X1) \wedge ((v1\_funct\_2 X1 k5\_numbers X0) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 \\ (k2\_zfmisc\_1 k5\_numbers X0)))))) \wedge (v7\_ordinal1 X2))) \Rightarrow (m2\_valued\_0 \\ (k1\_valued\_0 X0 X1 X2) X0 X1) \end{aligned} \quad (16)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k4\_ordinal1) \Rightarrow (v7\_ordinal1 X0) \quad (17)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.(\neg v1\_xboole\_0 X1) \Rightarrow (\forall X2.(m1\_subset\_1 \\ X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1))) \Rightarrow ((v1\_funct\_2 X2 X0 X1) \Rightarrow ( \\ v1\_partfun1 X2 X0))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 \\ (k2\_zfmisc\_1 X0 X1))) \Rightarrow ((v4\_relat\_1 X2 X0) \wedge (v5\_relat\_1 X2 X1)) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 \\ (k2\_zfmisc\_1 X0 X1))) \Rightarrow (v1\_relat\_1 X2) \end{aligned} \quad (20)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 X0) \wedge (v2\_rlvect\_1 \\ & X0) \wedge (v3\_rlvect\_1 X0) \wedge (v4\_rlvect\_1 X0) \wedge (v2\_clvect\_1 X0) \wedge \\ & ((v3\_clvect\_1 X0) \wedge (v4\_clvect\_1 X0) \wedge (v5\_clvect\_1 X0) \wedge (v2\_csspace \\ & X0) \wedge (l1\_csspace X0)))))) \Rightarrow (\forall X1.((v1\_funct\_1 X1) \wedge \\ & ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 \\ & (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow \\ & (\forall X2.(m2\_subset\_1 X2 k1\_numbers k5\_numbers) \Rightarrow ((v1\_clvect\_2 \\ & X1 X0) \Rightarrow ((v1\_clvect\_2 (k1\_valued\_0 (u1\_struct\_0 X0) X1 X2) X0) \wedge \\ & (k1\_clvect\_2 X0 (k1\_valued\_0 (u1\_struct\_0 X0) X1 X2) = k1\_clvect\_2 \\ & X0 X1)))))) \end{aligned}$$