

t90_rinfsup1 (TM- LoSQnChuJT2AyXtwLmtkTpM3HwYfBdupj)

October 27, 2020

Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k1_numbers : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_comseq_2 : \iota \Rightarrow o$ be given. Let $k5_rinfsup1 : \iota \Rightarrow \iota$ be given. Let $k32_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_real_1 : \iota \Rightarrow \iota$ be given. Let $k6_rinfsup1 : \iota \Rightarrow \iota$ be given. Let $v2_seq_2 : \iota \Rightarrow o$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_rinfsup1 : \iota \Rightarrow \iota$ be given. Let $k4_rinfsup1 : \iota \Rightarrow \iota$ be given. Let $k2_rinfsup1 : \iota \Rightarrow \iota$ be given. Let $k1_rinfsup1 : \iota \Rightarrow \iota$ be given. Let $v3_membered : \iota \Rightarrow o$ be given. Let $k30_valued_1 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v3_valued_0 : \iota \Rightarrow o$ be given. Let $v1_seq_2 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & ((v2_seq_2 X0) \Rightarrow (r2_funct_2 k5_numbers k1_numbers (k3_rinfsup1 \\ & X0) (k32_valued_1 k5_numbers k1_numbers (k4_rinfsup1 (k32_valued_1 \\ & k5_numbers k1_numbers X0)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & ((v1_comseq_2 X0) \Rightarrow ((v1_comseq_2 (k4_rinfsup1 X0)) \wedge (v1_comseq_2 \\ & (k3_rinfsup1 X0)))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & ((v2_seq_2 X0) \Rightarrow (k2_rinfsup1 X0 = k1_real_1 (k1_rinfsup1 (k32_valued_1 \\ & k5_numbers k1_numbers X0)))) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((v1_funct_1 X2)\wedge \\ & ((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1)))))\wedge((v1_funct_1 X3)\wedge((v1_funct_2 X3 X0 X1)\wedge(m1_subset_1 \\ & X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))))\Rightarrow((r2_funct_2 X0 X1 X2 \\ & X3)\Leftrightarrow(X2 = X3)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((v3_membered X1)\wedge((v1_funct_1 \\ & X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))\Rightarrow(k32_valued_1 \\ & X0 X1 X2 = k30_valued_1 X2) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((v3_membered X1)\wedge((v1_funct_1 \\ & X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))\Rightarrow(k32_valued_1 \\ & X0 X1 (k32_valued_1 X0 X1 X2) = X2) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers)\Rightarrow(k1_real_1 (k1_real_1 X0) = X0) \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v1_xboole_0 X1)\wedge(v3_membered \\ & X1))\wedge((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 \\ & (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))))\Rightarrow((v1_funct_1 (k30_valued_1 \\ & X2))\wedge(v1_partfun1 (k30_valued_1 X2) X0)) \end{aligned} \quad (8)$$

Assume the following.

$$v3_membered k1_numbers \quad (9)$$

Assume the following.

$$\neg v1_xboole_0 k1_numbers \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge((v3_valued_0 \\ & X0)\wedge(v1_seq_2 X0))))\Rightarrow((v1_relat_1 (k30_valued_1 X0))\wedge((v1_funct_1 \\ & (k30_valued_1 X0))\wedge((v3_valued_0 (k30_valued_1 X0))\wedge(v2_seq_2 \\ & (k30_valued_1 X0)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & ((v1_funct_1 (k4_rinf sup1 X0)) \wedge ((v1_funct_2 (k4_rinf sup1 X0) \\ & k5_numbers k1_numbers) \wedge (m1_subset_1 (k4_rinf sup1 X0) (k1_zfmisc_1 \\ & (k2_zfmisc_1 k5_numbers k1_numbers)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & ((v1_funct_1 (k3_rinf sup1 X0)) \wedge ((v1_funct_2 (k3_rinf sup1 X0) \\ & k5_numbers k1_numbers) \wedge (m1_subset_1 (k3_rinf sup1 X0) (k1_zfmisc_1 \\ & (k2_zfmisc_1 k5_numbers k1_numbers)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((v3_membered X1) \wedge ((v1_funct_1 \\ & X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((v1_funct_1 \\ & (k32_valued_1 X0 X1 X2)) \wedge (m1_subset_1 (k32_valued_1 X0 X1 X2) (\\ & k1_zfmisc_1 (k2_zfmisc_1 X0 k1_numbers)))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & (m1_subset_1 (k1_rinf sup1 X0) k1_numbers) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & (k6_rinf sup1 X0 = k1_rinf sup1 (k3_rinf sup1 X0)) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\ & (k5_rinf sup1 X0 = k2_rinf sup1 (k4_rinf sup1 X0)) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge ((v3_valued_0 \\ & X0) \wedge (v1_comseq_2 X0)))) \Rightarrow ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge \\ & ((v3_valued_0 X0) \wedge ((v1_seq_2 X0) \wedge (v2_seq_2 X0)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \end{aligned} \quad (19)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v1_partfun1 X2 X0)\Rightarrow(v1_funct_2 X2 X0 X1)) \quad (20)$$

Assume the following.

$$\forall X0.\forall X1.(v3_membered X1)\Rightarrow(\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v3_valued_0 X2)) \quad (21)$$

Theorem 1

$$\begin{aligned} & \forall X0.((v1_funct_1 X0)\wedge((v1_funct_2 X0 k5_numbers k1_numbers)\wedge \\ & (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers))))))\Rightarrow \\ & ((v1_comseq_2 X0)\Rightarrow((k5_rinf sup1 (k32_valued_1 k5_numbers k1_numbers \\ & X0) = k1_real_1 (k6_rinf sup1 X0))\wedge(k6_rinf sup1 (k32_valued_1 \\ & k5_numbers k1_numbers X0) = k1_real_1 (k5_rinf sup1 X0)))) \end{aligned}$$