

t90_topreal6
(TMQJZEsBtuF8ad7VPdH285WtkpBgX4frvtZ)

October 27, 2020

Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k15_euclid : \iota \Rightarrow \iota$ be given. Let $v9_rltopsp1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(m2_subset_1 X0 k1_numbers k5_numbers) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 (k15_euclid X0)))) \Rightarrow \\ & (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 (k15_euclid \\ & X0)))) \Rightarrow (((v9_rltopsp1 X1 (k15_euclid X0)) \vee (v9_rltopsp1 X2 (k15_euclid \\ & X0))) \Rightarrow (v9_rltopsp1 (k9_subset_1 (u1_struct_0 (k15_euclid X0)) \\ & X1 X2) (k15_euclid X0)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.(m2_subset_1 X0 k1_numbers k5_numbers) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 (k15_euclid X0)))) \Rightarrow \\ & (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 (k15_euclid \\ & X0)))) \Rightarrow (((v9_rltopsp1 X1 (k15_euclid X0)) \wedge (v9_rltopsp1 X2 (k15_euclid \\ & X0))) \Rightarrow (v9_rltopsp1 (k4_subset_1 (u1_struct_0 (k15_euclid X0)) \\ & X1 X2) (k15_euclid X0)))))) \end{aligned} \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. k4_xboole_0 X0 (k4_xboole_0 X1 X2) = k2_xboole_0 (k4_xboole_0 X0 X1) (k3_xboole_0 X0 X2) \tag{3}$$

Assume the following.

$$\forall X0. k4_xboole_0 X0 k1_xboole_0 = X0 \tag{4}$$

Assume the following.

$$\forall X0.\forall X1.(k4_xboole_0 X0 X1 = k1_xboole_0) \Leftrightarrow (r1_tarski X0 X1) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.r1_tarski X0 X0 \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k9_subset_1 X0 X1 X2 = k3_xboole_0 X1 X2) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (k7_subset_1 X0 X1 X2 = k4_xboole_0 X1 X2) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1_subset_1 X1 (k1_zfmisc_1 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 X0))) \Rightarrow (k4_subset_1 X0 X1 X2 = k2_xboole_0 X1 X2) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (m1_subset_1 (k9_subset_1 X0 X1 X2) (k1_zfmisc_1 X0)) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (m1_subset_1 (k7_subset_1 X0 X1 X2) (k1_zfmisc_1 X0)) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.k3_xboole_0 X0 X1 = k3_xboole_0 X1 X0 \quad (12)$$

Theorem 1

$$\begin{aligned} & \forall X0.(m2_subset_1 X0 k1_numbers k5_numbers) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 (k15_euclid X0)))) \Rightarrow \\ & (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 (k15_euclid \\ & X0)))) \Rightarrow (\neg(\neg v9_rltopsp1 X1 (k15_euclid X0)) \wedge ((v9_rltopsp1 X2 \\ & (k15_euclid X0)) \wedge (v9_rltopsp1 (k7_subset_1 (u1_struct_0 (k15_euclid \\ & X0)) X1 X2) (k15_euclid X0)))))) \end{aligned}$$