

t90_transgeo
(TMNX2sPofZf14LaVDB8wyYsub6MykirGpwc)

October 27, 2020

Let $v7_struct_0 : \iota \Rightarrow o$ be given. Let $v1_diraf : \iota \Rightarrow o$ be given. Let $l1_analoaf : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v8_transgeo : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_aff_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_reset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_aff_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_funct_1 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v2_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\
& (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 \\
& X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.((v1_funct_1 X3) \wedge ((v1_funct_2 \\
& X3 (u1_struct_0 X0) (u1_struct_0 X0)) \wedge (v3_funct_2 X3 (u1_struct_0 \\
& X0) (u1_struct_0 X0)) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X0) (u1_struct_0 X0)))))) \Rightarrow ((v8_transgeo X3 X0) \Rightarrow \\
& (k7_reset_1 (u1_struct_0 X0) (u1_struct_0 X0) X3 (k2_aff_1 X0 \\
& X1 X2) = k2_aff_1 X0 (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X0) \\
& X3 X1) (k3_funct_2 (u1_struct_0 X0) (u1_struct_0 X0) X3 X2))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 X0 X0) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 X0 X0)))) \Rightarrow ((v2_funct_1 \\
& X1) \Rightarrow (\forall X2. \forall X3. ((X2 \in X0) \wedge ((X3 \in X0) \wedge (k1_funct_1 X1 \\
& X2 = k1_funct_1 X1 X3))) \Rightarrow (X2 = X3)))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee \\
& (X0 \in X1))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))))\wedge(m1_subset_1 X3 X0))\Rightarrow(k3_funct_2 X0 \\ & X1 X2 X3 = k1_funct_1 X2 X3) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0.(l1_analoaf X0)\Rightarrow(l1_struct_0 X0) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(m1_subset_1 X2 (\\ & k1_zfmisc_1 (k2_zfmisc_1 X0 X1))\Rightarrow(m1_subset_1 (k7_relset_1 \\ & X0 X1 X2 X3) (k1_zfmisc_1 X1)) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((v1_funct_1 X2)\wedge((v1_funct_2 X2 X0 X1)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))))))\wedge(m1_subset_1 X3 X0))\Rightarrow(m1_subset_1 (\\ & k3_funct_2 X0 X1 X2 X3) X1) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0)\wedge((v1_diraf X0)\wedge(l1_analoaf X0)))\Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow \\ & ((v1_aff_1 X1 X0)\Leftrightarrow(\exists X2.(m1_subset_1 X2 (u1_struct_0 X0))\wedge \\ & (\exists X3.(m1_subset_1 X3 (u1_struct_0 X0))\wedge((X2\neq X3)\wedge(X1 = \\ & k2_aff_1 X0 X2 X3)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))\Rightarrow(((v1_funct_1 X2)\wedge(v3_funct_2 X2 X0 X1))\Rightarrow \\ & ((v1_funct_1 X2)\wedge((v2_funct_1 X2)\wedge(v2_funct_2 X2 X1)))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0)\Rightarrow((\neg v7_struct_0 X0)\Rightarrow(\neg v2_struct_0 X0)) \quad (11)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\ & (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 (u1_struct_0 X0) \\ & (u1_struct_0 X0)) \wedge ((v3_funct_2 X1 (u1_struct_0 X0) (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ & X0) (u1_struct_0 X0))))))) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 \\ & (u1_struct_0 X0))) \Rightarrow (((v8_transgeo X1 X0) \wedge (v1_aff_1 X2 X0)) \Rightarrow (\\ & v1_aff_1 (k7_relset_1 (u1_struct_0 X0) (u1_struct_0 X0) X1 X2) \\ & X0)))) \end{aligned}$$