

t94_scmyciel
(TMau699MjjRCpKS3VXouzyPGBGppYswXQsj)

October 27, 2020

Let $v4_scmyciel : \iota \Rightarrow o$ be given. Let $k2_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_tarski : \iota \Rightarrow \iota$ be given. Let $k1_scmyciel : \iota \Rightarrow \iota$ be given. Let $k12_scmyciel : \iota \Rightarrow \iota$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0.(v4_scmyciel X0) \Rightarrow (\forall X1.\forall X2.\neg(k2_tarski \\ & X1 X2 \in k1_scmyciel (k12_scmyciel X0)) \wedge (\neg k2_tarski X1 X2 \in k1_scmyciel \\ & X0) \wedge (\neg((X1 \in k3_tarski X0) \vee (X1 = k3_tarski X0)) \wedge (\exists X3.(\\ & X3 \in k3_tarski X0) \wedge (X2 = k4_tarski X3 (k3_tarski X0)))) \wedge (\neg((X2 \in \\ & k3_tarski X0) \vee (X2 = k3_tarski X0)) \wedge (\exists X3.(X3 \in k3_tarski \\ & X0) \wedge (X1 = k4_tarski X3 (k3_tarski X0)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0.\forall X1.k4_tarski X0 X1 \neq X1 \quad (2)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(k2_tarski X1 X2 \in k1_scmyciel X0) \Rightarrow ((X1 \neq X2) \wedge ((X1 \in k3_tarski X0) \wedge (X2 \in k3_tarski X0))) \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.(X0 \in X1) \Rightarrow (\neg X1 \in X0) \quad (4)$$

Theorem 1

$$\begin{aligned} & \forall X0.(v4_scmyciel X0) \Rightarrow (\forall X1.\neg(k2_tarski (k3_tarski \\ & X0) X1 \in k1_scmyciel (k12_scmyciel X0)) \wedge (\forall X2.\neg(X2 \in k3_tarski \\ & X0) \wedge (X1 = k4_tarski X2 (k3_tarski X0)))) \end{aligned}$$