

t95_ncfcont1
(TMGXyFShRtZ2wPvg7TEi1goC28cam4xR4iU)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $v8_clvect_1 : \iota \Rightarrow o$ be given. Let $l2_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $r1_tarSKI : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_nfcont_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r9_ncfcont1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k3_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_seq_4 : \iota \Rightarrow \iota$ be given. Let $k7_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_seq_4 : \iota \Rightarrow \iota$ be given. Let $r4_nfcont_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_vfunct_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_clvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the

following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_normsp_0 X0) \wedge \\
& ((v4_normsp_0 X0) \wedge ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 \\
& X0) \wedge ((v5_clvect_1 X0) \wedge ((v8_clvect_1 X0) \wedge (l2_clvect_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge \\
& ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 \\
& X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow \\
& (\forall X2. \forall X3. ((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\
& (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow ((r9_ncfcont1 \\
& X1 X0 X3 X2) \Rightarrow ((r4_ncfcont_1 X1 (k3_normsp_0 (u1_struct_0 X1) X0 X3) \\
& X2) \wedge (r9_ncfcont1 X1 X0 (k5_vfunct_1 (u1_struct_0 X1) X0 X3) X2))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X0) k1_numbers)))) \Rightarrow (\forall X2. (m1_subset_1 X2 \\
& (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (\neg (X2 \neq k1_xboole_0) \wedge ((r1_tarSKI \\
& X2 (k1_relset_1 (u1_struct_0 X0) X1)) \wedge ((v1_ncfcont_1 X2 X0) \wedge ((\\
& r4_ncfcont_1 X0 X1 X2) \wedge (\forall X3. (m1_subset_1 X3 (u1_struct_0 \\
& X0)) \Rightarrow (\forall X4. (m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow (\neg (X3 \in X2) \wedge \\
& ((X4 \in X2) \wedge ((k7_partfun1 k1_numbers X1 X3 = k4_seq_4 (k7_relset_1 \\
& (u1_struct_0 X0) k1_numbers X1 X2)) \wedge (k7_partfun1 k1_numbers X1 \\
& X4 = k5_seq_4 (k7_relset_1 (u1_struct_0 X0) k1_numbers X1 X2))))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v4_relat_1 X1 X0)) \Rightarrow (k1_relset_1 X0 X1 = k9_xtuple_0 X1) \tag{3}$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \tag{4}$$

Assume the following.

$$\forall X0. (l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \tag{5}$$

Assume the following.

$$\forall X0. (l2_normsp_0 X0) \Rightarrow ((l1_normsp_0 X0) \wedge (l2_struct_0 X0)) \tag{6}$$

Assume the following.

$$\forall X0.(l2_clvect_1 X0) \Rightarrow ((l1_clvect_1 X0) \wedge (l2_normsp_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l1_normsp_1 X0) \Rightarrow ((l1_rlvect_1 X0) \wedge (l2_normsp_0 X0)) \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0) \wedge ((\neg v2_struct_0 \\ & X1) \wedge (l1_normsp_0 X1)) \wedge ((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 (u1_struct_0 X1)))))) \Rightarrow ((v1_funct_1 (k3_normsp_0 \\ & X0 X1 X2)) \wedge (m1_subset_1 (k3_normsp_0 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 k1_numbers)))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\ & (l1_normsp_0 X1)) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1)))))) \Rightarrow (\forall X3. \\ & ((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 \\ & k1_numbers)))) \Rightarrow ((X3 = k3_normsp_0 X0 X1 X2) \Leftrightarrow ((k9_xtuple_0 X3 = \\ & k9_xtuple_0 X2) \wedge (\forall X4.(m1_subset_1 X4 X0) \Rightarrow ((X4 \in k9_xtuple_0 \\ & X3) \Rightarrow (k1_funct_1 X3 X4 = k1_normsp_0 X1 (k7_partfun1 (u1_struct_0 \\ & X1) X2 X4)))))))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow ((v4_relat_1 X2 X0) \wedge (v5_relat_1 X2 X1)) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \quad (12)$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_normsp_0 X0) \wedge \\
& ((v4_normsp_0 X0) \wedge ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 \\
& X0) \wedge ((v5_clvect_1 X0) \wedge ((v8_clvect_1 X0) \wedge (l2_clvect_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge \\
& ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 \\
& X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow \\
& (\forall X2.((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (k1_zfmisc_1 (u1_struct_0 X1))) \Rightarrow (\neg (X3 \neq k1_xboole_0) \wedge ((r1_tarski \\
& X3 (k1_relset_1 (u1_struct_0 X1) X2)) \wedge ((v1_nfcont_1 X3 X1) \wedge ((\\
& r9_ncfcont1 X1 X0 X2 X3) \wedge (\forall X4.(m1_subset_1 X4 (u1_struct_0 \\
& X1)) \Rightarrow (\forall X5.(m1_subset_1 X5 (u1_struct_0 X1)) \Rightarrow (\neg (X4 \in X3) \wedge \\
& ((X5 \in X3) \wedge ((k7_partfun1 k1_numbers (k3_normsp_0 (u1_struct_0 \\
& X1) X0 X2) X4 = k4_seq_4 (k7_relset_1 (u1_struct_0 X1) k1_numbers \\
& (k3_normsp_0 (u1_struct_0 X1) X0 X2) X3)) \wedge (k7_partfun1 k1_numbers \\
& (k3_normsp_0 (u1_struct_0 X1) X0 X2) X5 = k5_seq_4 (k7_relset_1 \\
& (u1_struct_0 X1) k1_numbers (k3_normsp_0 (u1_struct_0 X1) X0 X2) \\
& X3)))))))))))))
\end{aligned}$$