

t97_gfacirc1

(TMJcb11vaDJeeLehMVWfwoX7Jg4i8umFxFw)

October 27, 2020

Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_finseq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_gfacirc1 : \iota$ be given. Let $k3_gfacirc1 : \iota$ be given. Let $k4_twoscomp : \iota$ be given. Let $k3_twoscomp : \iota$ be given. Let $k2_msafree2 : \iota \Rightarrow \iota$ be given. Let $k37_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_enumset1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k31_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_finseq_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $k6_margrel1 : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_facirc_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v1_circcomb : \iota \Rightarrow o$ be given. Let $v2_circcomb : \iota \Rightarrow o$ be given. Let $l1_msualg_1 : \iota \Rightarrow o$ be given. Let $r1_circcomb : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_circcomb : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k34_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $v1_msualg_1 : \iota \Rightarrow o$ be given. Let $v3_circcomb : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \neg (X0 \neq k4_tarski (k10_finseq_1 \\ & X1 X2) k3_gfacirc1) \wedge ((X1 \neq k4_tarski (k10_finseq_1 X2 X0) k4_twoscomp) \wedge \\ & ((X2 \neq k4_tarski (k10_finseq_1 X0 X1) k3_twoscomp) \wedge (k2_msafree2 \\ & (k31_gfacirc1 X0 X1 X2) \neq k1_enumset1 X0 X1 X2))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. ((v1_funct_1 X3) \wedge \\ & ((v1_funct_2 X3 (k4_finseq_2 np_2 k6_margrel1) k6_margrel1) \wedge \\ & (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (k4_finseq_2 np_2 \\ & k6_margrel1) k6_margrel1)))))) \Rightarrow ((X0 \neq k4_tarski (k10_finseq_1 \\ & X1 X2) X3) \Rightarrow (k2_msafree2 (k8_facirc_1 X1 X2 X0 X3) = k1_enumset1 X1 \\ & X2 X0)) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v1_circcomb X0) \wedge ((v2_circcomb \\ & X0) \wedge (l1_msualg_1 X0)))) \Rightarrow (\forall X1. ((\neg v2_struct_0 X1) \wedge ((v1_circcomb \\ & X1) \wedge ((v2_circcomb X1) \wedge (l1_msualg_1 X1)))) \Rightarrow (r1_circcomb X0 X1)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_msualg_1 X0)) \Rightarrow (\forall X1. \\ & ((\neg v2_struct_0 X1) \wedge (l1_msualg_1 X1)) \Rightarrow (((r1_circcomb X0 X1) \wedge \\ & (k2_msafree2 X0 = k2_msafree2 X1)) \Rightarrow (k2_msafree2 (k2_circcomb \\ & X0 X1) = k2_msafree2 X0))) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & (v1_funct_1 k4_gfacirc1) \wedge ((v1_funct_2 k4_gfacirc1 (k4_finseq_2 \\ & np_2 k6_margrel1) k6_margrel1) \wedge (m1_subset_1 k4_gfacirc1 (k1_zfmisc_1 \\ & (k2_zfmisc_1 (k4_finseq_2 np_2 k6_margrel1) k6_margrel1)))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (\neg v2_struct_0 (k34_gfacirc1 \\ & X0 X1 X2)) \wedge ((\neg v11_struct_0 (k34_gfacirc1 X0 X1 X2)) \wedge ((v1_msualg_1 \\ & (k34_gfacirc1 X0 X1 X2)) \wedge ((v1_circcomb (k34_gfacirc1 X0 X1 X2)) \wedge \\ & ((v2_circcomb (k34_gfacirc1 X0 X1 X2)) \wedge ((v3_circcomb (k34_gfacirc1 \\ & X0 X1 X2)) \wedge (l1_msualg_1 (k34_gfacirc1 X0 X1 X2))))))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (\neg v2_struct_0 (k31_gfacirc1 \\ & X0 X1 X2)) \wedge ((\neg v11_struct_0 (k31_gfacirc1 X0 X1 X2)) \wedge ((v1_msualg_1 \\ & (k31_gfacirc1 X0 X1 X2)) \wedge ((v1_circcomb (k31_gfacirc1 X0 X1 X2)) \wedge \\ & ((v2_circcomb (k31_gfacirc1 X0 X1 X2)) \wedge ((v3_circcomb (k31_gfacirc1 \\ & X0 X1 X2)) \wedge (l1_msualg_1 (k31_gfacirc1 X0 X1 X2))))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. k37_gfacirc1 X0 X1 X2 = k2_circcomb \\ & (k34_gfacirc1 X0 X1 X2) (k31_gfacirc1 X0 X1 X2) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. k34_gfacirc1 X0 X1 X2 = k8_facirc1 \\ & X0 X1 X2 k4_gfacirc1 \end{aligned} \quad (9)$$

Theorem 1

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \neg (X2 \neq k4_tarski (k10_finseq_1 \\ & X0 X1) k4_gfacirc1) \wedge ((X0 \neq k4_tarski (k10_finseq_1 X1 X2) k3_gfacirc1) \wedge \\ & ((X1 \neq k4_tarski (k10_finseq_1 X2 X0) k4_twoscomp) \wedge ((X2 \neq k4_tarski \\ & (k10_finseq_1 X0 X1) k3_twoscomp) \wedge (k2_msafree2 (k37_gfacirc1 \\ & X0 X1 X2) \neq k1_enumset1 X0 X1 X2)))) \end{aligned}$$