

t97_group_9 (TMQGUf-
woh2wFvu4H4Lmb8Anuugm5GgY3Sum)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_9 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_group_9 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v8_group_9 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_group_9 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $r4_group_9 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k2_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k1_card_1 : \iota \Rightarrow \iota$ be given. Let $k2_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $v1_card_1 : \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v2_struct_0 X1) \wedge ((v2_group_1 X1) \wedge \\ & (v3_group_1 X1) \wedge ((v3_group_9 X1 X0) \wedge (l1_group_9 X1 X0)))) \Rightarrow (\\ & \forall X2. ((v8_group_9 X2 X0 X1) \wedge (m2_finseq_1 X2 (k6_group_9 \\ & X0 X1))) \Rightarrow (\forall X3. ((v8_group_9 X3 X0 X1) \wedge (m2_finseq_1 X3 (k6_group_9 \\ & X0 X1))) \Rightarrow (\neg (r4_group_9 X0 X1 X2 X3) \wedge (\forall X4. (v7_ordinal1 X4) \Rightarrow \\ & (k3_finseq_1 X2 \neq k2_nat_1 (k3_finseq_1 X3) X4)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 \\ & X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \end{aligned} \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \tag{3}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \tag{4}$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_finseq_1 X0)))\Rightarrow (k3_finseq_1 X0 = k1_card_1 X0) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k5_numbers)\wedge(v7_ordinal1 X1))\Rightarrow(k2_nat_1 X0 X1 = k2_xcmplx_0 X0 X1) \quad (6)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1)\wedge(v3_ordinal1 k4_ordinal1) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((v7_ordinal1 X0)\wedge((\neg v1_xboole_0 X1)\wedge(v7_ordinal1 X1)))\Rightarrow(\neg v1_xboole_0 (k2_xcmplx_0 X1 X0)) \quad (8)$$

Assume the following.

$$\forall X0.(\neg v1_xboole_0 X0)\Rightarrow((\neg v1_xboole_0 (k1_card_1 X0))\wedge(v1_card_1 (k1_card_1 X0))) \quad (9)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Rightarrow((v1_xboole_0 (k1_card_1 X0))\wedge(v1_card_1 (k1_card_1 X0))) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.(m2_finseq_1 X1 X0)\Rightarrow((v1_funct_1 X1)\wedge(v1_finseq_1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers X0)))) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.(m1_finseq_1 X1 X0)\Rightarrow((v1_relat_1 X1)\wedge(v1_funct_1 X1)\wedge(v1_finseq_1 X1)) \quad (12)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (13)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_finseq_1 X0)))\Rightarrow(m2_subset_1 (k3_finseq_1 X0) k1_numbers k5_numbers) \quad (14)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1)\Rightarrow(v7_ordinal1 X0) \quad (15)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Rightarrow(\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0))\Rightarrow(v1_xboole_0 X1)) \quad (16)$$

Theorem 1

$$\begin{aligned} & \forall X0. \forall X1. ((\neg v2_struct_0 X1) \wedge (v2_group_1 X1) \wedge \\ & (v3_group_1 X1) \wedge (v3_group_9 X1 X0) \wedge (l1_group_9 X1 X0))) \Rightarrow (\\ & \forall X2. ((v8_group_9 X2 X0 X1) \wedge (m2_finseq_1 X2 (k6_group_9 \\ & X0 X1))) \Rightarrow (\forall X3. ((v8_group_9 X3 X0 X1) \wedge (m2_finseq_1 X3 (k6_group_9 \\ & X0 X1))) \Rightarrow (\neg(\neg v1_xboole_0 X2) \wedge (r4_group_9 X0 X1 X3 X2) \wedge (v1_xboole_0 \\ & X3)))))) \end{aligned}$$