

## t9\_altcat\_2

(TManbay9smicppwjzDiuAaCwjgJdnjHWGbj)

October 27, 2020

Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_partfun1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r2\_altcat\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r2\_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_funct\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1\_relat\_1 X1) \wedge ((v4\_relat\_1 X1 X0) \wedge \\ & (v1\_funct\_1 X1) \wedge (v1\_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1\_relat\_1 \\ & X2) \wedge ((v4\_relat\_1 X2 X0) \wedge ((v1\_funct\_1 X2) \wedge (v1\_partfun1 X2 X0)))) \Rightarrow \\ & ((r2\_pboole X0 X1 X2) \Leftrightarrow (\forall X3. (X3 \in X0) \Rightarrow (r1\_tarski (k1\_funct\_1 \\ & X1 X3) (k1\_funct\_1 X2 X3)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((v1\_relat\_1 X2) \wedge ((v4\_relat\_1 \\ & X2 X0) \wedge ((v1\_funct\_1 X2) \wedge (v1\_partfun1 X2 X0)))) \Rightarrow (\forall X3. ( \\ & (v1\_relat\_1 X3) \wedge ((v4\_relat\_1 X3 X1) \wedge ((v1\_funct\_1 X3) \wedge (v1\_partfun1 \\ & X3 X1)))) \Rightarrow ((r2\_altcat\_2 X0 X1 X2 X3) \Leftrightarrow ((r1\_tarski X0 X1) \wedge (\forall X4. \\ & (X4 \in X0) \Rightarrow (r1\_tarski (k1\_funct\_1 X2 X4) (k1\_funct\_1 X3 X4)))))) \end{aligned} \tag{2}$$

Assume the following.

$$\forall X0. \forall X1. (X0 = X1) \Leftrightarrow ((r1\_tarski X0 X1) \wedge (r1\_tarski X1 X0)) \tag{3}$$

### Theorem 1

$$\begin{aligned} & \forall X0. \forall X1. ((v1\_relat\_1 X1) \wedge ((v4\_relat\_1 X1 X0) \wedge \\ & (v1\_funct\_1 X1) \wedge (v1\_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1\_relat\_1 \\ & X2) \wedge ((v4\_relat\_1 X2 X0) \wedge ((v1\_funct\_1 X2) \wedge (v1\_partfun1 X2 X0)))) \Rightarrow \\ & ((r2\_altcat\_2 X0 X0 X1 X2) \Leftrightarrow (r2\_pboole X0 X1 X2))) \end{aligned}$$