

t9_bcialg_5
(TMLZF8kttz44FtKdMm96gBP1NUSKngPijfp)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v3_bcialg_1 : \iota \Rightarrow o$ be given. Let $v4_bcialg_1 : \iota \Rightarrow o$ be given. Let $v5_bcialg_1 : \iota \Rightarrow o$ be given. Let $v7_bcialg_1 : \iota \Rightarrow o$ be given. Let $l2_bcialg_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $k1_bcialg_5 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_nat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $k1_bcialg_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_bcialg_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $l1_bcialg_1 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v3_bcialg_1 X0) \wedge ((v4_bcialg_1 \\ & X0) \wedge ((v5_bcialg_1 X0) \wedge ((v7_bcialg_1 X0) \wedge (l2_bcialg_1 X0)))))) \Rightarrow \\ & (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 k5_numbers) \Rightarrow \\ & (k1_bcialg_2 X0 X1 X2 (k2_nat_1 X3 np_1) = k1_bcialg_1 X0 (k1_bcialg_2 \\ & X0 X1 X2 X3) X2)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v3_bcialg_1 X0) \wedge ((v4_bcialg_1 \\ & X0) \wedge ((v5_bcialg_1 X0) \wedge ((v7_bcialg_1 X0) \wedge (l2_bcialg_1 X0)))))) \Rightarrow \\ & (\forall X1. (m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X4. (m1_subset_1 X4 k5_numbers) \Rightarrow (\forall X5. (m1_subset_1 \\ & X5 k5_numbers) \Rightarrow (k1_bcialg_2 X0 (k1_bcialg_2 X0 X1 X2 X4) X3 X5 = k1_bcialg_2 \\ & X0 (k1_bcialg_2 X0 X1 X3 X5) X2 X4)))))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge((\neg v1_xboole_0 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 X0))))\Rightarrow(\forall X2.(m2_subset_1 X2 X0 X1)\Leftrightarrow(m1_subset_1 X2 X1)) \quad (4)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (5)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1)\wedge(v3_ordinal1 k4_ordinal1) \quad (6)$$

Assume the following.

$$\neg v1_xboole_0 k1_numbers \quad (7)$$

Assume the following.

$$\forall X0.(l2_bcialg_1 X0)\Rightarrow((l1_bcialg_1 X0)\wedge(l2_struct_0 X0)) \quad (8)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k5_numbers)\wedge(v7_ordinal1 X1))\Rightarrow(m2_subset_1 (k2_nat_1 X0 X1) k1_numbers k5_numbers) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 X0)\wedge((v3_bcialg_1 X0)\wedge((v4_bcialg_1 X0)\wedge((v5_bcialg_1 X0)\wedge((v7_bcialg_1 X0)\wedge(l2_bcialg_1 X0))))))\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge((m1_subset_1 X2 (u1_struct_0 X0))\wedge(m1_subset_1 X3 k5_numbers))))\Rightarrow(m1_subset_1 (k1_bcialg_2 X0 X1 X2 X3) (u1_struct_0 X0)) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((l1_bcialg_1 X0)\wedge((m1_subset_1 X1 (u1_struct_0 X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0))))\Rightarrow(m1_subset_1 (k1_bcialg_1 X0 X1 X2) (u1_struct_0 X0)) \quad (12)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v3_bcialg_1 X0)\wedge((v4_bcialg_1 X0)\wedge((v5_bcialg_1 X0)\wedge((v7_bcialg_1 X0)\wedge(l2_bcialg_1 X0))))))\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(\forall X3.(m2_subset_1 X3 k1_numbers k5_numbers)\Rightarrow(\forall X4.(m2_subset_1 X4 k1_numbers k5_numbers)\Rightarrow(k1_bcialg_5 X0 X1 X2 X3 X4 = k1_bcialg_2 X0 (k1_bcialg_2 X0 X1 (k1_bcialg_1 X0 X1 X2) (k2_nat_1 X3 np_1)) (k1_bcialg_1 X0 X2 X1) X4)))))) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k5_numbers)\wedge(v7_ordinal1 X1))\Rightarrow(k2_nat_1 X0 X1 = k2_nat_1 X1 X0) \quad (14)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1)\Rightarrow(v7_ordinal1 X0) \quad (15)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v3_bcialg_1 X0)\wedge((v4_bcialg_1 \\ & X0)\wedge((v5_bcialg_1 X0)\wedge((v7_bcialg_1 X0)\wedge(l2_bcialg_1 X0))))))\Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0))\Rightarrow(\forall X3.(m2_subset_1 X3 k1_numbers k5_numbers)\Rightarrow \\ & (\forall X4.(m2_subset_1 X4 k1_numbers k5_numbers)\Rightarrow(k1_bcialg_5 \\ & X0 X1 X2 (k2_nat_1 X3 np_1) X4 = k1_bcialg_1 X0 (k1_bcialg_5 X0 X1 \\ & X2 X3 X4) (k1_bcialg_1 X0 X1 X2)))))) \end{aligned}$$