

t9_scmring2

(TMYq8v2GCu1M1gE49dAbyvp6uAaNQjyMNZn)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_scmring2 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v5_funct_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_card_3 : \iota \Rightarrow \iota$ be given. Let $k3_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_ami_2 : \iota$ be given. Let $k1_scmring1 : \iota \Rightarrow \iota$ be given. Let $k5_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_scmring1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v3_memstr_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_extpro_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_memstr_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_memstr_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_extpro_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_compos_1 : \iota \Rightarrow o$ be given. Let $v1_setfam_1 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $u2_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_ami_2 : \iota$ be given. Let $u1_compos_1 : \iota \Rightarrow \iota$ be given. Let $k1_scmringi : \iota \Rightarrow \iota$ be given. Let $r1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u2_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_extpro_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_scmring1 : \iota \Rightarrow \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 \ np_2) \wedge (m2_subset_1 \ np_2 \ k1_numbers \ k5_numbers)) \wedge \\ & ((m1_subset_1 \ np_2 \ k5_numbers) \wedge (m1_subset_1 \ np_2 \ k1_numbers)) \end{aligned} \quad (1)$$

Assume the following.

$$\neg v1_xboole_0 \ np_2 \quad (2)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ &X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge \\ &(v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0))))))) \Rightarrow \\ &((v3_memstr_0 (k1_scmring2 X0) np_2) \wedge (v1_extpro_1 (k1_scmring2 \\ &X0) np_2)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ &X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge \\ &(v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0))))))) \Rightarrow \\ &((v2_memstr_0 (k1_scmring2 X0) np_2) \wedge (v1_extpro_1 (k1_scmring2 \\ &X0) np_2)) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ &X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge \\ &(v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0))))))) \Rightarrow \\ &((\neg v2_struct_0 (k1_scmring2 X0) np_2) \wedge (v1_extpro_1 (k1_scmring2 \\ &X0) np_2)) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0. (l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0. (l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (8)$$

Assume the following.

$$\forall X0. (l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0. \forall X1. (l1_memstr_0 X1 X0) \Rightarrow (l2_struct_0 X1) \quad (10)$$

Assume the following.

$$\forall X0. \forall X1. (l1_extpro_1 X1 X0) \Rightarrow ((l1_memstr_0 X1 X0) \wedge (l1_compos_1 X1)) \quad (11)$$

Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ &X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge \\ &(v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0))))))) \Rightarrow \\ &((v1_extpro_1 (k1_scmring2 X0) np_2) \wedge (l1_extpro_1 (k1_scmring2 \\ &X0) np_2)) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_setfam_1 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\ & ((v2_memstr_0 X1 X0) \wedge ((v3_memstr_0 X1 X0) \wedge (l1_memstr_0 X1 X0)))) \Rightarrow \\ & (\forall X2.((v1_relat_1 X2) \wedge ((v4_relat_1 X2 (u1_struct_0 X1)) \wedge \\ & ((v1_funct_1 X2) \wedge (v5_funct_1 X2 (k2_memstr_0 X0 X1)))))) \Rightarrow (k5_memstr_0 \\ & X0 X1 X2 = k1_funct_1 X2 (k4_struct_0 X1))) \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (k4_struct_0 X0 = u2_struct_0 X0) \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k4_card_3 (k3_relat_1 k3_ami_2 (k1_scmring1 \\ & X0)))) \Rightarrow (k2_scmring1 X0 X1 = k1_funct_1 X1 k5_numbers)) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (\\ & (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))) \Rightarrow \\ & (\forall X1.((v1_extpro_1 X1 np_2) \wedge (l1_extpro_1 X1 np_2)) \Rightarrow \\ & ((X1 = k1_scmring2 X0) \Leftrightarrow ((u1_struct_0 X1 = k1_ami_2) \wedge ((u2_struct_0 \\ & X1 = k5_numbers) \wedge ((u1_compos_1 X1 = k1_scmringi X0) \wedge ((r1_funct_2 \\ & (u1_struct_0 X1) np_2 k1_ami_2 np_2 (u1_memstr_0 np_2 X1) k3_ami_2) \wedge \\ & ((u2_memstr_0 np_2 X1 = k1_scmring1 X0) \wedge (u1_extpro_1 np_2 X1 = \\ & k8_scmring1 X0)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \quad (17)$$

Assume the following.

$$\forall X0.((\neg v1_xboole_0 X0) \wedge (v7_ordinal1 X0)) \Rightarrow ((\neg v1_xboole_0 X0) \wedge ((v7_ordinal1 X0) \wedge (\neg v1_setfam_1 X0))) \quad (18)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (\\ & (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))) \Rightarrow \\ & (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 X1 (u1_struct_0 (k1_scmring2 \\ & X0))) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 X1 (k2_memstr_0 np_2 (k1_scmring2 \\ & X0))) \wedge (v1_partfun1 X1 (u1_struct_0 (k1_scmring2 X0)))))) \Rightarrow (\\ & \forall X2.(m1_subset_1 X2 (k4_card_3 (k3_relat_1 k3_ami_2 (k1_scmring1 \\ & X0)))) \Rightarrow ((X2 = X1) \Rightarrow (k5_memstr_0 np_2 (k1_scmring2 X0) X1 = k2_scmring1 \\ & X0 X2)))) \end{aligned}$$