

t9_scpisort (TMF-
maivZUhRvUj3TVfRRmjNezumuVELaBHN)

October 27, 2020

Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_compos_1 : \iota \Rightarrow \iota$ be given. Let $k1_scmpds_2 : \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v5_funct_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v1_afinsq_1 : \iota \Rightarrow o$ be given. Let $v2_scmpds_4 : \iota \Rightarrow o$ be given. Let $v3_scmpds_4 : \iota \Rightarrow o$ be given. Let $r1_scmpds_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_scmpds_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_scmpds_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_scmpds_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_scmpds_4 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((v1_relat_1 X0) \wedge ((v4_relat_1 X0 (u1_struct_0 k1_scmpds_2)) \wedge \\
& ((v1_funct_1 X0) \wedge ((v5_funct_1 X0 (k2_memstr_0 np_2 k1_scmpds_2)) \wedge \\
& (v1_partfun1 X0 (u1_struct_0 k1_scmpds_2)))))) \Rightarrow (\forall X1. \\
& ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 k5_numbers) \wedge ((v5_relat_1 X1 \\
& (u1_compos_1 k1_scmpds_2)) \wedge ((v1_funct_1 X1) \wedge (v1_partfun1 X1 \\
& k5_numbers)))))) \Rightarrow (\forall X2. ((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\
& X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 \\
& k1_scmpds_2)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge (v1_afinsq_1 \\
& X2)))))) \Rightarrow (\forall X3. ((\neg v1_xboole_0 X3) \wedge ((v1_relat_1 X3) \wedge \\
& ((v4_relat_1 X3 k5_numbers) \wedge ((v5_relat_1 X3 (u1_compos_1 k1_scmpds_2)) \wedge \\
& ((v1_funct_1 X3) \wedge ((v1_finset_1 X3) \wedge ((v1_afinsq_1 X3) \wedge (v3_scmpds_4 \\
& X3)))))) \Rightarrow (((r1_scmpds_6 X2 X0 X1) \wedge ((r2_scmpds_6 X2 X0 X1) \wedge \\
& (r1_scmpds_6 X3 (k6_scmpds_4 X2 (k8_memstr_0 np_2 k1_scmpds_2 \\
& X0) X1) X1) \wedge (r2_scmpds_6 X3 (k6_scmpds_4 X2 (k8_memstr_0 np_2 \\
& k1_scmpds_2 X0) X1) X1))) \Rightarrow ((r1_scmpds_6 (k1_scmpds_4 X2 X3) X0 \\
& X1) \wedge (r2_scmpds_6 (k1_scmpds_4 X2 X3) X0 X1))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v1_xboole_0 X0) \wedge ((v1_relat_1 X0) \wedge ((v4_relat_1 \\
& X0 k5_numbers) \wedge ((v5_relat_1 X0 (u1_compos_1 k1_scmpds_2)) \wedge \\
& (v1_funct_1 X0) \wedge ((v1_finset_1 X0) \wedge (v1_afinsq_1 X0)))))) \Rightarrow (\\
& (v2_scmpds_4 X0) \Leftrightarrow (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 \\
& X1 (u1_struct_0 k1_scmpds_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\
& X1 (k2_memstr_0 np_2 k1_scmpds_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\
& k1_scmpds_2)))))) \Rightarrow (\forall X2.((v1_relat_1 X2) \wedge ((v4_relat_1 \\
& X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 k1_scmpds_2)) \wedge \\
& (v1_funct_1 X2) \wedge (v1_partfun1 X2 k5_numbers)))))) \Rightarrow (r2_scmpds_6 \\
& X0 X1 X2)))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v1_xboole_0 X0) \wedge ((v1_relat_1 X0) \wedge ((v4_relat_1 \\
& X0 k5_numbers) \wedge ((v5_relat_1 X0 (u1_compos_1 k1_scmpds_2)) \wedge \\
& (v1_funct_1 X0) \wedge ((v1_finset_1 X0) \wedge (v1_afinsq_1 X0)))))) \Rightarrow (\\
& (v1_scmpds_4 X0) \Leftrightarrow (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 \\
& X1 (u1_struct_0 k1_scmpds_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\
& X1 (k2_memstr_0 np_2 k1_scmpds_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\
& k1_scmpds_2)))))) \Rightarrow (\forall X2.((v1_relat_1 X2) \wedge ((v4_relat_1 \\
& X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 k1_scmpds_2)) \wedge \\
& (v1_funct_1 X2) \wedge (v1_partfun1 X2 k5_numbers)))))) \Rightarrow (r1_scmpds_6 \\
& X0 X1 X2)))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v1_xboole_0 X0) \wedge ((v1_relat_1 X0) \wedge ((v4_relat_1 \\
& X0 k5_numbers) \wedge ((v5_relat_1 X0 (u1_compos_1 k1_scmpds_2)) \wedge \\
& (v1_funct_1 X0) \wedge ((v1_finset_1 X0) \wedge ((v1_afinsq_1 X0) \wedge (v2_scmpds_4 \\
& X0)))))))) \Rightarrow ((\neg v1_xboole_0 X0) \wedge ((v1_relat_1 X0) \wedge ((v4_relat_1 \\
& X0 k5_numbers) \wedge ((v5_relat_1 X0 (u1_compos_1 k1_scmpds_2)) \wedge \\
& (v1_funct_1 X0) \wedge ((v1_finset_1 X0) \wedge ((v1_afinsq_1 X0) \wedge (v1_scmpds_4 \\
& X0))))))))))
\end{aligned} \tag{4}$$

Theorem 1

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v5_relat_1 \\ & X0 (u1_compos_1 k1_scmpds_2)) \wedge ((v1_funct_1 X0) \wedge (v1_partfun1 \\ & X0 k5_numbers)))))) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 \\ & X1 (u1_struct_0 k1_scmpds_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\ & X1 (k2_memstr_0 np_2 k1_scmpds_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\ & k1_scmpds_2)))))) \Rightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 \\ & k1_scmpds_2)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge ((v1_afinsq_1 \\ & X2) \wedge (v2_scmpds_4 X2)))))))))) \Rightarrow (\forall X3.((\neg v1_xboole_0 X3) \wedge \\ & ((v1_relat_1 X3) \wedge ((v4_relat_1 X3 k5_numbers) \wedge ((v5_relat_1 X3 \\ & (u1_compos_1 k1_scmpds_2)) \wedge ((v1_funct_1 X3) \wedge ((v1_finset_1 \\ & X3) \wedge ((v1_afinsq_1 X3) \wedge (v3_scmpds_4 X3)))))))))) \Rightarrow (((r1_scmpds_6 \\ & X3 (k6_scmpds_4 X2 (k8_memstr_0 np_2 k1_scmpds_2 X1) X0) X0) \wedge \\ & r2_scmpds_6 X3 (k6_scmpds_4 X2 (k8_memstr_0 np_2 k1_scmpds_2 \\ & X1) X0) X0)) \Rightarrow ((r1_scmpds_6 (k1_scmpds_4 X2 X3) X1 X0) \wedge (r2_scmpds_6 \\ & (k1_scmpds_4 X2 X3) X1 X0)))))) \end{aligned}$$