

t9\_sheffer1 (TM-  
Suu8Aoj5QYTmyuT6GScHzgSSbGHcBKExc)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v4\_lattices : \iota \Rightarrow o$  be given. Let  $v6\_lattices : \iota \Rightarrow o$  be given. Let  $v11\_lattices : \iota \Rightarrow o$  be given. Let  $v1\_sheffer1 : \iota \Rightarrow o$  be given. Let  $v2\_sheffer1 : \iota \Rightarrow o$  be given. Let  $v3\_sheffer1 : \iota \Rightarrow o$  be given. Let  $v4\_sheffer1 : \iota \Rightarrow o$  be given. Let  $l3\_lattices : \iota \Rightarrow o$  be given. Let  $v7\_robbins1 : \iota \Rightarrow o$  be given. Let  $l1\_lattices : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k4\_lattices : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_lattices : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l2\_lattices : \iota \Rightarrow o$  be given. Let  $k3\_lattices : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_lattices : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_sheffer1 : \iota \Rightarrow \iota$  be given. Let  $k1\_sheffer1 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. (((\neg v2\_struct\_0 X0) \wedge (v6\_lattices X0) \wedge (l1\_lattices X0))) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (k4\_lattices X0 X1 X2 = k2\_lattices X0 X1 X2) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (((\neg v2\_struct\_0 X0) \wedge (v4\_lattices X0) \wedge (l2\_lattices X0))) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (k3\_lattices X0 X1 X2 = k1\_lattices X0 X1 X2) \quad (2)$$

Assume the following.

$$\forall X0. (l3\_lattices X0) \Rightarrow ((l1\_lattices X0) \wedge (l2\_lattices X0)) \quad (3)$$

Assume the following.

$$\forall X0. ((\neg v2\_struct\_0 X0) \wedge (l3\_lattices X0)) \Rightarrow (m1\_subset\_1 (k2\_sheffer1 X0) (u1\_struct\_0 X0)) \quad (4)$$

Assume the following.

$$\forall X0. ((\neg v2\_struct\_0 X0) \wedge (l3\_lattices X0)) \Rightarrow (m1\_subset\_1 (k1\_sheffer1 X0) (u1\_struct\_0 X0)) \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge (l2\_lattices X0)) \Rightarrow ((v7\_robbins1 \\ X0) \Leftrightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (k1\_lattices \\ X0 X1 X1 = X1))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge (l3\_lattices X0)) \Rightarrow ((v3\_sheffer1 \\ X0) \Leftrightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 \\ (u1\_struct\_0 X0)) \Rightarrow (k1\_lattices X0 X1 (k2\_lattices X0 X2 X3) = k2\_lattices \\ X0 (k1\_lattices X0 X1 X2) (k1\_lattices X0 X1 X3)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge (l3\_lattices X0)) \Rightarrow ((v2\_sheffer1 \\ X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow ((X1 = k2\_sheffer1 \\ X0) \Leftrightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow ((k1\_lattices \\ X0 X1 X2 = X2) \wedge (k1\_lattices X0 X2 X1 = X2)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge (l3\_lattices X0)) \Rightarrow ((v1\_sheffer1 \\ X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow ((X1 = k1\_sheffer1 \\ X0) \Leftrightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow ((k2\_lattices \\ X0 X1 X2 = X2) \wedge (k2\_lattices X0 X2 X1 = X2)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2\_struct\_0 X0) \wedge (l3\_lattices X0)) \Rightarrow ((v11\_lattices \\ X0) \Leftrightarrow (\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 \\ (u1\_struct\_0 X0)) \Rightarrow (k2\_lattices X0 X1 (k1\_lattices X0 X2 X3) = k1\_lattices \\ X0 (k2\_lattices X0 X1 X2) (k2\_lattices X0 X1 X3)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(((\neg v2\_struct\_0 X0) \wedge (v6\_lattices \\ X0) \wedge (l1\_lattices X0)) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge ( \\ m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (k4\_lattices X0 X1 X2 = k4\_lattices \\ X0 X2 X1) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.(((\neg v2\_struct\_0 X0) \wedge (v4\_lattices \\ X0) \wedge (l2\_lattices X0)) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge ( \\ m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (k3\_lattices X0 X1 X2 = k3\_lattices \\ X0 X2 X1) \end{aligned} \quad (12)$$

**Theorem 1**

$$\forall X0.((\neg v2\_struct\_0 X0) \wedge (v4\_lattices X0) \wedge ((v6\_lattices X0) \wedge ((v11\_lattices X0) \wedge ((v1\_sheffer1 X0) \wedge ((v2\_sheffer1 X0) \wedge ((v3\_sheffer1 X0) \wedge ((v4\_sheffer1 X0) \wedge (l3\_lattices X0)))))))))) \Rightarrow (v7\_robbins1 X0)$$