

# t9\_waybel11 (TMakpDQM- CkHRbuvabriqM38Uuz9nRPXfcH1)

October 27, 2020

Let  $v2\_pre\_topc : \iota \Rightarrow o$  be given. Let  $v3\_orders\_2 : \iota \Rightarrow o$  be given. Let  $v4\_orders\_2 : \iota \Rightarrow o$  be given. Let  $v5\_orders\_2 : \iota \Rightarrow o$  be given. Let  $v1\_lattice3 : \iota \Rightarrow o$  be given. Let  $v2\_lattice3 : \iota \Rightarrow o$  be given. Let  $v3\_lattice3 : \iota \Rightarrow o$  be given. Let  $v4\_waybel11 : \iota \Rightarrow o$  be given. Let  $l1\_waybel\_9 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k2\_pre\_topc : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k6\_domain\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_waybel\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_pre\_topc : \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v4\_pre\_topc : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v24\_waybel\_0 : \iota \Rightarrow o$  be given. Let  $v2\_waybel11 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v12\_waybel\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_orders\_2 : \iota \Rightarrow o$  be given. Let  $k1\_tarski : \iota \Rightarrow \iota$  be given. Let  $r1\_orders\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r3\_orders\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v25\_waybel\_0 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v2\_pre\_topc X0) \wedge (l1\_pre\_topc \\
& X0))) \Rightarrow (\forall X1. (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 \\
& X0))) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (k1\_zfmisc\_1 (u1\_struct\_0 \\
& X0))) \Rightarrow ((r1\_tarski X2 X1) \wedge ((v4\_pre\_topc X1 X0) \wedge (\forall X3. ( \\
& m1\_subset\_1 X3 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((r1\_tarski \\
& X2 X3) \wedge (v4\_pre\_topc X3 X0)) \Rightarrow (r1\_tarski X1 X3)))))) \Rightarrow (X1 = k2\_pre\_topc \\
& X0 X2)))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v3\_orders\_2 X0) \wedge ((v4\_orders\_2 \\
& X0) \wedge ((v5\_orders\_2 X0) \wedge ((v24\_waybel\_0 X0) \wedge (l1\_waybel\_9 X0)))))) \Rightarrow \\
& (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (v2\_waybel11 ( \\
& k5\_waybel\_0 X0 X1) X0))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v3\_orders\_2 X0) \wedge ((v4\_orders\_2 \\ & X0) \wedge ((v24\_waybel\_0 X0) \wedge ((v4\_waybel11 X0) \wedge (l1\_waybel\_9 X0)))))) \Rightarrow \\ & (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow \\ & ((v4\_pre\_topc X1 X0) \Leftrightarrow ((v2\_waybel11 X1 X0) \wedge (v12\_waybel\_0 X1 X0)))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (l1\_orders\_2 X0)) \Rightarrow (\forall X1. \\ & (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2.((v12\_waybel\_0 \\ & X2 X0) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))) \Rightarrow ((X1 \in \\ & X2) \Rightarrow (r1\_tarski (k5\_waybel\_0 X0 X1) X2)))) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 (k1\_zfmisc\_1 X1)) \Leftrightarrow (r1\_tarski X0 X1) \quad (5)$$

Assume the following.

$$\forall X0. \forall X1. (r1\_tarski (k1\_tarski X0) X1) \Leftrightarrow (X0 \in X1) \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (l1\_orders\_2 X0)) \Rightarrow (\forall X1. \\ & (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2.(m1\_subset\_1 X2 \\ & (u1\_struct\_0 X0)) \Rightarrow ((X2 \in k5\_waybel\_0 X0 X1) \Leftrightarrow (r1\_orders\_2 X0 X2 \\ & X1)))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2\_struct\_0 X0) \wedge ((v3\_orders\_2 \\ & X0) \wedge (l1\_orders\_2 X0))) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge \\ & m1\_subset\_1 X2 (u1\_struct\_0 X0))) \Rightarrow (r3\_orders\_2 X0 X1 X1) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2\_struct\_0 X0) \wedge ((v3\_orders\_2 \\ & X0) \wedge (l1\_orders\_2 X0))) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge \\ & m1\_subset\_1 X2 (u1\_struct\_0 X0))) \Rightarrow ((r3\_orders\_2 X0 X1 X2) \Leftrightarrow (r1\_orders\_2 \\ & X0 X1 X2)) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1\_xboole\_0 X0) \wedge (m1\_subset\_1 X1 X0)) \Rightarrow (k6\_domain\_1 X0 X1 = k1\_tarski X1) \quad (10)$$

Assume the following.

$$\forall X0. ((\neg v2\_struct\_0 X0) \wedge (l1\_struct\_0 X0)) \Rightarrow (\neg v1\_xboole\_0 (u1\_struct\_0 X0)) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2\_struct\_0 X0)\wedge((v4\_orders\_2 X0)\wedge(l1\_orders\_2 X0)))\wedge(m1\_subset\_1 X1 (u1\_struct\_0 X0)))\Rightarrow(v12\_waybel\_0(k5\_waybel\_0 X0 X1) X0) \quad (12)$$

Assume the following.

$$\forall X0.(l1\_waybel\_9 X0)\Rightarrow((l1\_pre\_topc X0)\wedge(l1\_orders\_2 X0)) \quad (13)$$

Assume the following.

$$\forall X0.(l1\_pre\_topc X0)\Rightarrow(l1\_struct\_0 X0) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1\_xboole\_0 X0)\wedge(m1\_subset\_1 X1 X0))\Rightarrow(m1\_subset\_1 (k6\_domain\_1 X0 X1) (k1\_zfmisc\_1 X0)) \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2\_struct\_0 X0)\wedge(l1\_orders\_2 X0))\wedge(m1\_subset\_1 X1 (u1\_struct\_0 X0)))\Rightarrow(m1\_subset\_1 (k5\_waybel\_0 X0 X1) (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \quad (16)$$

Assume the following.

$$\forall X0.(l1\_orders\_2 X0)\Rightarrow((v2\_lattice3 X0)\Rightarrow(\neg v2\_struct\_0 X0)) \quad (17)$$

Assume the following.

$$\forall X0.(l1\_orders\_2 X0)\Rightarrow(((\neg v2\_struct\_0 X0)\wedge((v3\_orders\_2 X0)\wedge(v3\_lattice3 X0)))\Rightarrow((\neg v2\_struct\_0 X0)\wedge((v3\_orders\_2 X0)\wedge((v24\_waybel\_0 X0)\wedge(v25\_waybel\_0 X0)))) \quad (18)$$

**Theorem 1**

$$\forall X0.((v2\_pre\_topc X0)\wedge((v3\_orders\_2 X0)\wedge((v4\_orders\_2 X0)\wedge((v5\_orders\_2 X0)\wedge((v1\_lattice3 X0)\wedge((v2\_lattice3 X0)\wedge((v3\_lattice3 X0)\wedge((v4\_waybel11 X0)\wedge(l1\_waybel\_9 X0))))))))\Rightarrow(\forall X1.(m1\_subset\_1 X1 (u1\_struct\_0 X0))\Rightarrow(k2\_pre\_topc X0 (k6\_domain\_1 (u1\_struct\_0 X0) X1) = k5\_waybel\_0 X0 X1))$$