

## t9\_yellow12

(TMPo2Lmq3t6f9bufxLtvpxwtBnf4EX1nyrw)

October 27, 2020

Let  $v3\_orders\_2 : \iota \Rightarrow o$  be given. Let  $v4\_orders\_2 : \iota \Rightarrow o$  be given. Let  $v5\_orders\_2 : \iota \Rightarrow o$  be given. Let  $v2\_lattice3 : \iota \Rightarrow o$  be given. Let  $l1\_orders\_2 : \iota \Rightarrow o$  be given. Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $g1\_orders\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $u1\_orders\_2 : \iota \Rightarrow \iota$  be given. Let  $k12\_lattice3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k11\_lattice3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_yellow\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k7\_domain\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $r2\_yellow\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_tarski : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k1\_zfmisc.1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc.1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} \forall X0. (& (v3\_orders\_2 X0) \wedge ((v4\_orders\_2 X0) \wedge ((v5\_orders\_2 \\ & X0) \wedge ((v2\_lattice3 X0) \wedge (l1\_orders\_2 X0)))) \Rightarrow (\forall X1. (m1\_subset\_1 \\ & X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. (m1\_subset\_1 X2 (u1\_struct\_0 \\ & X0)) \Rightarrow (k2\_yellow\_0 X0 (k7\_domain\_1 (u1\_struct\_0 X0) X1 X2) = k12\_lattice3 \\ & X0 X1 X2))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} \forall X0. (l1\_orders\_2 X0) \Rightarrow (\forall X1. (l1\_orders\_2 X1) \Rightarrow (( \\ & g1\_orders\_2 (u1\_struct\_0 X0) (u1\_orders\_2 X0) = g1\_orders\_2 (u1\_struct\_0 \\ & X1) (u1\_orders\_2 X1)) \Rightarrow (\forall X2. (r2\_yellow\_0 X0 X2) \Rightarrow (k2\_yellow\_0 \\ & X0 X2 = k2\_yellow\_0 X1 X2)))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} \forall X0. (& (v5\_orders\_2 X0) \wedge (l1\_orders\_2 X0)) \Rightarrow ((v2\_lattice3 \\ & X0) \Leftrightarrow (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (\forall X2. \\ & (m1\_subset\_1 X2 (u1\_struct\_0 X0)) \Rightarrow (r2\_yellow\_0 X0 (k2\_tarski \\ & X1 X2)))))) \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.(l1\_orders\_2 X0) \Rightarrow (\forall X1.(l1\_orders\_2 X1) \Rightarrow ((g1\_orders\_2 (u1\_struct\_0 X0) (u1\_orders\_2 X0) = g1\_orders\_2 (u1\_struct\_0 X1) (u1\_orders\_2 X1)) \wedge (v2\_lattice3 X0)) \Rightarrow (v2\_lattice3 X1))) \quad (4)$$

Assume the following.

$$\forall X0.(l1\_orders\_2 X0) \Rightarrow (\forall X1.(l1\_orders\_2 X1) \Rightarrow ((g1\_orders\_2 (u1\_struct\_0 X0) (u1\_orders\_2 X0) = g1\_orders\_2 (u1\_struct\_0 X1) (u1\_orders\_2 X1)) \wedge (v5\_orders\_2 X0)) \Rightarrow (v5\_orders\_2 X1))) \quad (5)$$

Assume the following.

$$\forall X0.(l1\_orders\_2 X0) \Rightarrow (\forall X1.(l1\_orders\_2 X1) \Rightarrow ((g1\_orders\_2 (u1\_struct\_0 X0) (u1\_orders\_2 X0) = g1\_orders\_2 (u1\_struct\_0 X1) (u1\_orders\_2 X1)) \wedge (v4\_orders\_2 X0)) \Rightarrow (v4\_orders\_2 X1))) \quad (6)$$

Assume the following.

$$\forall X0.(l1\_orders\_2 X0) \Rightarrow (\forall X1.(l1\_orders\_2 X1) \Rightarrow ((g1\_orders\_2 (u1\_struct\_0 X0) (u1\_orders\_2 X0) = g1\_orders\_2 (u1\_struct\_0 X1) (u1\_orders\_2 X1)) \wedge (v3\_orders\_2 X0)) \Rightarrow (v3\_orders\_2 X1))) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1\_xboole\_0 X0) \wedge ((m1\_subset\_1 X1 X0) \wedge (m1\_subset\_1 X2 X0))) \Rightarrow (k7\_domain\_1 X0 X1 X2 = k2\_tarski X1 X2)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((v5\_orders\_2 X0) \wedge ((v2\_lattice3 X0) \wedge (l1\_orders\_2 X0))) \wedge ((m1\_subset\_1 X1 (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (u1\_struct\_0 X0)))) \Rightarrow (k12\_lattice3 X0 X1 X2 = k11\_lattice3 X0 X1 X2)) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0))) \Rightarrow (\forall X2.\forall X3.(g1\_orders\_2 X0 X1 = g1\_orders\_2 X2 X3) \Rightarrow ((X0 = X2) \wedge (X1 = X3))) \quad (10)$$

Assume the following.

$$\forall X0.((\neg v2\_struct\_0 X0) \wedge (l1\_struct\_0 X0)) \Rightarrow (\neg v1\_xboole\_0 (u1\_struct\_0 X0)) \quad (11)$$

Assume the following.

$$\forall X0.(l1\_orders\_2 X0) \Rightarrow (m1\_subset\_1 (u1\_orders\_2 X0) (k1\_zfmisc\_1 (k2\_zfmisc\_1 (u1\_struct\_0 X0) (u1\_struct\_0 X0)))) \quad (12)$$

Assume the following.

$$\forall X0.(l1\_orders\_2 X0) \Rightarrow (l1\_struct\_0 X0) \quad (13)$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((v3\_orders\_2 X0) \wedge ((v4\_orders\_2 X0) \wedge ((v5\_orders\_2 \\ & \quad X0) \wedge ((v2\_lattice3 X0) \wedge (l1\_orders\_2 X0)))))) \Rightarrow (\forall X1.((\neg \\ & \quad v2\_struct\_0 X1) \wedge (l1\_orders\_2 X1)) \Rightarrow (\forall X2.(m1\_subset\_1 \\ & \quad X2 (u1\_struct\_0 X0)) \Rightarrow (\forall X3.(m1\_subset\_1 X3 (u1\_struct\_0 \\ & \quad X0)) \Rightarrow (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 X1)) \Rightarrow (\forall X5. \\ & \quad (m1\_subset\_1 X5 (u1\_struct\_0 X1)) \Rightarrow (((g1\_orders\_2 (u1\_struct\_0 \\ & \quad X0) (u1\_orders\_2 X0) = g1\_orders\_2 (u1\_struct\_0 X1) (u1\_orders\_2 \\ & \quad X1)) \wedge ((X2 = X4) \wedge (X3 = X5))) \Rightarrow (k12\_lattice3 X0 X2 X3 = k11\_lattice3 \\ & \quad X1 X4 X5)))))))) \end{aligned}$$