

thm_2Efinite_map_2Efmap_EQ_UPTO_____FUPDATE_BOTH_____
 (TMST1gqQ9f48TJF1wZhcUTZJZwpD4QfNWZZ)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_{.27a} : \iota.(\lambda V0P \in (2^{A_{.27a}}).(ap (ap (c_2Emin_2E_3D (2^{A_{.27a}}))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 7 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge p (ap P x)))$ of type $\iota \Rightarrow \iota$.

Definition 8 We define `c_2Ebool_2ECOND` to be $\lambda A_{.27a} : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_{.27a}.(\lambda V2t2 \in A_{.27a}.(ap (c_2Emin_2E_3D_3D_3E (V1t1 V2t2))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let `c_2Epair_2EABS_prod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow c_2Epair_2EABS_prod A_{.27a} A_{.27b} \in ((ty_2Epair_2Eprod A_{.27a} A_{.27b})^{(2^{A_{.27b}})^{A_{.27a}}}) \tag{2}$$

Definition 9 We define `c_2Epair_2E_2C` to be $\lambda A_{.27a} : \iota.\lambda A_{.27b} : \iota.\lambda V0x \in A_{.27a}.\lambda V1y \in A_{.27b}.(ap (c_2Emin_2E_3D_3D_3E (V0x V1y))$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efinite_map_2Efmap\ A0\ A1) \quad (3)$$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_2Efinite_map_2EFUPDATE\ A_{27a}\ A_{27b} \in (((ty_2Efinite_map_2Efmap\ A_{27a}\ A_{27b})^{(ty_2Epair_2Eprod\ A_{27a}\ A_{27b})})^{(ty_2Efinite_map_2Eupdate\ A_{27a}\ A_{27b})}) \quad (4)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (5)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (6)$$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_2Efinite_map_2Efmap_REP\ A_{27a}\ A_{27b} \in (((ty_2Esum_2Esum\ A_{27b}\ ty_2Eone_2Eone)^{A_{27a}})^{(ty_2Efinite_map_2Efmap\ A_{27a}\ A_{27b})}) \quad (7)$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_2Esum_2EOUTL\ A_{27a}\ A_{27b} \in (A_{27a})^{(ty_2Esum_2Esum\ A_{27a}\ A_{27b})} \quad (8)$$

Definition 10 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. \lambda V0f \in (ty_2Efinite_map_2EFAPPLY\ A_{27a}\ A_{27b}\ V0f)$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_2Esum_2EISL\ A_{27a}\ A_{27b} \in (2^{(ty_2Esum_2Esum\ A_{27a}\ A_{27b})}) \quad (9)$$

Definition 11 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. \lambda V0f \in (ty_2Efinite_map_2EFDOM\ A_{27a}\ A_{27b}\ V0f)$

Definition 12 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_{27a} : \iota. (\lambda V0x \in A_{27a}. c_2Ebool_2ET)$.

Definition 13 We define c_2Ebool_2EIN to be $\lambda A_{27a} : \iota. (\lambda V0x \in A_{27a}. (\lambda V1f \in (2^{A_{27a}}). (ap\ V1f\ V0x)))$

Definition 14 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_2Epred_set_2EGSPEC\ A_{27a}\ A_{27b} \in ((2^{A_{27a}})^{(ty_2Epair_2Eprod\ A_{27a}\ 2)^{A_{27b}}}) \quad (10)$$

Definition 15 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 16 We define $c_2Epred_set_2Ecompl$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Epred_set$

Definition 17 We define $c_2Epred_set_2Einter$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 18 We define $c_2Efinite_map_2Efmmap_EQ_upto$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f1 \in (ty_2E$

Definition 19 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E21 2) (\lambda V2t \in$

Definition 20 We define $c_2Epred_set_2Einsert$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2E$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg (p V0t)))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (17)$$

Assume the following.

$$((\forall V0t \in 2.((\neg (\neg (p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\ & A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\ & V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF \\ & V0t1)\ V1t2) = V1t2)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27))))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\ & (\forall V5y_27 \in A_27a. (((((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ & ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\ & V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27) \\ & V5y_27))))))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in (ty_2Efinite_map_2E fmap\ A_27a\ A_27b). (\forall V1a \in \\ & A_27a. (\forall V2b \in A_27b. ((ap\ (c_2Efinite_map_2EFDOM\ A_27a \\ & A_27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ V0f)\ (ap \\ & (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1a)\ V2b))) = (ap\ (ap\ (c_2Epred_set_2EINSERT \\ & A_27a)\ V1a)\ (ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V0f)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2E fmap\ A.27a\ A.27b).(\forall V1a \in \\
& \quad A.27a.(\forall V2b \in A.27b.(\forall V3x \in A.27a.((ap\ (ap\ (c_2Efinite_map_2EFAPPLY \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A.27a\ A.27b)\ V0f) \\
& \quad (ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ A.27b)\ V1a)\ V2b)))\ V3x) = (ap\ (ap\ (ap \\
& \quad (c_2Ebool_2ECOND\ A.27b)\ (ap\ (ap\ (c_2Emin_2E_3D\ A.27a)\ V3x)\ V1a)) \\
& \quad V2b)\ (ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A.27a\ A.27b)\ V0f)\ V3x)))))) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).(\forall V1t \in \\
& \quad (2^{A.27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A.27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A.27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a)\ V2x)\ V1t)))))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).(\forall V1t \in \\
& \quad (2^{A.27a}).(\forall V2x \in A.27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a) \\
& \quad V2x)\ (ap\ (ap\ (c_2Epred_set_2EINTER\ A.27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (29) \\
& \quad (ap\ (c_2Ebool_2EIN\ A.27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A.27a)\ V2x)\ V1t))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\
& \quad A.27a.(\forall V2s \in (2^{A.27a}).((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a) \\
& \quad V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A.27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\
& \quad V1y) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a)\ V0x)\ V2s)))))) \\
& \hspace{15em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1s \in \\
& \quad (2^{A.27a}).((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a)\ V0x)\ (ap\ (c_2Epred_set_2Ecompl \\
& \quad A.27a)\ V1s))) \Leftrightarrow (\neg (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a)\ V0x)\ V1s)))))) \\
& \hspace{15em} (31)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0f1 \in (ty_2Efinite_map_2E fmap\ A.27a\ A.27b).(\forall V1f2 \in \\
& \quad (ty_2Efinite_map_2E fmap\ A.27a\ A.27b).(\forall V2ks \in (2^{A.27a}). \\
& \quad (\forall V3k \in A.27a.(\forall V4v \in A.27b.((p\ (ap\ (ap\ (ap\ (c_2Efinite_map_2E fmap_EQ_UPTO \\
& \quad A.27a\ A.27b)\ V0f1)\ V1f2)\ V2ks)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Efinite_map_2E fmap_EQ_UPTO \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE\ A.27a\ A.27b)\ V0f1) \\
& \quad (ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ A.27b)\ V3k)\ V4v)))\ (ap\ (ap\ (c_2Efinite_map_2EFUPDATE \\
& \quad A.27a\ A.27b)\ V1f2)\ (ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ A.27b)\ V3k)\ V4v))) \\
& \quad V2ks))))))
\end{aligned}$$