

t20_lmod_6

(TMdGtV5pFUnVbF6MxEqNSvABZcqxRb7RGLW)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v8_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v9_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v10_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_lmod_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_vectsp_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_struct_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v7_vectsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_group_1 X0) \wedge (v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))))))) \Rightarrow \\
 & (\forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v8_vectsp_1 X1 X0) \wedge ((v9_vectsp_1 X1 X0) \wedge ((v10_vectsp_1 X1 X0) \wedge ((v11_vectsp_1 X1 X0) \wedge (l1_vectsp_1 X1 X0)))))))))) \Rightarrow (\forall X2. ((\neg v2_struct_0 X2) \wedge ((v13_algstr_0 X2) \wedge ((v2_rlvect_1 X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge ((v8_vectsp_1 X2 X0) \wedge ((v9_vectsp_1 X2 X0) \wedge ((v10_vectsp_1 X2 X0) \wedge ((v11_vectsp_1 X2 X0) \wedge (l1_vectsp_1 X2 X0)))))))))) \Rightarrow \\
 & (\forall X3. ((\neg v2_struct_0 X3) \wedge ((v13_algstr_0 X3) \wedge ((v2_rlvect_1 X3) \wedge ((v3_rlvect_1 X3) \wedge ((v4_rlvect_1 X3) \wedge ((v8_vectsp_1 X3 X0) \wedge ((v9_vectsp_1 X3 X0) \wedge ((v10_vectsp_1 X3 X0) \wedge ((v11_vectsp_1 X3 X0) \wedge (l1_vectsp_1 X3 X0)))))))))) \Rightarrow ((r1_lmod_6 X0 X1 X2) \wedge (r1_lmod_6 X0 X3 X2)) \Rightarrow ((k4_struct_0 X1 = k4_struct_0 X3) \wedge ((r1_struct_0 X3 (k4_struct_0 X1)) \wedge ((r1_tarski (u1_struct_0 X1) (u1_struct_0 X3)) \Rightarrow (r1_lmod_6 X0 X1 X3)) \wedge ((\forall X4. (m1_subset_1 X4 (u1_struct_0 X2)) \Rightarrow ((r1_struct_0 X1 X4) \Rightarrow (r1_struct_0 X3 X4)) \Rightarrow (r1_lmod_6 X0 X1 X3)) \wedge (((u1_struct_0 X1 = u1_struct_0 X3) \wedge ((v7_vectsp_1 X1 X0) \wedge (v7_vectsp_1 X3 X0))) \Rightarrow (X1 = X3) \wedge (r1_lmod_6 X0 (k1_vectsp_4 X0 X1 X3))))))))))
 \end{aligned}$$

(1)

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge (v13_algstr_0 \\
& X0) \wedge (v2_rlvect_1 X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge \\
& ((v3_group_1 X0) \wedge (v4_vectsp_1 X0) \wedge (v5_vectsp_1 X0) \wedge (l6_algstr_0 \\
& X0)))))) \wedge (((\neg v2_struct_0 X1) \wedge (v13_algstr_0 X1) \wedge (v2_rlvect_1 \\
& X1) \wedge (v3_rlvect_1 X1) \wedge (v4_rlvect_1 X1) \wedge (v8_vectsp_1 X1 X0) \wedge \\
& ((v9_vectsp_1 X1 X0) \wedge (v10_vectsp_1 X1 X0) \wedge (v11_vectsp_1 X1 \\
& X0) \wedge (l1_vectsp_1 X1 X0)))))) \wedge ((\neg v2_struct_0 X2) \wedge (v13_algstr_0 \\
& X2) \wedge (v2_rlvect_1 X2) \wedge (v3_rlvect_1 X2) \wedge (v4_rlvect_1 X2) \wedge \\
& ((v8_vectsp_1 X2 X0) \wedge (v9_vectsp_1 X2 X0) \wedge (v10_vectsp_1 X2 X0) \wedge \\
& ((v11_vectsp_1 X2 X0) \wedge (l1_vectsp_1 X2 X0)))))) \Rightarrow (r1_lmod.6 \\
& X0 X1 X1)
\end{aligned} \tag{2}$$

Theorem 1

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 \\
& X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v3_group_1 X0) \wedge (\\
& (v4_vectsp_1 X0) \wedge (v5_vectsp_1 X0) \wedge (l6_algstr_0 X0)))) \Rightarrow \\
& (\forall X1. ((\neg v2_struct_0 X1) \wedge (v13_algstr_0 X1) \wedge (v2_rlvect_1 \\
& X1) \wedge (v3_rlvect_1 X1) \wedge (v4_rlvect_1 X1) \wedge (v8_vectsp_1 X1 X0) \wedge \\
& ((v9_vectsp_1 X1 X0) \wedge (v10_vectsp_1 X1 X0) \wedge (v11_vectsp_1 X1 \\
& X0) \wedge (l1_vectsp_1 X1 X0)))))) \Rightarrow (\forall X2. ((\neg v2_struct_0 \\
& X2) \wedge (v13_algstr_0 X2) \wedge (v2_rlvect_1 X2) \wedge (v3_rlvect_1 X2) \wedge \\
& ((v4_rlvect_1 X2) \wedge (v8_vectsp_1 X2 X0) \wedge (v9_vectsp_1 X2 X0) \wedge \\
& ((v10_vectsp_1 X2 X0) \wedge (v11_vectsp_1 X2 X0) \wedge (l1_vectsp_1 X2 X0)))))) \Rightarrow \\
& ((r1_lmod.6 X0 X1 X2) \Rightarrow (r1_lmod.6 X0 (k1_vectsp.4 X0 X2) X1)))
\end{aligned}$$